



MADE IN THE USA

# Clear Flush

PATENTED & VALIDATED CLEAN TECHNOLOGY

## FLUSHABLE CERVICAL KERRISON RONGEURS



**Elmed's Clear Flush® Cervical Kerrison Rongeurs. Available in unique, exclusive 'Rose Gold' Titanium Nitride Coating. Also available in Stainless Steel, Black Ceramic and Black & Gold Ceramic Coating.**

- Validated\* to Remove 99.9998% of Bioburden with a Simple Flush
- Eliminates the need to disassemble and reassemble for cleaning
- Designed to be Clean, Sterile and Moisture-Free for Every Patient, Every Time
- Increased Steam Penetration to Allow 100% Bacteria Kill
- Patented Internal Lubrication Channel Provides Smoother Performance

\*Nelson Laboratories and Midbrook Biomedical Cleaning Validation Reports Available at [www.elmed.com](http://www.elmed.com)

**WE DESIGN, MANUFACTURE, & SELL THE TOOLS THE SURGEONS USE**

ELMED INC.  
35 N. BRANDON DR.  
GLENDALE HEIGHTS,  
IL 60139

WE SUBSCRIBE TO  
COST  
CONTAINMENT AND  
PROTECTION OF  
THE ENVIRONMENT



MADE IN THE USA

THEREFORE, WE  
MANUFACTURE  
REUSABLE  
PRODUCTS FOR A  
CLEANER WORLD

PH (224) 353-6446  
FAX (224) 653-8178  
EMAIL  
[MEDICAL@ELMED.COM](mailto:MEDICAL@ELMED.COM)  
[WWW.ELMED.COM](http://WWW.ELMED.COM)

# Table of Contents

	Page
<b>Description—Patented &amp; Validated</b>	1
<b>Rose Gold Kerrison Rongeurs</b>	2
40°	3-4
40° with Pin Ejector	5-6
90°	7-8
90° with Pin Ejector	9-10
<b>Black Ceramic Coated Cervical Kerrison Rongeurs</b>	11
40°	12-13
40° with Pin Ejector	14
90°	15-16
90° with Pin Ejector	17-18
<b>Black and Gold ‘Super Coat’ Cervical Kerrison Rongeurs</b>	19
40°	20-21
40° with Pin Ejector	22-23
90°	24-25
90° with Pin Ejector	26-27
<b>Stainless Steel Cervical Kerrison Rongeurs</b>	28
40°	29-30
40° with Pin Ejector	31-32
90°	33-34
90° with Pin Ejector	35-36



## Cervical Kerrison

### Elmed's Validated\* Clear Flush® Cervical Kerrison Rongeurs

Elmed's patented Clear Flush® Cervical Kerrison Rongeurs provide surgeons with a sharp, clean cut every time. That is because the internal bioburden that builds up over time and starts to block the cutting surface from closing completely against the footplate of the Cervical Kerrison is flushed out\* on every reprocessing cycle

- The unique, exclusive design provides a smooth, tactile response for surgeons due to the removal of friction-causing bioburden combined with the complete internal lubrication of the instrument through the exclusive flush port. Elmed's Clear Flush® Cervical Kerrison Rongeurs are superior in every way to the conventional Kerrisons that most surgeons trained on and still prefer over modular Kerrisons.
- The Cervical Kerrison Rongeurs also provide surgeons with the distinctive ability to be flushed during a surgical case to maintain optimal performance throughout the length of the case. With the patented Elmed Clear Flush® technology, surgeons can now have the validated\* confidence of a Cervical Kerrison that is not contaminated after reprocessing with bioburden, biofilm or waterborne pathogens, all of which can potentially be the source of a dangerous surgical infection.



ELMED'S CLEAR FLUSH® CERVICAL KERRISON BEING FLUSHED WITH AN ENZYMATIC DETERGENT IN AN AUTOMATIC WASHER.

- O.R. Supervisors and their personnel can now have the documented assurance\* of clean, sterile, moisture-free Cervical Kerrison Rongeurs for every patient, every time. Hospitals are under tremendous pressure to reduce their patients' risk of a dangerous and costly surgical infection. The exclusive Clear Flush® design represents the newest, validated technology to help fight infections caused by Kerrisons that are difficult, if not impossible, to thoroughly decontaminate, clean and sterilize.
- SPD/Sterile Reprocessing Managers can finally have the confidence\* of reprocessing Cervical Kerrison Rongeurs whose IFUs have been validated using FDA testing protocols. With a simple flush, the unique, patented Elmed Clear Flush® technology helps them reduce the risk of a surgical infection without the time consuming labor and effort required to manually disassemble, manually reprocess and then correctly reassemble modular Cervical Kerrisons.

\*Nelson Laboratories and Midbrook Biomedical Validation Reports Available at [www.elmed.com](http://www.elmed.com)



## **Rose Gold Kerrison Rongeurs**

Clear Flush® Cervical Kerrison Rongeurs are now available with Elmed's Unique, Exclusive "Rose Gold" Titanium Nitride Coating



Titanium Nitride (TiN) is a very hard, inert, thin film coating that is applied on the highest quality surgical instruments. TiN has an ideal combination of hardness, toughness and superior adhesion. TiN's inert surface barrier protects the Kerrison from corrosion, improves wear resistance and maintains the integrity of the cutting edge longer. The reduced friction coefficient provided by the coating helps to prevent tissue from adhering to the Kerrison.

*Validated and patented Clear Flush® technology from Elmed  
is the new "Standard of Care" for your patients.*



### Rose Gold Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>RG7-1MM40C</b>	Micro	7" (175mm)	1mm	40°
<b>RG7-1.5MM40C</b>	Micro	7" (175mm)	1.5mm	40°
<b>RG7-2MM40C</b>	Micro	7" (175mm)	2mm	40°
<b>RG7-2.5MM40C</b>	Micro	7" (175mm)	2.5mm	40°
<b>RG7-3MM40C</b>	Micro	7" (175mm)	3mm	40°
<b>RG7-4MM40C</b>	Micro	7" (175mm)	4mm	40°
<b>RG7-5MM40C</b>	Micro	7" (175mm)	5mm	40°
<b>RG7-6MM40C</b>	Micro	7" (175mm)	6mm	40°
<b>RG8-1MM40C</b>	Micro	8" (200mm)	1mm	40°
<b>RG8-1.5MM40C</b>	Micro	8" (200mm)	1.5mm	40°
<b>RG8-2MM40C</b>	Micro	8" (200mm)	2mm	40°
<b>RG8-2.5MM40C</b>	Micro	8" (200mm)	2.5mm	40°
<b>RG8-3MM40C</b>	Micro	8" (200mm)	3mm	40°
<b>RG8-4MM40C</b>	Micro	8" (200mm)	4mm	40°
<b>RG8-5MM40C</b>	Micro	8" (200mm)	5mm	40°
<b>RG8-6MM40C</b>	Micro	8" (200mm)	6mm	40°
<b>RG9-1MM40C</b>	Micro	9" (225mm)	1mm	40°
<b>RG9-1.5MM40C</b>	Micro	9" (225mm)	1.5mm	40°
<b>RG9-2MM40C</b>	Micro	9" (225mm)	2mm	40°
<b>RG9-2.5MM40C</b>	Micro	9" (225mm)	2.5mm	40°
<b>RG9-3MM40C</b>	Micro	9" (225mm)	3mm	40°
<b>RG9-4MM40C</b>	Micro	9" (225mm)	4mm	40°
<b>RG9-5MM40C</b>	Micro	9" (225mm)	5mm	40°
<b>RG9-6MM40C</b>	Micro	9" (225mm)	6mm	40°



### Rose Gold Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>RG10-1MM40C</b>	Micro	10" (250mm)	1mm	40°
<b>RG10-1.5MM40C</b>	Micro	10" (250mm)	1.5mm	40°
<b>RG10-2MM40C</b>	Micro	10" (250mm)	2mm	40°
<b>RG10-2.5MM40C</b>	Micro	10" (250mm)	2.5mm	40°
<b>RG10-3MM40C</b>	Micro	10" (250mm)	3mm	40°
<b>RG10-4MM40C</b>	Micro	10" (250mm)	4mm	40°
<b>RG10-5MM40C</b>	Micro	10" (250mm)	5mm	40°
<b>RG10-6MM40C</b>	Micro	10" (250mm)	6mm	40°
<b>RG11-1MM40C</b>	Micro	11" (300mm)	1mm	40°
<b>RG11-1.5MM40C</b>	Micro	11" (300mm)	1.5mm	40°
<b>RG11-2MM40C</b>	Micro	11" (300mm)	2mm	40°
<b>RG11-2.5MM40C</b>	Micro	11" (300mm)	2.5mm	40°
<b>RG11-3MM40C</b>	Micro	11" (300mm)	3mm	40°
<b>RG11-4MM40C</b>	Micro	11" (300mm)	4mm	40°
<b>RG11-5MM40C</b>	Micro	11" (300mm)	5mm	40°
<b>RG11-6MM40C</b>	Micro	11" (300mm)	6mm	40°




Rose Gold Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>RG7-2MM40-PINC</b>	Micro	7" (175mm)	2mm	40°
<b>RG7-2.5MM40-PINC</b>	Micro	7" (175mm)	2.5mm	40°
<b>RG7-3MM40-PINC</b>	Micro	7" (175mm)	3mm	40°
<b>RG7-4MM40-PINC</b>	Micro	7" (175mm)	4mm	40°
<b>RG7-5MM40-PINC</b>	Micro	7" (175mm)	5mm	40°
<b>RG7-6MM40-PINC</b>	Micro	7" (175mm)	6mm	40°
<b>RG8-2MM40-PINC</b>	Micro	8" (200mm)	2mm	40°
<b>RG8-2.5MM40-PINC</b>	Micro	8" (200mm)	2.5mm	40°
<b>RG8-3MM40-PINC</b>	Micro	8" (200mm)	3mm	40°
<b>RG8-4MM40-PINC</b>	Micro	8" (200mm)	4mm	40°
<b>RG8-5MM40-PINC</b>	Micro	8" (200mm)	5mm	40°
<b>RG8-6MM40-PINC</b>	Micro	8" (200mm)	6mm	40°
<b>RG9-2MM40-PINC</b>	Micro	9" (225mm)	2mm	40°
<b>RG9-2.5MM40-PINC</b>	Micro	9" (225mm)	2.5mm	40°
<b>RG9-3MM40-PINC</b>	Micro	9" (225mm)	3mm	40°
<b>RG9-4MM40-PINC</b>	Micro	9" (225mm)	4mm	40°
<b>RG9-5MM40-PINC</b>	Micro	9" (225mm)	5mm	40°
<b>RG9-6MM40-PINC</b>	Micro	9" (225mm)	6mm	40°





### Rose Gold Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>RG10-2MM40-PINC</b>	Micro	10" (250mm)	2mm	40°
<b>RG10-2.5MM40-PINC</b>	Micro	10" (250mm)	2.5mm	40°
<b>RG10-3MM40-PINC</b>	Micro	10" (250mm)	3mm	40°
<b>RG10-4MM40-PINC</b>	Micro	10" (250mm)	4mm	40°
<b>RG10-5MM40-PINC</b>	Micro	10" (250mm)	5mm	40°
<b>RG10-6MM40-PINC</b>	Micro	10" (250mm)	6mm	40°
<b>RG11-2MM40-PINC</b>	Micro	11" (300mm)	2mm	40°
<b>RG11-2.5MM40-PINC</b>	Micro	11" (300mm)	2.5mm	40°
<b>RG11-3MM40-PINC</b>	Micro	11" (300mm)	3mm	40°
<b>RG11-4MM40-PINC</b>	Micro	11" (300mm)	4mm	40°
<b>RG11-5MM40-PINC</b>	Micro	11" (300mm)	5mm	40°
<b>RG11-6MM40-PINC</b>	Micro	11" (300mm)	6mm	40°





Rose Gold Kerrison Rongeurs

90°


Item No.	Style	Length	Bite	Angle
<b>RG7-1MM90C</b>	Micro	7" (175mm)	1mm	90°
<b>RG7-1.5MM90C</b>	Micro	7" (175mm)	1.5mm	90°
<b>RG7-2MM90C</b>	Micro	7" (175mm)	2mm	90°
<b>RG7-2.5MM90C</b>	Micro	7" (175mm)	2.5mm	90°
<b>RG7-3MM90C</b>	Micro	7" (175mm)	3mm	90°
<b>RG7-4MM90C</b>	Micro	7" (175mm)	4mm	90°
<b>RG7-5MM90C</b>	Micro	7" (175mm)	5mm	90°
<b>RG7-6MM90C</b>	Micro	7" (175mm)	6mm	90°
<b>RG8-1MM90C</b>	Micro	8" (200mm)	1mm	90°
<b>RG8-1.5MM90C</b>	Micro	8" (200mm)	1.5mm	90°
<b>RG8-2MM90C</b>	Micro	8" (200mm)	2mm	90°
<b>RG8-2.5MM90C</b>	Micro	8" (200mm)	2.5mm	90°
<b>RG8-3MM90C</b>	Micro	8" (200mm)	3mm	90°
<b>RG8-4MM90C</b>	Micro	8" (200mm)	4mm	90°
<b>RG8-5MM90C</b>	Micro	8" (200mm)	5mm	90°
<b>RG8-6MM90C</b>	Micro	8" (200mm)	6mm	90°
<b>RG9-1MM90C</b>	Micro	9" (225mm)	1mm	90°
<b>RG9-1.5MM90C</b>	Micro	9" (225mm)	1.5mm	90°
<b>RG9-2MM90C</b>	Micro	9" (225mm)	2mm	90°
<b>RG9-2.5MM90C</b>	Micro	9" (225mm)	2.5mm	90°
<b>RG9-3MM90C</b>	Micro	9" (225mm)	3mm	90°
<b>RG9-4MM90C</b>	Micro	9" (225mm)	4mm	90°
<b>RG9-5MM90C</b>	Micro	9" (225mm)	5mm	90°
<b>RG9-6MM90C</b>	Micro	9" (225mm)	6mm	90°



### Rose Gold Kerrison Rongeurs

90°


Item No.	Style	Length	Bite	Angle
<b>RG10-1MM90C</b>	Micro	10" (250mm)	1mm	90°
<b>RG10-1.5MM90C</b>	Micro	10" (250mm)	1.5mm	90°
<b>RG10-2MM90C</b>	Micro	10" (250mm)	2mm	90°
<b>RG10-2.5MM90C</b>	Micro	10" (250mm)	2.5mm	90°
<b>RG10-3MM90C</b>	Micro	10" (250mm)	3mm	90°
<b>RG10-4MM90C</b>	Micro	10" (250mm)	4mm	90°
<b>RG10-5MM90C</b>	Micro	10" (250mm)	5mm	90°
<b>RG10-6MM90C</b>	Micro	10" (250mm)	6mm	90°
<b>RG11-1MM90C</b>	Micro	11" (300mm)	1mm	90°
<b>RG11-1.5MM90C</b>	Micro	11" (300mm)	1.5mm	90°
<b>RG11-2MM90C</b>	Micro	11" (300mm)	2mm	90°
<b>RG11-2.5MM90C</b>	Micro	11" (300mm)	2.5mm	90°
<b>RG11-3MM90C</b>	Micro	11" (300mm)	3mm	90°
<b>RG11-4MM90C</b>	Micro	11" (300mm)	4mm	90°
<b>RG11-5MM90C</b>	Micro	11" (300mm)	5mm	90°
<b>RG11-6MM90C</b>	Micro	11" (300mm)	6mm	90°



Rose Gold Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>RG7-2MM90-PINC</b>	Micro	7" (175mm)	2mm	90°
<b>RG7-2.5MM90-PINC</b>	Micro	7" (175mm)	2.5mm	90°
<b>RG7-3MM90-PINC</b>	Micro	7" (175mm)	3mm	90°
<b>RG7-4MM90-PINC</b>	Micro	7" (175mm)	4mm	90°
<b>RG7-5MM90-PINC</b>	Micro	7" (175mm)	5mm	90°
<b>RG7-6MM90-PINC</b>	Micro	7" (175mm)	6mm	90°
<b>RG8-2MM90-PINC</b>	Micro	8" (200mm)	2mm	90°
<b>RG8-2.5MM90-PINC</b>	Micro	8" (200mm)	2.5mm	90°
<b>RG8-3MM90-PINC</b>	Micro	8" (200mm)	3mm	90°
<b>RG8-4MM90-PINC</b>	Micro	8" (200mm)	4mm	90°
<b>RG8-5MM90-PINC</b>	Micro	8" (200mm)	5mm	90°
<b>RG8-6MM90-PINC</b>	Micro	8" (200mm)	6mm	90°
<b>RG9-2MM90-PINC</b>	Micro	9" (225mm)	2mm	90°
<b>RG9-2.5MM90-PINC</b>	Micro	9" (225mm)	2.5mm	90°
<b>RG9-3MM90-PINC</b>	Micro	9" (225mm)	3mm	90°
<b>RG9-4MM90-PINC</b>	Micro	9" (225mm)	4mm	90°
<b>RG9-5MM90-PINC</b>	Micro	9" (225mm)	5mm	90°
<b>RG9-6MM90-PINC</b>	Micro	9" (225mm)	6mm	90°



Rose Gold Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>RG10-2MM90-PINC</b>	Micro	10" (250mm)	2mm	90°
<b>RG10-2.5MM90-PINC</b>	Micro	10" (250mm)	2.5mm	90°
<b>RG10-3MM90-PINC</b>	Micro	10" (250mm)	3mm	90°
<b>RG10-4MM90-PINC</b>	Micro	10" (250mm)	4mm	90°
<b>RG10-5MM90-PINC</b>	Micro	10" (250mm)	5mm	90°
<b>RG10-6MM90-PINC</b>	Micro	10" (250mm)	6mm	90°
<b>RG11-2MM90-PINC</b>	Micro	11" (300mm)	2mm	90°
<b>RG11-2.5MM90-PINC</b>	Micro	11" (300mm)	2.5mm	90°
<b>RG11-3MM90-PINC</b>	Micro	11" (300mm)	3mm	90°
<b>RG11-4MM90-PINC</b>	Micro	11" (300mm)	4mm	90°
<b>RG11-5MM90-PINC</b>	Micro	11" (300mm)	5mm	90°
<b>RG11-6MM90-PINC</b>	Micro	11" (300mm)	6mm	90°

## Black Ceramic Coated Cervical Kerrison Rongeurs



40°

90°

Aluminum Titanium Nitride (AlTiN) or Titanium Aluminum Nitride (TiAlN) is a super-hard, thin film coating developed from Titanium Nitride. This superior coating provides an extremely hard, smooth surface that reflects less light than stainless steel, which can be an inconvenience during a case. The AlTiN coating protects the Kerrison from corrosion, improves wear resistance and maintains the integrity of the cutting edge longer. The reduced surface friction helps to prevent tissue from adhering to the Cervical Kerrison.

*Validated and patented Clear Flush® technology from Elmed  
is the new “Standard of Care” for your patients.*



### Black Ceramic Coated Cervical Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>CC7-1MM40C</b>	Micro	7" (175mm)	1mm	40°
<b>CC7-1.5MM40C</b>	Micro	7" (175mm)	1.5mm	40°
<b>CC7-2MM40C</b>	Micro	7" (175mm)	2mm	40°
<b>CC7-2.5MM40C</b>	Micro	7" (175mm)	2.5mm	40°
<b>CC7-3MM40C</b>	Micro	7" (175mm)	3mm	40°
<b>CC7-4MM40C</b>	Micro	7" (175mm)	4mm	40°
<b>CC7-5MM40C</b>	Micro	7" (175mm)	5mm	40°
<b>CC7-6MM40C</b>	Micro	7" (175mm)	6mm	40°
<b>CC8-1MM40C</b>	Micro	8" (200mm)	1mm	40°
<b>CC8-1.5MM40C</b>	Micro	8" (200mm)	1.5mm	40°
<b>CC8-2MM40C</b>	Micro	8" (200mm)	2mm	40°
<b>CC8-2.5MM40C</b>	Micro	8" (200mm)	2.5mm	40°
<b>CC8-3MM40C</b>	Micro	8" (200mm)	3mm	40°
<b>CC8-4MM40C</b>	Micro	8" (200mm)	4mm	40°
<b>CC8-5MM40C</b>	Micro	8" (200mm)	5mm	40°
<b>CC8-6MM40C</b>	Micro	8" (200mm)	6mm	40°
<b>CC9-1MM40C</b>	Micro	9" (225mm)	1mm	40°
<b>CC9-1.5MM40C</b>	Micro	9" (225mm)	1.5mm	40°
<b>CC9-2MM40C</b>	Micro	9" (225mm)	2mm	40°
<b>CC9-2.5MM40C</b>	Micro	9" (225mm)	2.5mm	40°
<b>CC9-3MM40C</b>	Micro	9" (225mm)	3mm	40°
<b>CC9-4MM40C</b>	Micro	9" (225mm)	4mm	40°
<b>CC9-5MM40C</b>	Micro	9" (225mm)	5mm	40°
<b>CC9-6MM40C</b>	Micro	9" (225mm)	6mm	40°



### Black Ceramic Coated Cervical Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>CC10-1MM40C</b>	Micro	10" (250mm)	1mm	40°
<b>CC10-1.5MM40C</b>	Micro	10" (250mm)	1.5mm	40°
<b>CC10-2MM40C</b>	Micro	10" (250mm)	2mm	40°
<b>CC10-2.5MM40C</b>	Micro	10" (250mm)	2.5mm	40°
<b>CC10-3MM40C</b>	Micro	10" (250mm)	3mm	40°
<b>CC10-4MM40C</b>	Micro	10" (250mm)	4mm	40°
<b>CC10-5MM40C</b>	Micro	10" (250mm)	5mm	40°
<b>CC10-6MM40C</b>	Micro	10" (250mm)	6mm	40°
<b>CC11-1MM40C</b>	Micro	11" (300mm)	1mm	40°
<b>CC11-1.5MM40C</b>	Micro	11" (300mm)	1.5mm	40°
<b>CC11-2MM40C</b>	Micro	11" (300mm)	2mm	40°
<b>CC11-2.5MM40C</b>	Micro	11" (300mm)	2.5mm	40°
<b>CC11-3MM40C</b>	Micro	11" (300mm)	3mm	40°
<b>CC11-4MM40C</b>	Micro	11" (300mm)	4mm	40°
<b>CC11-5MM40C</b>	Micro	11" (300mm)	5mm	40°
<b>CC11-6MM40C</b>	Micro	11" (300mm)	6mm	40°





### Black Ceramic Coated Cervical Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>CC7-2MM40-PINC</b>	Micro	7" (175mm)	2mm	40°
<b>CC7-2.5MM40-PINC</b>	Micro	7" (175mm)	2.5mm	40°
<b>CC7-3MM40-PINC</b>	Micro	7" (175mm)	3mm	40°
<b>CC7-4MM40-PINC</b>	Micro	7" (175mm)	4mm	40°
<b>CC7-5MM40-PINC</b>	Micro	7" (175mm)	5mm	40°
<b>CC7-6MM40-PINC</b>	Micro	7" (175mm)	6mm	40°
<b>CC8-2MM40-PINC</b>	Micro	8" (200mm)	2mm	40°
<b>CC8-2.5MM40-PINC</b>	Micro	8" (200mm)	2.5mm	40°
<b>CC8-3MM40-PINC</b>	Micro	8" (200mm)	3mm	40°
<b>CC8-4MM40-PINC</b>	Micro	8" (200mm)	4mm	40°
<b>CC8-5MM40-PINC</b>	Micro	8" (200mm)	5mm	40°
<b>CC8-6MM40-PINC</b>	Micro	8" (200mm)	6mm	40°
<b>CC9-2MM40-PINC</b>	Micro	9" (225mm)	2mm	40°
<b>CC9-2.5MM40-PINC</b>	Micro	9" (225mm)	2.5mm	40°
<b>CC9-3MM40-PINC</b>	Micro	9" (225mm)	3mm	40°
<b>CC9-4MM40-PINC</b>	Micro	9" (225mm)	4mm	40°
<b>CC9-5MM40-PINC</b>	Micro	9" (225mm)	5mm	40°
<b>CC9-6MM40-PINC</b>	Micro	9" (225mm)	6mm	40°



### Black Ceramic Coated Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>CC7-1MM90C</b>	Micro	7" (175mm)	1mm	90°
<b>CC7-1.5MM90C</b>	Micro	7" (175mm)	1.5mm	90°
<b>CC7-2MM90C</b>	Micro	7" (175mm)	2mm	90°
<b>CC7-2.5MM90C</b>	Micro	7" (175mm)	2.5mm	90°
<b>CC7-3MM90C</b>	Micro	7" (175mm)	3mm	90°
<b>CC7-4MM90C</b>	Micro	7" (175mm)	4mm	90°
<b>CC7-5MM90C</b>	Micro	7" (175mm)	5mm	90°
<b>CC7-6MM90C</b>	Micro	7" (175mm)	6mm	90°
<b>CC8-1MM90C</b>	Micro	8" (200mm)	1mm	90°
<b>CC8-1.5MM90C</b>	Micro	8" (200mm)	1.5mm	90°
<b>CC8-2MM90C</b>	Micro	8" (200mm)	2mm	90°
<b>CC8-2.5MM90C</b>	Micro	8" (200mm)	2.5mm	90°
<b>CC8-3MM90C</b>	Micro	8" (200mm)	3mm	90°
<b>CC8-4MM90C</b>	Micro	8" (200mm)	4mm	90°
<b>CC8-5MM90C</b>	Micro	8" (200mm)	5mm	90°
<b>CC8-6MM90C</b>	Micro	8" (200mm)	6mm	90°
<b>CC9-1MM90C</b>	Micro	9" (225mm)	1mm	90°
<b>CC9-1.5MM90C</b>	Micro	9" (225mm)	1.5mm	90°
<b>CC9-2MM90C</b>	Micro	9" (225mm)	2mm	90°
<b>CC9-2.5MM90C</b>	Micro	9" (225mm)	2.5mm	90°
<b>CC9-3MM90C</b>	Micro	9" (225mm)	3mm	90°
<b>CC9-4MM90C</b>	Micro	9" (225mm)	4mm	90°
<b>CC9-5MM90C</b>	Micro	9" (225mm)	5mm	90°
<b>CC9-6MM90C</b>	Micro	9" (225mm)	6mm	90°



### Black Ceramic Coated Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>CC10-1MM90C</b>	Micro	10" (250mm)	1mm	90°
<b>CC10-1.5MM90C</b>	Micro	10" (250mm)	1.5mm	90°
<b>CC10-2MM90C</b>	Micro	10" (250mm)	2mm	90°
<b>CC10-2.5MM90C</b>	Micro	10" (250mm)	2.5mm	90°
<b>CC10-3MM90C</b>	Micro	10" (250mm)	3mm	90°
<b>CC10-4MM90C</b>	Micro	10" (250mm)	4mm	90°
<b>CC10-5MM90C</b>	Micro	10" (250mm)	5mm	90°
<b>CC10-6MM90C</b>	Micro	10" (250mm)	6mm	90°
<b>CC11-1MM90C</b>	Micro	11" (300mm)	1mm	90°
<b>CC11-1.5MM90C</b>	Micro	11" (300mm)	1.5mm	90°
<b>CC11-2MM90C</b>	Micro	11" (300mm)	2mm	90°
<b>CC11-2.5MM90C</b>	Micro	11" (300mm)	2.5mm	90°
<b>CC11-3MM90C</b>	Micro	11" (300mm)	3mm	90°
<b>CC11-4MM90C</b>	Micro	11" (300mm)	4mm	90°
<b>CC11-5MM90C</b>	Micro	11" (300mm)	5mm	90°
<b>CC11-6MM90C</b>	Micro	11" (300mm)	6mm	90°



## Black Ceramic Coated Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
CC7-2MM90-PINC	Micro	7" (175mm)	2mm	90°
CC7-2.5MM90-PINC	Micro	7" (175mm)	2.5mm	90°
CC7-3MM90-PINC	Micro	7" (175mm)	3mm	90°
CC7-4MM90-PINC	Micro	7" (175mm)	4mm	90°
CC7-5MM90-PINC	Micro	7" (175mm)	5mm	90°
CC7-6MM90-PINC	Micro	7" (175mm)	6mm	90°
CC8-2.5MM90-PINC	Micro	8" (200mm)	2.5mm	90°
CC8-3MM90-PINC	Micro	8" (200mm)	3mm	90°
CC8-4MM90-PINC	Micro	8" (200mm)	4mm	90°
CC8-5MM90-PINC	Micro	8" (200mm)	5mm	90°
CC8-6MM90-PINC	Micro	8" (200mm)	6mm	90°
CC9-2MM90-PINC	Micro	9" (225mm)	2mm	90°
CC9-2.5MM90-PINC	Micro	9" (225mm)	2.5mm	90°
CC9-3MM90-PINC	Micro	9" (225mm)	3mm	90°
CC9-4MM90-PINC	Micro	9" (225mm)	4mm	90°
CC9-5MM90-PINC	Micro	9" (225mm)	5mm	90°
CC9-6MM90-PINC	Micro	9" (225mm)	6mm	90°



### Black Ceramic Coated Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>CC10-2MM90-PINC</b>	Micro	10" (250mm)	2mm	90°
<b>CC10-2.5MM90-PINC</b>	Micro	10" (250mm)	2.5mm	90°
<b>CC10-3MM90-PINC</b>	Micro	10" (250mm)	3mm	90°
<b>CC10-4MM90-PINC</b>	Micro	10" (250mm)	4mm	90°
<b>CC10-5MM90-PINC</b>	Micro	10" (250mm)	5mm	90°
<b>CC10-6MM90-PINC</b>	Micro	10" (250mm)	6mm	90°
<b>CC11-2MM90-PINC</b>	Micro	11" (300mm)	2mm	90°
<b>CC11-2.5MM90-PINC</b>	Micro	11" (300mm)	2.5mm	90°
<b>CC11-3MM90-PINC</b>	Micro	11" (300mm)	3mm	90°
<b>CC11-4MM90-PINC</b>	Micro	11" (300mm)	4mm	90°
<b>CC11-5MM90-PINC</b>	Micro	11" (300mm)	5mm	90°
<b>CC11-6MM90-PINC</b>	Micro	11" (300mm)	6mm	90°

## Black and Gold ‘Super Coat’ Cervical Kerrison Rongeurs



40°

90°

Titanium Nitride (TiN) is a very hard, inert, thin film coating that is applied on the highest quality surgical instruments. TiN has an ideal combination of hardness, toughness and superior adhesion. TiN's inert surface barrier protects the Kerrison from corrosion, improves wear resistance and maintains the integrity of the cutting edge longer. The reduced friction coefficient provided by the coating helps to prevent tissue from adhering to the Kerrison.

*Validated and patented Clear Flush® technology from Elmed  
is the new “Standard of Care” for your patients.*



### Black and Gold 'Super Coat' Cervical Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>SC7-1MM40C</b>	Micro	7½" (175mm)	1mm	40°
<b>SC7-1.5MM40C</b>	Micro	7½" (175mm)	1.5mm	40°
<b>SC7-2MM40C</b>	Micro	7½" (175mm)	2mm	40°
<b>SC7-2.5MM40C</b>	Micro	7½" (175mm)	2.5mm	40°
<b>SC7-3MM40C</b>	Micro	7½" (175mm)	3mm	40°
<b>SC7-4MM40C</b>	Micro	7½" (175mm)	4mm	40°
<b>SC7-5MM40C</b>	Micro	7½" (175mm)	5mm	40°
<b>SC7-6MM40C</b>	Micro	7½" (175mm)	6mm	40°
<b>SC8-1MM40C</b>	Micro	8" (200mm)	1mm	40°
<b>SC8-1.5MM40C</b>	Micro	8" (200mm)	1.5mm	40°
<b>SC8-2MM40C</b>	Micro	8" (200mm)	2mm	40°
<b>SC8-2.5MM40C</b>	Micro	8" (200mm)	2.5mm	40°
<b>SC8-3MM40C</b>	Micro	8" (200mm)	3mm	40°
<b>SC8-4MM40C</b>	Micro	8" (200mm)	4mm	40°
<b>SC8-5MM40C</b>	Micro	8" (200mm)	5mm	40°
<b>SC8-6MM40C</b>	Micro	8" (200mm)	6mm	40°
<b>SC9-1MM40C</b>	Micro	9" (225mm)	1mm	40°
<b>SC9-1.5MM40C</b>	Micro	9" (225mm)	1.5mm	40°
<b>SC9-2MM40C</b>	Micro	9" (225mm)	2mm	40°
<b>SC9-2.5MM40C</b>	Micro	9" (225mm)	2.5mm	40°
<b>SC9-3MM40C</b>	Micro	9" (225mm)	3mm	40°
<b>SC9-4MM40C</b>	Micro	9" (225mm)	4mm	40°
<b>SC9-5MM40C</b>	Micro	9" (225mm)	5mm	40°
<b>SC9-6MM40C</b>	Micro	9" (225mm)	6mm	40°





### Black and Gold 'Super Coat' Cervical Kerrison Rongeurs

40°

Item No.	Style	Length	Bite	Angle
<b>SC10-1MM40C</b>	Micro	10" (250mm)	1mm	40°
<b>SC10-1.5MM40C</b>	Micro	10" (250mm)	1.5mm	40°
<b>SC10-2MM40C</b>	Micro	10" (250mm)	2mm	40°
<b>SC10-2.5MM40C</b>	Micro	10" (250mm)	2.5mm	40°
<b>SC10-3MM40C</b>	Micro	10" (250mm)	3mm	40°
<b>SC10-4MM40C</b>	Micro	10" (250mm)	4mm	40°
<b>SC10-5MM40C</b>	Micro	10" (250mm)	5mm	40°
<b>SC10-6MM40C</b>	Micro	10" (250mm)	6mm	40°
<b>SC11-1MM40C</b>	Micro	11" (300mm)	1mm	40°
<b>SC11-1.5MM40C</b>	Micro	11" (300mm)	1.5mm	40°
<b>SC11-2MM40C</b>	Micro	11" (300mm)	2mm	40°
<b>SC11-2.5MM40C</b>	Micro	11" (300mm)	2.5mm	40°
<b>SC11-3MM40C</b>	Micro	11" (300mm)	3mm	40°
<b>SC11-4MM40C</b>	Micro	11" (300mm)	4mm	40°
<b>SC11-5MM40C</b>	Micro	11" (300mm)	5mm	40°
<b>SC11-6MM40C</b>	Micro	11" (300mm)	6mm	40°



## Black and Gold 'Super Coat' Cervical Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<a href="#">SC7-2MM40-PINC</a>	Micro	7½" (175mm)	2mm	40°
<a href="#">SC7-2.5MM40-PINC</a>	Micro	7½" (175mm)	2.5mm	40°
<a href="#">SC7-3MM40-PINC</a>	Micro	7½" (175mm)	3mm	40°
<a href="#">SC7-4MM40-PINC</a>	Micro	7½" (175mm)	4mm	40°
<a href="#">SC7-5MM40-PINC</a>	Micro	7½" (175mm)	5mm	40°
<a href="#">SC7-6MM40-PINC</a>	Micro	7½" (175mm)	6mm	40°
<a href="#">SC8-2MM40-PINC</a>	Micro	8" (200mm)	2mm	40°
<a href="#">SC8-2.5MM40-PINC</a>	Micro	8" (200mm)	2.5mm	40°
<a href="#">SC8-3MM40-PINC</a>	Micro	8" (200mm)	3mm	40°
<a href="#">SC8-4MM40-PINC</a>	Micro	8" (200mm)	4mm	40°
<a href="#">SC8-5MM40-PINC</a>	Micro	8" (200mm)	5mm	40°
<a href="#">SC8-6MM40-PINC</a>	Micro	8" (200mm)	6mm	40°
<a href="#">SC9-2MM40-PINC</a>	Micro	9" (225mm)	2mm	40°
<a href="#">SC9-2.5MM40-PINC</a>	Micro	9" (225mm)	2.5mm	40°
<a href="#">SC9-3MM40-PINC</a>	Micro	9" (225mm)	3mm	40°
<a href="#">SC9-4MM40-PINC</a>	Micro	9" (225mm)	4mm	40°
<a href="#">SC9-5MM40-PINC</a>	Micro	9" (225mm)	5mm	40°
<a href="#">SC9-6MM40-PINC</a>	Micro	9" (225mm)	6mm	40°



## Black and Gold 'Super Coat' Cervical Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>SC10-2MM40-PINC</b>	Micro	10" (250mm)	2mm	40°
<b>SC10-2.5MM40-PINC</b>	Micro	10" (250mm)	2.5mm	40°
<b>SC10-3MM40-PINC</b>	Micro	10" (250mm)	3mm	40°
<b>SC10-4MM40-PINC</b>	Micro	10" (250mm)	4mm	40°
<b>SC10-5MM40-PINC</b>	Micro	10" (250mm)	5mm	40°
<b>SC10-6MM40-PINC</b>	Micro	10" (250mm)	6mm	40°
<b>SC11-2MM40-PINC</b>	Micro	11" (300mm)	2mm	40°
<b>SC11-2.5MM40-PINC</b>	Micro	11" (300mm)	2.5mm	40°
<b>SC11-3MM40-PINC</b>	Micro	11" (300mm)	3mm	40°
<b>SC11-4MM40-PINC</b>	Micro	11" (300mm)	4mm	40°
<b>SC11-5MM40-PINC</b>	Micro	11" (300mm)	5mm	40°
<b>SC11-6MM40-PINC</b>	Micro	11" (300mm)	6mm	40°



### Black and Gold 'Super Coat' Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>SC7-1MM90C</b>	Micro	7½" (175mm)	1mm	90°
<b>SC7-1.5MM90C</b>	Micro	7½" (175mm)	1.5mm	90°
<b>SC7-2MM90C</b>	Micro	7½" (175mm)	2mm	90°
<b>SC7-2.5MM90C</b>	Micro	7½" (175mm)	2.5mm	90°
<b>SC7-3MM90C</b>	Micro	7½" (175mm)	3mm	90°
<b>SC7-4MM90C</b>	Micro	7½" (175mm)	4mm	90°
<b>SC7-5MM90C</b>	Micro	7½" (175mm)	5mm	90°
<b>SC7-6MM90C</b>	Micro	7½" (175mm)	6mm	90°
<b>SC8-1MM90C</b>	Micro	8" (200mm)	1mm	90°
<b>SC8-1.5MM90C</b>	Micro	8" (200mm)	1.5mm	90°
<b>SC8-2MM90C</b>	Micro	8" (200mm)	2mm	90°
<b>SC8-2.5MM90C</b>	Micro	8" (200mm)	2.5mm	90°
<b>SC8-3MM90C</b>	Micro	8" (200mm)	3mm	90°
<b>SC8-4MM90C</b>	Micro	8" (200mm)	4mm	90°
<b>SC8-5MM90C</b>	Micro	8" (200mm)	5mm	90°
<b>SC8-6MM90C</b>	Micro	8" (200mm)	6mm	90°
<b>SC9-1MM90C</b>	Micro	9" (225mm)	1mm	90°
<b>SC9-1.5MM90C</b>	Micro	9" (225mm)	1.5mm	90°
<b>SC9-2MM90C</b>	Micro	9" (225mm)	2mm	90°
<b>SC9-2.5MM90C</b>	Micro	9" (225mm)	2.5mm	90°
<b>SC9-3MM90C</b>	Micro	9" (225mm)	3mm	90°
<b>SC9-4MM90C</b>	Micro	9" (225mm)	4mm	90°
<b>SC9-5MM90C</b>	Micro	9" (225mm)	5mm	90°
<b>SC9-6MM90C</b>	Micro	9" (225mm)	6mm	90°



### Black and Gold 'Super Coat' Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>SC10-1MM90C</b>	Micro	10" (250mm)	1mm	90°
<b>SC10-1.5MM90C</b>	Micro	10" (250mm)	1.5mm	90°
<b>SC10-2MM90C</b>	Micro	10" (250mm)	2mm	90°
<b>SC10-2.5MM90C</b>	Micro	10" (250mm)	2.5mm	90°
<b>SC10-3MM90C</b>	Micro	10" (250mm)	3mm	90°
<b>SC10-4MM90C</b>	Micro	10" (250mm)	4mm	90°
<b>SC10-5MM90C</b>	Micro	10" (250mm)	5mm	90°
<b>SC10-6MM90C</b>	Micro	10" (250mm)	6mm	90°
<b>SC11-1MM90C</b>	Micro	11" (300mm)	1mm	90°
<b>SC11-1.5MM90C</b>	Micro	11" (300mm)	1.5mm	90°
<b>SC11-2MM90C</b>	Micro	11" (300mm)	2mm	90°
<b>SC11-2.5MM90C</b>	Micro	11" (300mm)	2.5mm	90°
<b>SC11-3MM90C</b>	Micro	11" (300mm)	3mm	90°
<b>SC11-4MM90C</b>	Micro	11" (300mm)	4mm	90°
<b>SC11-5MM90C</b>	Micro	11" (300mm)	5mm	90°
<b>SC11-6MM90C</b>	Micro	11" (300mm)	6mm	90°



## Black and Gold 'Super Coat' Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>SC7-2MM90-PINC</b>	Micro	7½" (175mm)	2mm	90°
<b>SC7-2.5MM90-PINC</b>	Micro	7½" (175mm)	2.5mm	90°
<b>SC7-3MM90-PINC</b>	Micro	7½" (175mm)	3mm	90°
<b>SC7-4MM90-PINC</b>	Micro	7½" (175mm)	4mm	90°
<b>SC7-5MM90-PINC</b>	Micro	7½" (175mm)	5mm	90°
<b>SC7-6MM90-PINC</b>	Micro	7½" (175mm)	6mm	90°
<b>SC8-2MM90-PINC</b>	Micro	8" (200mm)	2mm	90°
<b>SC8-2.5MM90-PINC</b>	Micro	8" (200mm)	2.5mm	90°
<b>SC8-3MM90-PINC</b>	Micro	8" (200mm)	3mm	90°
<b>SC8-4MM90-PINC</b>	Micro	8" (200mm)	4mm	90°
<b>SC8-5MM90-PINC</b>	Micro	8" (200mm)	5mm	90°
<b>SC8-6MM90-PINC</b>	Micro	8" (200mm)	6mm	90°
<b>SC9-2MM90-PINC</b>	Micro	9" (225mm)	2mm	90°
<b>SC9-2.5MM90-PINC</b>	Micro	9" (225mm)	2.5mm	90°
<b>SC9-3MM90-PINC</b>	Micro	9" (225mm)	3mm	90°
<b>SC9-4MM90-PINC</b>	Micro	9" (225mm)	4mm	90°
<b>SC9-5MM90-PINC</b>	Micro	9" (225mm)	5mm	90°
<b>SC9-6MM90-PINC</b>	Micro	9" (225mm)	6mm	90°



### Black and Gold 'Super Coat' Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>SC10-2MM90-PINC</b>	Micro	10" (250mm)	2mm	90°
<b>SC10-2.5MM90-PINC</b>	Micro	10" (250mm)	2.5mm	90°
<b>SC10-3MM90-PINC</b>	Micro	10" (250mm)	3mm	90°
<b>SC10-4MM90-PINC</b>	Micro	10" (250mm)	4mm	90°
<b>SC10-5MM90-PINC</b>	Micro	10" (250mm)	5mm	90°
<b>SC10-6MM90-PINC</b>	Micro	10" (250mm)	6mm	90°
<b>SC11-2MM90-PINC</b>	Micro	11" (300mm)	2mm	90°
<b>SC11-2.5MM90-PINC</b>	Micro	11" (300mm)	2.5mm	90°
<b>SC11-3MM90-PINC</b>	Micro	11" (300mm)	3mm	90°
<b>SC11-4MM40-PINC</b>	Micro	11" (300mm)	4mm	90°
<b>SC11-5MM90-PINC</b>	Micro	11" (300mm)	5mm	90°
<b>SC11-6MM90-PINC</b>	Micro	11" (300mm)	6mm	90°





## Stainless Steel Cervical Kerrison Rongeurs




40°

90°

The original Clear Flush® Kerrisons are manufactured with the highest quality, surgical grade German Stainless Steel. Our traditional Clear Flush® Cervical Kerrisons remain extremely popular with surgeons due to their unique, patented ability to be flushed during a case.


*Validated and patented Clear Flush® technology from Elmed  
is the new “Standard of Care” for your patients.*



### Stainless Steel Cervical Kerrison Rongeurs

40°


Item No.	Style	Length	Bite	Angle
<b>SS7-1MM40C</b>	Micro	7" (175mm)	1mm	40°
<b>SS7-1.5MM40C</b>	Micro	7" (175mm)	1.5mm	40°
<b>SS7-2MM40C</b>	Micro	7" (175mm)	2mm	40°
<b>SS7-2.5MM40C</b>	Micro	7" (175mm)	2.5mm	40°
<b>SS7-3MM40C</b>	Micro	7" (175mm)	3mm	40°
<b>SS7-4MM40C</b>	Micro	7" (175mm)	4mm	40°
<b>SS7-5MM40C</b>	Micro	7" (175mm)	5mm	40°
<b>SS7-6MM40C</b>	Micro	7" (175mm)	6mm	40°
<b>SS8-1MM40C</b>	Micro	8" (200mm)	1mm	40°
<b>SS8-1.5MM40C</b>	Micro	8" (200mm)	1.5mm	40°
<b>SS8-2MM40C</b>	Micro	8" (200mm)	2mm	40°
<b>SS8-2.5MM40C</b>	Micro	8" (200mm)	2.5mm	40°
<b>SS8-3MM40C</b>	Micro	8" (200mm)	3mm	40°
<b>SS8-4MM40C</b>	Micro	8" (200mm)	4mm	40°
<b>SS8-5MM40C</b>	Micro	8" (200mm)	5mm	40°
<b>SS8-6MM40C</b>	Micro	8" (200mm)	6mm	40°
<b>SS9-1MM40C</b>	Micro	9" (225mm)	1mm	40°
<b>SS9-1.5MM40C</b>	Micro	9" (225mm)	1.5mm	40°
<b>SS9-2MM40C</b>	Micro	9" (225mm)	2mm	40°
<b>SS9-2.5MM40C</b>	Micro	9" (225mm)	2.5mm	40°
<b>SS9-3MM40C</b>	Micro	9" (225mm)	3mm	40°
<b>SS9-4MM40C</b>	Micro	9" (225mm)	4mm	40°
<b>SS9-5MM40C</b>	Micro	9" (225mm)	5mm	40°
<b>SS9-6MM40C</b>	Micro	9" (225mm)	6mm	40°



### Stainless Steel Cervical Kerrison Rongeurs

40°


Item No.	Style	Length	Bite	Angle
<b>SS10-1MM40C</b>	Micro	10" (250mm)	1mm	40°
<b>SS10-1.5MM40C</b>	Micro	10" (250mm)	1.5mm	40°
<b>SS10-2MM40C</b>	Micro	10" (250mm)	2mm	40°
<b>SS10-2.5MM40C</b>	Micro	10" (250mm)	2.5mm	40°
<b>SS10-3MM40C</b>	Micro	10" (250mm)	3mm	40°
<b>SS10-4MM40C</b>	Micro	10" (250mm)	4mm	40°
<b>SS10-5MM40C</b>	Micro	10" (250mm)	5mm	40°
<b>SS10-6MM40C</b>	Micro	10" (250mm)	6mm	40°
<b>SS11-1MM40C</b>	Micro	11" (300mm)	1mm	40°
<b>SS11-1.5MM40C</b>	Micro	11" (300mm)	1.5mm	40°
<b>SS11-2MM40C</b>	Micro	11" (300mm)	2mm	40°
<b>SS11-2.5MM40C</b>	Micro	11" (300mm)	2.5mm	40°
<b>SS11-3MM40C</b>	Micro	11" (300mm)	3mm	40°
<b>SS11-4MM40C</b>	Micro	11" (300mm)	4mm	40°
<b>SS11-5MM40C</b>	Micro	11" (300mm)	5mm	40°
<b>SS11-6MM40C</b>	Micro	11" (300mm)	6mm	40°



### Stainless Steel Cervical Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>SS7-2MM40-PINC</b>	Micro	7" (175mm)	2mm	40°
<b>SS7-2.5MM40-PINC</b>	Micro	7" (175mm)	2.5mm	40°
<b>SS7-3MM40-PINC</b>	Micro	7" (175mm)	3mm	40°
<b>SS7-4MM40-PINC</b>	Micro	7" (175mm)	4mm	40°
<b>SS7-5MM40-PINC</b>	Micro	7" (175mm)	5mm	40°
<b>SS7-6MM40-PINC</b>	Micro	7" (175mm)	6mm	40°
<b>SS8-2MM40-PINC</b>	Micro	8" (200mm)	2mm	40°
<b>SS8-2.5MM40-PINC</b>	Micro	8" (200mm)	2.5mm	40°
<b>SS8-3MM40-PINC</b>	Micro	8" (200mm)	3mm	40°
<b>SS8-4MM40-PINC</b>	Micro	8" (200mm)	4mm	40°
<b>SS8-5MM40-PINC</b>	Micro	8" (200mm)	5mm	40°
<b>SS8-6MM40-PINC</b>	Micro	8" (200mm)	6mm	40°
<b>SS9-2MM40-PINC</b>	Micro	9" (225mm)	2mm	40°
<b>SS9-2.5MM40-PINC</b>	Micro	9" (225mm)	2.5mm	40°
<b>SS9-3MM40-PINC</b>	Micro	9" (225mm)	3mm	40°
<b>SS9-4MM40-PINC</b>	Micro	9" (225mm)	4mm	40°
<b>SS9-5MM40-PINC</b>	Micro	9" (225mm)	5mm	40°
<b>SS9-6MM40-PINC</b>	Micro	9" (225mm)	6mm	40°



### Stainless Steel Cervical Kerrison Rongeurs w/ Pin Ejector

40°

Item No.	Style	Length	Bite	Angle
<b>SS10-2MM40-PINC</b>	Micro	10" (250mm)	2mm	40°
<b>SS10-2.5MM40-PINC</b>	Micro	10" (250mm)	2.5mm	40°
<b>SS10-3MM40-PINC</b>	Micro	10" (250mm)	3mm	40°
<b>SS10-4MM40-PINC</b>	Micro	10" (250mm)	4mm	40°
<b>SS10-5MM40-PINC</b>	Micro	10" (250mm)	5mm	40°
<b>SS10-6MM40-PINC</b>	Micro	10" (250mm)	6mm	40°
<b>SS11-2MM40-PINC</b>	Micro	11" (300mm)	2mm	40°
<b>SS11-2.5MM40-PINC</b>	Micro	11" (300mm)	2.5mm	40°
<b>SS11-3MM40-PINC</b>	Micro	11" (300mm)	3mm	40°
<b>SS11-4MM40-PINC</b>	Micro	11" (300mm)	4mm	40°
<b>SS11-5MM40-PINC</b>	Micro	11" (300mm)	5mm	40°
<b>SS11-6MM40-PINC</b>	Micro	11" (300mm)	6mm	40°



### Stainless Steel Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>SS7-1MM90C</b>	Micro	7" (175mm)	1mm	90°
<b>SS7-1.5MM90C</b>	Micro	7" (175mm)	1.5mm	90°
<b>SS7-2MM90C</b>	Micro	7" (175mm)	2mm	90°
<b>SS7-2.5MM90C</b>	Micro	7" (175mm)	2.5mm	90°
<b>SS7-3MM90C</b>	Micro	7" (175mm)	3mm	90°
<b>SS7-4MM90C</b>	Micro	7" (175mm)	4mm	90°
<b>SS7-5MM90C</b>	Micro	7" (175mm)	5mm	90°
<b>SS7-6MM90C</b>	Micro	7" (175mm)	6mm	90°
<b>SS8-1MM90C</b>	Micro	8" (200mm)	1mm	90°
<b>SS8-1.5MM90C</b>	Micro	8" (200mm)	1.5mm	90°
<b>SS8-2MM90C</b>	Micro	8" (200mm)	2mm	90°
<b>SS8-2.5MM90C</b>	Micro	8" (200mm)	2.5mm	90°
<b>SS8-3MM90C</b>	Micro	8" (200mm)	3mm	90°
<b>SS8-4MM90C</b>	Micro	8" (200mm)	4mm	90°
<b>SS8-5MM90C</b>	Micro	8" (200mm)	5mm	90°
<b>SS8-6MM90C</b>	Micro	8" (200mm)	6mm	90°
<b>SS9-1MM90C</b>	Micro	9" (225mm)	1mm	90°
<b>SS9-1.5MM90C</b>	Micro	9" (225mm)	1.5mm	90°
<b>SS9-2MM90C</b>	Micro	9" (225mm)	2mm	90°
<b>SS9-2.5MM90C</b>	Micro	9" (225mm)	2.5mm	90°
<b>SS9-3MM90C</b>	Micro	9" (225mm)	3mm	90°
<b>SS9-4MM90C</b>	Micro	9" (225mm)	4mm	90°
<b>SS9-5MM90C</b>	Micro	9" (225mm)	5mm	90°
<b>SS9-6MM90C</b>	Micro	9" (225mm)	6mm	90°




### Stainless Steel Cervical Kerrison Rongeurs

90°

Item No.	Style	Length	Bite	Angle
<b>SS10-1MM90C</b>	Micro	10" (250mm)	1mm	90°
<b>SS10-1.5MM90C</b>	Micro	10" (250mm)	1.5mm	90°
<b>SS10-2MM90C</b>	Micro	10" (250mm)	2mm	90°
<b>SS10-2.5MM90C</b>	Micro	10" (250mm)	2.5mm	90°
<b>SS10-3MM90C</b>	Micro	10" (250mm)	3mm	90°
<b>SS10-4MM90C</b>	Micro	10" (250mm)	4mm	90°
<b>SS10-5MM90C</b>	Micro	10" (250mm)	5mm	90°
<b>SS10-6MM90C</b>	Micro	10" (250mm)	6mm	90°
<b>SS11-1MM90C</b>	Micro	11" (300mm)	1mm	90°
<b>SS11-1.5MM90C</b>	Micro	11" (300mm)	1.5mm	90°
<b>SS11-2MM90C</b>	Micro	11" (300mm)	2mm	90°
<b>SS11-2.5MM90C</b>	Micro	11" (300mm)	2.5mm	90°
<b>SS11-3MM90C</b>	Micro	11" (300mm)	3mm	90°
<b>SS11-4MM90C</b>	Micro	11" (300mm)	4mm	90°
<b>SS11-5MM90C</b>	Micro	11" (300mm)	5mm	90°
<b>SS11-6MM90C</b>	Micro	11" (300mm)	6mm	90°






### Stainless Steel Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>SS7-2MM90-PINC</b>	Micro	7" (175mm)	2mm	90°
<b>SS7-2.5MM90-PINC</b>	Micro	7" (175mm)	2.5mm	90°
<b>SS7-3MM90-PINC</b>	Micro	7" (175mm)	3mm	90°
<b>SS7-4MM90-PINC</b>	Micro	7" (175mm)	4mm	90°
<b>SS7-5MM90-PINC</b>	Micro	7" (175mm)	5mm	90°
<b>SS7-6MM90-PINC</b>	Micro	7" (175mm)	6mm	90°
<b>SS8-2MM90-PINC</b>	Micro	8" (200mm)	2mm	90°
<b>SS8-2.5MM90-PINC</b>	Micro	8" (200mm)	2.5mm	90°
<b>SS8-3MM90-PINC</b>	Micro	8" (200mm)	3mm	90°
<b>SS8-4MM90-PINC</b>	Micro	8" (200mm)	4mm	90°
<b>SS8-5MM90-PINC</b>	Micro	8" (200mm)	5mm	90°
<b>SS8-6MM90-PINC</b>	Micro	8" (200mm)	6mm	90°
<b>SS9-2MM90-PINC</b>	Micro	9" (225mm)	2mm	90°
<b>SS9-2.5MM90-PINC</b>	Micro	9" (225mm)	2.5mm	90°
<b>SS9-3MM90-PINC</b>	Micro	9" (225mm)	3mm	90°
<b>SS9-4MM90-PINC</b>	Micro	9" (225mm)	4mm	90°
<b>SS9-5MM90-PINC</b>	Micro	9" (225mm)	5mm	90°
<b>SS9-6MM90-PINC</b>	Micro	9" (225mm)	6mm	90°



Stainless Steel Cervical Kerrison Rongeurs w/ Pin Ejector

90°

Item No.	Style	Length	Bite	Angle
<b>SS10-2MM90-PINC</b>	Micro	10" (250mm)	2mm	90°
<b>SS10-2.5MM90-PINC</b>	Micro	10" (250mm)	2.5mm	90°
<b>SS10-3MM90-PINC</b>	Micro	10" (250mm)	3mm	90°
<b>SS10-4MM90-PINC</b>	Micro	10" (250mm)	4mm	90°
<b>SS10-5MM90-PINC</b>	Micro	10" (250mm)	5mm	90°
<b>SS10-6MM90-PINC</b>	Micro	10" (250mm)	6mm	90°
<b>SS11-2MM90-PINC</b>	Micro	11" (300mm)	2mm	90°
<b>SS11-2.5MM90-PINC</b>	Micro	11" (300mm)	2.5mm	90°
<b>SS11-3MM90-PINC</b>	Micro	11" (300mm)	3mm	90°
<b>SS11-4MM90-PINC</b>	Micro	11" (300mm)	4mm	90°
<b>SS11-5MM90-PINC</b>	Micro	11" (300mm)	5mm	90°
<b>SS11-6MM90-PINC</b>	Micro	11" (300mm)	6mm	90°



## SERVICE AND REPAIR



MADE IN THE USA

IN NEED OF INSTRUMENT REPAIRS? SEND THEM TO THE *ER*!

### ELMED REPAIR

60 YEARS OF EXPERIENCE AND KNOWLEDGE IN DESIGNING, ENGINEERING, MANUFACTURING AND REPAIRING FOR THE MEDICAL COMMUNITY HAS GIVEN ELMED, INC. ONE OF THE BEST REPUTATIONS IN THE INDUSTRY. WE REPAIR WHAT OTHERS ARE UNABLE OR UNWILLING TO DO AND WE REPAIR ALL COMPETITIVE BRANDS. OUR WORK IS PERFORMED BY SKILLED TECHNICIANS, ALL OF WHICH HAVE BEEN WITH ELMED FOR THE PAST 10-30 YEARS.

*COMPLETE IN-HOUSE MACHINE SHOP, POWDER COATING, LASER WELDING, & MARKING FINISHING, ELECTRONICS AND OPTICAL DEPARTMENTS*

### AREAS OF SPECIALTY

- LAPAROSCOPIC AND ENDOSCOPIC INSTRUMENTS
- ELECTROSURGICAL UNITS AND ACCESSORIES
- FIBER OPTIC LIGHT CABLES AND RETRACTORS
- RIGID ENDOSCOPES & FLEXIBLE SINUSCOPES
- STAINLESS STEEL HAND INSTRUMENTS
- LIGHT SOURCES AND HEADLIGHTS
- DEBRIDER UNITS, HAND PIECES AND BLADES
- SELF RETAINING RETRACTOR SYSTEMS

### HOW TO PACKAGE AND SHIP INSTRUMENTS

- IMPORTANT:** ELMED CANNOT ACCEPT INSTRUMENTS THAT HAVE NOT BEEN PROPERLY CLEANED, DISINFECTED OR STERILIZED.
- INCLUDE CUSTOMER NAME AND ALL CONTACT INFORMATION (NAME, ADDRESS, PHONE NO., FAX NO., EMAIL ADDRESS, ETC.)
- INCLUDE CUSTOMER P.O. (PURCHASE ORDER), IF USED
- INCLUDE REASON FOR RETURN - BRIEF DESCRIPTION OF REPAIR PROBLEM IF AVAILABLE
- WRAP INSTRUMENT FOR PROTECTION DURING TRANSPORT

**PLEASE FILL OUT, DETACH, AND INCLUDE THE FORM BELOW WITH YOUR REPAIR:**

FROM:	
FACILITY:	CONTACT PERSON:
ADDRESS:	
CITY, STATE, ZIP	
EMAIL:	PHONE NO.
PO. No.	QTY.
INSTRUMENT DESCRIPTION:	

(NOTE: PLEASE INCLUDE MODEL NO. AND SERIAL NO. IN INSTRUMENT DESCRIPTION FOR SCOPES)

FAST SERVICE: INCOMING REPAIRS COMING IN BY NEXT DAY AIR WILL BE COMPLETED WITHIN 24 HRS (WHEN PARTS ARE AVAILABLE)

SHIP TO: **ELMED** 35 N BRANDON DR., GLENDALE HEIGHTS, IL 60139