





ELMED INC. 35 N. Brandon Dr. Glendale Heights, IL 60139 USA WE SUBSCRIBE TO COST CONTAINMENT AND PROTECTION OF THE ENVIRONMENT



MADE IN THE USA

THEREFORE, WE MANUFACTURE REUSABLE PRODUCTS FOR A CLEANER WORLD PH (224) 353-6446 FAX (224) 653-8178 EMAIL MEDICAL@ELMED.COM WWW.ELMED.COM

TABLE OF CONTENTS

ENT OFFICE-BASED RADIO FREQUENCY SURGICAL PROCEDURES	PAGE
ESU 70B Surgical Procedure System	1
ESU 120 M/M DIGITAL SURGICAL PROCEDURE SYSTEM	1
MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT	PAGE
REUSABLE MONOPOLAR SUCTION COAGULATION	2
REUSABLE MONOPOLAR ELECTROSURGICAL SNARES	2
Reusable Monopolar Handles & Electrodes	3
Special Reusable Pin-Point Micro Tip Electrodes	4
Reusable RFTA Electrodes: 4mm Dia. Shaft & Handles	5
Electrosurgical Adenoid Curettes	6
FRAZIER MONOPOLAR SUCTION COAGULATOR	7
BIPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT	PAGE
THE DENNIS PROBE BIPOLAR TURBINATE PROBE SYSTEM	8
BIPOLAR COAGULATION/DISSECTION FORCEPS FOR TONSILLECTOMY	9
BIPOLAR SURGICAL CUT-COAG SCISSORS	10
SPECIALTY SINUS INSTRUMENTS	PAGE
FIBER OPTIC AUFRICHT RETRACTOR W/ 4MM BUNDLE	11
SINUS ENDOSCOPIC CLIP APPLIER	11
SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT	PAGE
Elmed EOS^{TM} HD Otoscopes	12
Elmed EOS TM HD Video Otoscopes	13
Elmed ES TM Sinus Scopes	13
Elmed ES TM Paranasal Sinus Scopes	14
Elmed LED 2000 & 3000 Light Source	15
Elmed Handy III (Portable Light Source)	15
Elmed Lite One TM 300W Xenon Light Source	16
Elmed Halogen Light Source	16
Elmed 5mm Fiber Light Bundle, Light Cables	16
Elmed LED/ Fiber Optic/ Halogen Headlight System	17
FESS SINUSCOPY INSTRUMENTS	PAGE
Sinus Forceps	18
Sinus Punches	19
Sinus Forceps & Scissors	20-21
Sinuscopy Trocars & Cannulas	22
SINUSCOPY ELEVATORS & KNIVES	23
SINUSCOPY CURETTES	24
SINUSCOPY DISSECTORS & PROBES	25
KILLIAN SEPTUM SPECULA W/ FIBER OPTIC LIGHT CARRIER	26
Killian Septum Specula	26

Septum Specula & Nasal Specula.	27-28
ANTRUM & SPHENOIDAL PUNCHES	29-31
FIBER OPTIC LARYNGOSCOPES	PAGE
TUCKER MID-LIGHTED SIDE SLIDE LARYNGOSCOPE	32
HOLLINGER INFANT (NEWBORN) SLIDE LARYNGOSCOPE	32
JACKSON STANDARD FIBER OPTIC SLIDE LARYNGOSCOPE	32
HOLLINGER "HOUR GLASS" ANTERIOR COMMISSURE LARYNGOSCOPE	33
HOLLINGER "SLOTTED" ANTERIOR COMMISSURE LARYNGOSCOPE	33
TUCKER TRACHEOSCOPE	33
FEARON TRACHEOSCOPE	33
JACKSON DIRECT OT ANTERIOR COMMISSURE LARYNGOSCOPE	34
TUCKER-HOLLINGER ANTERIOR COMMISSURE LARYNGOSCOPE	34
HOLLINGER ANTERIOR COMMISSURE LARYNGOSCOPE	34
FIBER OPTIC MICRO-LARYNGOSCOPES	PAGE
Јако Туре і	35
CHERRY-JAKO TYPE I	35
JAKO MICRO-LARYNGOSCOPE TYPE II	35
CHERRY-JAKO MICRO-LARYNGOSCOPE TYPE II	36
JAKO MICRO-LARYNGOSCOPE TYPE III	36
Ossoff-Pilling Micro-Laryngoscope	37
DEDO–PILLING MICRO-LARYNGOSCOPE	37
Dedo Table Mounted Mayo Tray	37
LARYNGOSCOPE HOLDERS	PAGE
SCOPE HOLDER W/ ROUND CHEST PLATE	38
Scope Holder w/ Straight Chest Bar	38
SCOPE SUSPENSION SYSTEM	38
LARYNGEAL INSTRUMENTS	PAGE
Micro Scissors & Forceps	39
Anterior Commissure Forceps & Scissors	39
CUTTING FORCEPS	40
Grasping Forceps	41
Scissors	42
Pediatric Forceps & Scissors.	43
EUROTEC ENT TREATMENT CHAIRS	PAGE
EUROTEC ENT I	44
EUROTEC ENT II	44
Service & Repair	45





ESU 70B SURGICAL PROCEDURE SYSTEM

WHEN SAFETY, SIMPLICITY, SERVICE-FREE OPERATION, AND ECONOMICAL PRICING ARE YOUR OBJECTIVE, THE ELMED ESU 70 B AND ESU 120 M/M DIGITAL ARE THE UNITS FOR YOU. ELMED, THE LEADER IN ELECTROSURGERY, MANUFACTURES ITS UNITS AND REUSABLE ACCESSORIES COMPLETELY IN– HOUSE, IN GLENDALE HEIGHTS, IL, USA WITH THE AIM TO REDUCE YOUR SURGICAL COST.

BOTH UNITS AND REUSABLE ACCESSORIES ARE SPECIFICALLY DESIGNED FOR ALL OFFICE-BASED OTOLARYNGOLOGY PROCEDURES, INCLUDING MONOPOLAR AND BIPOLAR SURGICAL PROCEDURES.



THE ELMED ESU 70 B PROVIDES TREATMENT FOR:

- NOSE BLEEDS
- TREATMENT OF SNORING
- SUBMUCOSAL TURBINATE SURGERY
- **OBSTRUCTIVE TONSILLAR HYPERTROPHY**
- ALL MONOPOLAR/BIPOLAR CUT, BIOPSY & COAGULATION PROCEDURES

ITEM NO.	DESCRIPTION
5196 ENT II	ENT II SURGICAL PROCEDURE SYSTEM CONSISTING OF ALL THE ITEMS LISTED BELOW
5196	ESU 70 B (Includes Footswitch)
5047*	PATIENT PLATES
5701*	PATIENT PLATE CABLE
5044*	RUBBER STRAP
5021	MONOPOLAR RF-CABLE
5241-1	SUCTION COAG HANDLE & EXTENSION
5004	Footswitch Handle
5807-05	Blade Electrode
5970	Dennis Probe
5230	BIPOLAR RF-CABLE
4755	Equipment Trolley
5798B-1	RFTA HANDLE & ELECTRODE

ESU 120 M/M DIGITAL SURGICAL PROCEDURE SYSTEM



THE ELMED ESU 120 M/M DIGITAL **PROVIDES TREATMENT FOR:**

- NOSE BLEEDS
- TREATMENT OF SNORING
- SUBMUCOSAL TURBINATE SURGERY
- **OBSTRUCTIVE TONSILLAR HYPERTROPHY**
- ALL MONOPOLAR/BIPOLAR CUT, BIOPSY & COAGULATION PROCEDURES

ITEM NO.	DESCRIPTION
5797 ENT I I	ESU 120MM DIGITAL SURGICAL PROCEDURE System Consisting Of All The Items Listed Below
5797	ESU 70 B (Includes Footswitch)
5047*	PATIENT PLATES
5701*	PATIENT PLATE CABLE
5044*	RUBBER STRAP
5021	MONOPOLAR RF-CABLE
5241-1	SUCTION COAG HANDLE & EXTENSION
5004	FOOTSWITCH HANDLE
5807-05	BLADE ELECTRODE
5970	Dennis Probe
5302	BIPOLAR RF-CABLE
4755	EQUIPMENT TROLLY
5798B-1	RFTA HANDLE & ELECTRODE
*DISPOSABLE	PATIENT PLATES AVAILABLE ON REQUEST





MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



REUSABLE MONOPOLAR SUCTION COAGULATION

ELMED HAS BUILT ITS STRONG REPUTATION BY DEVELOPING STATE-OF-THE-ART, INNOVATIVE ELECTROSURGICAL PRODUCTS FOR MORE THAN 40 YEARS. OUR COMPREHENSIVE LINE OF ELECTROSURGICAL INSTRUMENTATION WILL MEET AND EXCEED THE HIGHEST EXPECTATIONS OF ANY SURGICAL PROFESSIONAL. IN THE FIELD OF OTOLARYNGOLOGY, ELMED TRADITIONALLY HAS BEEN THE PACESETTER IN QUALITY, PERFORMANCE AND RELIABILITY.



REUSABLE MONOPOLAR ELECTROSURGICAL SNARES

	Item No.	DESCRIPTION
4MM DIA. INSTRUMENT PLUG	5282	NASAL SUCTION SNARE: W/ INSULATED HANDLE & 4" LONG SHAFT, ASSEMBLED WITH SELF-OPENING LOOP (ILLUSTRATED) – (REQUIRES CABLE #5021 OR #5009)
4MM DIA. **SELECT MONOPOLAR &MM DIA. "BOVIE"	5283	Tonsil Suction Snare: W/ Insulated Handle & 9" Long SHaft, Assembled With Self-Opening Loop (Illustrated) – (Requires Cable #5021 OR #5009)
GENERATOR PLUG THE GENERATOR YOU CABLE FOR THIS INSTRUMENT BASED ON THE GENERATOR YOU ITEM NO. 5009	5285	Self-Opening Loop – Nasal Snare
ITEM NO. 5021 WILL BE USING	5286	Self-Opening Loop – Tonsil Snare
To Order C	Call: (224) 3	53-6446 2



MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



REUSABLE MONOPOLAR HANDLES AND ELECTRODES

			Item No.]	Descripti	ON		
For Removal of Small Polyps and Biopsies, As Well As					HANDLE: FOOTSWITCH OPERATED, FOR 4MM DIA. Electrodes (Requires Cable #5021 OR #5009)			
FOR THE TREATMENT OF BLEEDING, SPECIAL AVAILABLE. THESE ELECTRODES FIT OUR ST.	LECTRODES	ARE	5732				OPERATED, FO	
(4MM DIA. SHAFT, 3MM (3/32") AND 2MM (1/16") SHAFT)]	HANDLE:]	FOOTSWITCH A. ELECTROD	OPERATED, FO DES (REQUIRES	OR 3MM
Cutting & Coagulation Electrodes	Standard/Univ Electrodes Foi Handles Inclui Reusable Hand (3/32") Ø Shaft	r Use W ding EI dles 3m	LMED	Micf ELM	RO ELECTRO ED REUSA DLES 2MM () des For ble & Ellman [1/16") Ø	Din/German Electrodes F(Erbe Handles 200mm Length Malleable 4m Shaft	DR ELMED & 100, 150, IS ARE
	Shaft Length	ITEM N	IO.	Shaf Lenc		Ітем No.	Shaft Length	ITEM NO.
5mm Ø Wire Loop Electrode: Insulated	55мм	5709-0	5	55мл	4	5609-05	55мм	5809-05
<u></u>	80мм	5709-08	8	80мл	4	5609-08	100мм	5809-08
	100мм	5709-1	0	100м	M	5609-10	150мм	5809-10
	150мм	5709-1	5	150м	M	5609-15	200мм	5809-15
8mm Ø Wire Loop Electrode: Insulated	55мм	5710-0	5	55мл	4	5610-05	55мм	5810-05
\sim	80мм	5710-08	8	80мл	4	5610-08	100мм	5810-08
	100мм	5710-1	0	100м	M	5610-10	150мм	5810-1
	150мм	5710-1	5	150м	M	5610-15	200мм	5810-15
2mm Ø Coagulating Ball Electrode:	55мм	5720-0	5	55мл	4	5620-05	55мм	5820-05
Straight, Insulated	80мм	5720-08	8	80мл	4	5620-08	100мм	5820-08
	100мм	5720-1	0	100м	M	5620-10	150мм	5820-10
	150мм	5720-1	5	150м	M	5620-15	200мм	5820-15
4mm Ø Coagulating Ball Electrode:	55мм	5721-0	5	55мл	4	5621-05	55мм	5821-05
Straight, Insulated	80мм	5721-0	8	80мл	4	5621-08	100мм	5821-08
	100мм	5721-1	0	100м	M	5621-10	150мм	5821-10
	150мм	5721-1	5	150м	Μ	5621-15	200мм	5821-15
8mm Ø Coagulating Ball Electrode:	55мм	5724-0	5	55мл	4	5624-05	55мм	5824-05
Straight, Insulated	80мм	5724-08	8	80мл	4	5624-08	100мм	5824-08
	100мм	5724-1	0	100м	M	5624-10	150мм	5824-10
	150мм	5724-1	5	150м	M	5624-15	200мм	5824-15
CUTTING & COAGULATING LANCET ELECTRODE:	*55мм	5707-0	5	55мл	4	5607-05	55мм	5807-05
Straight, Insulated	80мм	5707-08	8	80мл	4	5607-08	100мм	5807-08
	100мм	5707-1	0	100м	M	5607-10	150мм	5807-10
	150мм	5707-1	5	150м	M	5607-15	200мм	5807-15
CUTTING NEEDLE ELECTRODE: STRAIGHT,	*55мм	5706-0	5	55мл	4	5606-05	55мм	5806-05
Insulated	80мм	5706-08	8	80мл	4	5606-08	100мм	5806-08
	100мм	5706-1	0	100м	M	5606-10	150мм	5806-10
	150мм	5706-1	5	150м	Μ	5606-15	200мм	5806-15
	ITEM NO	. Des	SCRIPTIC	ON				
Special	5143	Nei Foi	edle El er Tons	lectr Sil Ta	ode: 4mm Aps & Othe	(3/16") Dia. Sh r Submucosai	haft, 110mm Lo L Tissue Destri	ONG ANGLED; JCTION
Reusable ENT	5143M	NEI	EDLE EL	ECTR	ODE: 3MM	(3/32") DIA. SH	HAFT, 110MM LC	ONG ANGLED;
Electrodes	5144	FOER TONSIL TAPS & OTHER SUBMUCOSAL TISSUE DESTRUCTION						
		Co	AGULAT	'ion I	ALL ELECT	RODE: 3MM (3/	/32") DIA. SHAF	т, 110мм L.:
	5144M	ĂN	gled, It	NSUL	ATED; FOR	ENT	,	3



MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



SPECIAL REUSABLE PIN-POINT MICRO TIP ELECTRODES

TIP DESIGN	2CM LENGTH	3CM LENGTH	4CM LENGTH	10cm Length
Straight Tip (2mm Dia.)	5901-02-02	5901-03-02	5901-04-02	5901-10-02
Straight Tip (3mm Dia.)	5901-02-03	5901-03-03	5901-04-03	5901-10-03
45° Тір (2мм Dia.)	5902-02-02	5902-03-02	5902-04-02	5902-10-02
45° TIP (3MM DIA.)	5902-02-03	5902-03-03	5902-04-03	5902-10-03

TIP DESIGN	10cm Length	12cm Length	15cm Length	18cm Length
Curved Shaft (2mm Dia.)	5903-10-02	5903-12-02	5903-15-02	5903-18-02
Curved Shaft (3mm Dia.)	5903-10-03	5903-12-03	5903-15-03	5903-18-03

MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



REUSABLE RFTA ELECTRODES: 4MM DIA. SHAFT & HANDLES

SUGGESTED FOR UVULOPLASTY (SHRINKING UVULA)

ITEM	Description		
No.	RFTA ELECTRODE: 6MM		
5791	ACTIVE TIP		
5792	RFTA ELECTRODE: 8MM Active Tip		
ITEM NO.	DESCRIPTION		
5725	RFTA ELECTRODE W/ Curved Rigid SHaft: 7mm Active Distal Tip		
5726	RFTA ELECTRODE W/ Curved Rigid SHaft: 10mm Active Distaal Tip		
ITEM NC	DESCRIPTION		
5725	RFTA ELECTRODE W/ CURVED RIGID SHAFT: 7MM ACTIVE DISTAL TIP		
5726	RFTA ELECTRODE W/ CURVED RIGID SHAFT: 10mm Active Distal Tip		
Suggeste	D FOR BASE OF TONGUE TREATMENT (TONGUE ABLATION)		
Item No.	DESCRIPTION		
5798	5798 RFTA HANDLE W/ ATTACHED CABLE FOR ESU 120 M/M DIGITAL (ILLUSTRATED)		
5798B	RFTA HANDLE W/ ATTACHED CABLE: BANANA PLUG CONNECTION		
5799	RFTA HANDLE W/ ATTACHED CABLE & FIBER OPTIC BUNDLE		

SUGGESTED FOR SUBMUCOSAL TURBINATE MONOPOLAR SURGERY

ITEM NO.	DESCRIPTION
5731	TURBINATE RFTA Electrode w/ Straight Rigid Shaft: 7mm Active Distal Tip
5732	TURBINATE RFTA Electrode w/ Straight Rigid Shaft: 10mm Active Distal Tip
5733	TURBINATE RFTA Electrode w/ Straight Rigid Shaft: 15mm Active Distal Tip

C		
	ITEM NO.	DESCRIPTION
	5842	SPECIAL UPP ELECTRODE

	ITEM NO.	DESCRIPTION
	5727	Turbinate RFTA Electrode W/ Curved Rigid Shaft & Dome: 7mm Active Distal Tip
	5728	Turbinate RFTA Electrode W/ Curved Rigid Shaft & Dome: 10mm Active Distal Tip



MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



Electrosurgical Adenoid Curettes-Designed By Dr. Donald Dennis

COMPLETELY REUSABLE / FULLY AUTOCLAVABLE

 \square

 \square

ITEM NO.	DESCRIPTION
5591	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 1, STRAIGHT
5592	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 2, STRAIGHT
5593	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 3, STRAIGHT
5594	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 4, STRAIGHT
5595	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 1, W/ SUCTION STRAIGHT
5596	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 2, W/ SUCTION STRAIGHT
5597	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 3, W/ SUCTION STRAIGHT
5598	ELMED ELECTROSURGICAL ADENOID CURETTE, SIZE 4, W/ SUCTION STRAIGHT

 \square

	I				
ITEM NO.	DESCRIPTION	Size 1	Size 2	Size 3	Size 4
5891	ELMED ELECTR	OSURGICAL A	DENOID CURE	fte, Size 1, R	EVERSE ANGLE
5892	ELMED ELECTR	OSURGICAL A	DENOID CURE	fte, Size 2, R	EVERSE ANGLE
5893	ELMED ELECTR	OSURGICAL A	DENOID CURE	ite, Size 3, R	EVERSE ANGLE
5894	ELMED ELECTR	OSURGICAL A	DENOID CURE	ite, Size 4, R	EVERSE ANGLE
5895	ELMED ELECTR	OSURGICAL A	DENOID CURE	fte, Size 1, w	/ Suction
5896	ELMED ELECTR REVERSE ANGLE	OSURGICAL A	DENOID CURE	fte, Size 2, w	V/ SUCTION
5897	ELMED ELECTRO REVERSE ANGLE	OSURGICAL A	DENOID CURE	fte, Size 3, w	/ Suction
5898	ELMED ELECTR REVERSE ANGLE	OSURGICAL A	DENOID CURE	fte, Size 4, w	/ Suction





MONOPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



FRAZIER MONOPOLAR COAGULATOR

FRAZIER TYPE SUCTION TUBE W/ THUMB CONTROL* *CUSTOM TUBE LENGTH & ANGLE AVAILABLE, PER YOUR SPECIFICATIONS

DESCRIPTION	ITEM NO.	DIA.	Description	ITEM NO.	DIA.	DESCRIPTION	ITEM NO.	Dia.
INSULATED, W MONOPOLAR RF	37-5006-06	6 Fr.	7" (178mm) -Angular, Insulated , w Monopolar RF Connector, Reusable	37-5007-06	6 Fr.		37-5009-06	6 Fr.
	37-5006-07	7 Fr.		37-5007-07	7 Fr.		37-5009-07	7 Fr.
	37-5006-08	8 Fr.		37-5007-08	8 Fr.	_	37-5009-08	8 Fr.
	37-5006-09	9 Fr.		37-5007-09	9 Fr.	9" (228mm) Angular,	37-5009-09	9 Fr.
	37-5006-10	10 Fr.		37-5007-10	10 Fr.	RF Connector, Reusable	37-5009-10	10 Fr.
	37-5006-11	11 Fr.		37-5007-11	11 Fr.		37-5009-11	11 Fr.
	37-5006-12	12 Fr.		37-5007-12	12 Fr.		37-5009-12	12 Fr.
	37-5006-115	15 Fr.		37-5007-115	15 Fr.		37-5009-115	15 Fr.
	37-5006-18	18 Fr.		37-5007-18	18 Fr.		37-5009-18	18 Fr.





BIPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



THE DENNIS BIPOLAR TURBINATE PROBE SYSTEM Designed and Developed By Donald P. Dennis, M.D.



ADVANTAGES OF THE DENNIS PROBE FOR CHRONIC OBSTRUCTIVE TURBINATE HYPERTROPHY:

- 1. IT CAN BE USED IN THE OFFICE W/ LOCAL ANESTHESIA
- 2. THERE IS NO INTRAOPERATIVE OR POSTOPERATIVE PAIN
- 3. THERE IS NO PACKING NECESSARY
- 4. The Patient May Return To Work The Same Day
- 5. The High Cost Of Hospitalization & Anesthesia Is Avoided
- 6. THE METHOD IS RELIABLE
- 7. IT GIVES PRECISION TISSUE COAGULATION
- 8. IT MAY BE REPEATED IN 10 MINUTES IF NECESSARY; HOWEVER, THE AUTHOR HAS NOT FOUND IT NECESSARY TO DATE
- 9. THE BAYONET MOUNT ALLOWS GOOD VISUALIZATION DURING SURGERY W/ PRECISION HANDLING
- 10. IT IS SAFE & EFFECTIVE IN CHILDREN W/ CHRONIC TURBINATE HYPERTROPHY & CHRONIC RHINORRHEA. CHRONIC NASAL AIRWAY OBSTRUCTION IN CHILDREN CAN INTERFERE W/ MAXILLARY & MANDIBULAR DEVELOPMENT. OPENING THE NASAL AIRWAY IN CHRONICALLY OBSTRUCTED CHILDREN CAN REDUCE THE SYMPTOMS OF ALLERGY & IN SOME CASES REDUCE THE NEED FOR ALLERGY SHOTS.



THE COMPLETE SYSTEM

ITEM NO.	DESCRIPTION
5985	ELMED SYSTEM FOR BIPOLAR SUBMUCOSAL TURBINATE SURGERY CONSISTING OF: ITEM NO. 5356 ELMED BC 50 GENERATOR, ITEM NO. 5970 DENNIS TURBINATE PROBE, ITEM NO. 5707 FOOTSWITCH, ITEM NO. 5302 BIPOLAR RF-CABLE, ITEM NO. 55200-03 STERILIZATION AND STORAGE CASE AND ITEM NO. 5975 INSTRUCTIONAL VIDEO

ITEM NO. DESCRIPTION

5970	Dennis Bipolar Submucosal Turbinate Probe
5302	BIPOLAR RF-CABLE FOR ELMED DENNIS PROBE & ELMED GENERATOR CONNECTION
5230	BIPOLAR RF-CABLE FOR ELMED DENNIS PROBE & GENERATORS W/ 2– BANANA PLUG CONNECTION
5975	VIDEO TAPE FEATURING BIPOLAR SUBMUCOSAL TURBINATE SURGERY BY DONALD DENNIS, M.D.
55200-03	ELMED STERILIZATION AND STORAGE CONTAINER FOR MULTIPLE INSTRUMENTS (OR SINUS SCOPES), ALONG WITH RF-CABLES; MADE IF DURABLE THERMOPLASTIC, PERFORATED, W/ SILICONE STRIP MOUNTING BARS, 11" X 7" X 1½" (ILLUSTRATED)

IMPORTANT:

IN ORDER TO OBTAIN CLINICALLY SATISFACTORY RESULTS, COMBINED WITH THE ULTIMATE IN SAFETY FOR BOTH PATIENT AND SURGEON, THE DENNIS PROBE MUST BE ENERGIZED WITH AN APPROPRIATE LOW VOLTAGE BIPOLAR CURRENT. DISSATISFACTION AND FAILURES IN CLINICAL RESULTS CAN BE TRACED TO THE USE OF THE PROBE WITH GENERATORS DELIVERING OUTPUT WITH TOO HIGH A VOLTAGE OR A MODULATED WAVEFORM. THE ELMED BC 50 is the ideal bipolar coagulator for submucosal turbinate surgery, delivering the required low voltage output and optimum operating frequency, assuring consistently REPRODUCIBLE RESULTS.

SINCE THERE IS NO STANDARD FOR BIPOLAR GENERATORS WITH RESPECT TO OUTPUT WAVEFORM AND PEAK-TO-PEAK VOLTAGE, WE MUST DRAW YOUR ATTENTION TO THE FOL-LOWING REQUIREMENTS FOR BIPOLAR SUBMUCOSAL TURBINATE SURGERY:

OUTPUT FREQUENCY- 500 KHz, NOMINAL

WAVEFORM-FULL WAVE RECTIFIED (SINUSOIDAL, NON-MODULATED)

PEAK-TO PEAK VOLTAGE- Never to exceed 400 V at maximum generator output. Operating voltage should be less than 100 V peak-to-peak at nominal settings. This is very important, as the surgical procedure is to dehydrate the tissue and not burn or char, overheat and /or arc across it. Since most bipolar generators, particularly those incorporated in major operating room units, may be energized by high voltage, modulated current, there is danger of post operative bleeding, excessive tissue trauma, or other complications

ISOLATION FACTOR- THE BIPOLAR GENERATOR MUST BE ISOLATED FORM GROUND (FLOATING) WITH A MINIMUM ISOLATION FACTOR OF 98%


WATTAGE- REQUIREMENTS FOR THE INSTRUMENT RANGE FROM 15 TO 25 W. A SUITABLE BIPOLAR GENERATOR SHOULD HAVE A MAXIMUM OF NO MORE THAN 50 W OF POWER, MEASURED AT 100 OHM IMPEDANCE LOAD.



BIPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



BIPOLAR COAGULATION/DISSECTION FORCEPS FOR TONSILLECTOMY



REUSABLE ACCESSORIES FOR BIPOLAR SUCTION/IRRIGATION & COAGULATION

ITEM NO.	DESCRIPTION
5980	ELMED BIPOLAR COAGULATOR: W/ Suction/Irrigation Channel
5981	ELMED BIPOLAR COAGULATOR: FOR Suction & Irrigation W/ Dual Stopcock



BIPOLAR ELECTROSURGICAL ACCESSORIES FOR ENT



BIPOLAR SURGICAL CUT-COAG SCISSORS

FEATURES:

- REUSABLE INSTRUMENT, MAKING IT VERY COST EFFECTIVE
- AUTOCLAVABLE BY ALL MODALITIES
- EACH BLADE CAN BE SEPARATED & SHARPENED, NO REINSULATING COSTS
- HEAVY DUTY INSULATION FOR DURABILITY & EASY CLEANING
- SYMMETRICAL COAGULATION BY WHICH A CONSTANT (SYMMETRICAL) CURRENT FLOW THROUGH BOTH OF THE SCISSOR BLADES, THIS ASSURES AN EQUAL COAGULATION ON BOTH SCISSOR BLADE POLES.



TIP STYLE A: STANDARD BLADE, ½ OUTSIDE BLADE HEAVY DUTY SYNTHETIC BLUE INSULATION

DESCRIPTION

5950-21 CURVED METZENBAUM, 21CM (8.25")

5950-23 CURVED METZENBAUM, 23CM (9")

18CM (7")

28CM (11")

CURVED METZENBAUM

CURVED METZENBAUM,

ITEM

5950-18

5950-28


NO.





TIP STYLE A: Standard Blade ¾ Outside Blade, Heavy Duty Synthetic Blue Insulation

Item No.	Description
5960-18	Curved Metzenbaum, 18cm (7")
5960-2 1	Curved Metzenbaum, 21cm (8.25")
5960-23	Curved Metzenbaum, 23cm (9")
5960-28	Curved Metzenbaum, 28cm (11")







FIBER OPTIC AUFRICHT RETRACTOR W/ 4MM BUNDLE



*Retractor comes w/ Universal Cable Connector - ACMI Base



ITEM NO.	DESCRIPTION		

3	7045-18F	FIBER OPTIC AUFRICHT NASAL RETRACTOR, 10MM X 30MM BLADE
		FIBER OPTIC AUFRICHT NASAL RETRACTOR, 10MM X 45MM BLADE
3	7047-18F	FIBER OPTIC AUFRICHT NASAL RETRACTOR, 10MM X 60MM BLADE

RS	ITEM NO.	DESCRIPTION
	9881	WOLF/DYONICS ADAPTER
	9882	STORZ/OLYMPUS ADAPTER

SINUS ENDOSCOPIC CLIP APPLIER



- REUSABLE CLIP APPLIER FOR SMALL & MEDIUM TITANIUM CLIPS
- Small Diameter & Two Short Shaft Lengths For Enhanced Sinus Surgery
- ROTATING 360° REUSABLE OPEN SURGERY CLIP APPLIER W/ ERGONOMIC HANDLE

AVAILABLE IN 2 ROTATING STYLES:

- ONE PIECE HANDLE & SHAFT W/ REMOVABLE INSERT
- 3-PIECE MODULAR-TAKE-APART. HANDLE, SHAFT & INSERT



SMALL TIP FOR SMALL CLIPS

WORKING

LENGTH

7 INCHES

7 INCHES

9 INCHES

9 INCHES

Shaft

ITEM NO.

36500-18A

36500-18B

36500-22A

36500-22B

and the second s	,

MEDIUM TIP FOR SMALL CLIPS

ITEM NO.	Working Length Shaft	2-Piece	3-Piece Modular
36600-18A	7 Inches	Yes	No
36600-18B	7 Inches	No	YES
36600-22A	9 INCHES	Yes	No
36600-22B	9 INCHES	No	YES

ITEM NO. DESCRIPTION	
E174CS6	SMALL STERILE TITANIUM CLIP (QTY. 120)
E174CM6	Medium Sterile Titanium Clip (Qty. 120)

3-PIECE

No

YES

No

YES

MODULAR

2-PIECE

YES

No

YES


No



SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



ELMED EOSTM HD OTOSCOPES



FEATURES:

- IDEAL FOR THE OVERVIEW OF THE ENTIRE EARDRUM
- THE WIDE ANGLE LENS ENABLES A NATURAL, UNDISTORTED, PANORAMIC OVERVIEW OF THE COMPLETE EARDRUM
- CLEAR, BRIGHT, & EXTREMELY SHARP PICTURE W/ HIGH RESOLUTION & SHARPNESS IN DEPTH
- SNAP ON ADAPTOR ACCEPTS WELCH/ALLYN DISPOSABLE SPECULA #52434 OR #52133
- LIGHT POST FITTING, ACMI: ADAPTERS AVAILABLE FOR WOLF OR STORZ/OLYMPUS
- Completely Reusable & Fully Autoclavable
- 100% German Rod Lens System

ITEM NO.	DESCRIPTION
36400-00	EOS HD, 4MM Ø, 6CM W.L., 0° VIEWING
36400-30	EOS HD 4MM Ø, 6CM W.L., 30° VIEWING
36290-100	EOS HD 2.9MM Ø, 6CM W.L., 0° VIEWING
36290-130	EOS HD 2.9MM Ø, 6CM W.L., 30° VIEWING
36290-145	EOS HD 2.9MM Ø, 6CM W.L., 45° VIEWING
36290-170	EOS HD 2.9MM Ø, 6CM W.L., 70° VIEWING
36190-00	EOS HD 1.9MM Ø, 10CM W.L., 0° VIEWING
36190-30	EOS HD 1.9MM Ø, 10CM W.L., 30° VIEWING
36190-70	EOS HD 1.9MM Ø, 10CM W.L., 70° VIEWING



ITEM NO. DESCRIPTION

564111-511	SNAP-ON ADAPTOR FOR WELCH/ALLYN DISPOSABLE SPECULA # 52434 & 52133 , FOR Otoscope # 36400-00 & 36400-30
56/90-50	SNAP-ON ADAPTOR FOR WELCH/ALLYN DISPOSABLE SPECULA # 52434 & 52133 , For Otoscope # 36290-00 & 36290-30 , 36290-45 , 36290-70
56190-50	SNAP-ON ADAPTOR FOR WELCH/ALLYN DISPOSABLE SPECULA # 52434 & 52133 , For Otoscope # 36190-00 & 36190-30 , 36190-45 , 36190-70
36500-01	PNEUMATIC ADAPTOR FOR BRUENING FOR SPECULUMS SIZE 00-4, INCLUDING RUBBER BALL W/ TUBE & CONE FOR USE W/ OTOSCOPE 36290-00 -> 36290-70
36500-07	Bridge For Pneumatic Adapter For Use W/ Otoscope <mark>36400-00 & 36400-30</mark> W/ Bruening Ear Speculum Size 00-4
36290-60	GUIDING SHEATH FOR LASER PROBES, ROTATABLE FOR OTOSCOPE 36290-00
26290-61	GUIDING SHEATH FOR LASER PROBES, ROTATABLE FOR OTOSCOPE 36290-30



SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



Elmed EOSTM HD Video Otoscopes



ITEM NO.	DESCRIPTION
36-2700	2.7мм, 0⁰, Focusable, W/ C-Mount Thread For Direct Coupling To Camera Head
36-0400	4.0mm, 0 ⁰ , Focusable, W∕ C-Mount Thread For Direct Coupling To Camera Head
36-2799	2.9MM, 0 ⁰ , W/Out Focus, W/ Eyepiece For Connection To TV Coupler
36-0499	4.0MM, 0° , W/Out Focus, W/ Eyepiece For Connection To TV Coupler

Elmed ES^{TM} Sinus Scopes

- MADE WITH PREMIUM AMERICAN OPTICAL LENS SYSTEMS
- GLASS FIBER-LIGHT CONE FOR BRIGHT PICTURE
- FULLY AUTOCLAVABLE BY ALL STANDARD STERILIZATION METHODS
- STORZ TYPE SLEEVE LOCK (OTHER AVAILABLE UPON REQUEST)
- STANDARD TYPE ACMI LIGHT POST W/ WOLF STORZ ADAPTERS
- ONE YEAR WARRANTY ON MATERIAL & WORKMANSHIP

ITEM NO.	Description
37400-100	ELMED ES TM SINUS SCOPE: 4MM \emptyset , O° VIEWING
37400-130	ELMED ES TM SINUS SCOPE: 4MM \emptyset , 30° VIEWING
37400-145	ELMED ES^{TM} Sinus Scope: 4mm Ø, 45° Viewing
37400-170	ELMED ES TM SINUS SCOPE: 4MM \emptyset , 70° VIEWING




SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



ELMED EOSTM HD PARANASAL SINUS SCOPES

1

- MADE WITH PREMIUM GERMAN OPTICAL LENS SYSTEM
- GLASS FIBER-LIGHT CONE FOR BRIGHT PICTURE
- FULLY AUTOCLAVABLE BY ALL STANDARD STERILIZATION METHODS
- STORZ-TYPE SLEEVE LOCK (OTHERS AVAILABLE UPON REQUEST)
- STANDARD TYPE ACMI LIGHT POST W/ WOLF STORZ ADAPTORS
- ONE YEAR WARRANTY ON MATERIAL & WORKMANSHIP



ITEM NO.	DESCRIPTION
37270-00	ELMED EOS TM HD SINUS SCOPE: 2.7MM Ø, 0° VIEWING
37270-30	ELMED EOS TM HD SINUS SCOPE: 2.7MM Ø, 30° VIEWING
37270-45	ELMED EOS TM HD SINUS SCOPE: 2.7MM Ø, 45° VIEWING
37270-70	ELMED EOS TM HD SINUS SCOPE: 2.7MM Ø, 70° VIEWING
37290-00	ELMED EOS tm HD Sinus Scope: 2.9mm Ø, 0° Viewing
37290-30	ELMED EOS TM HD SINUS SCOPE: 2.9MM Ø, 30° VIEWING
37290-45	ELMED EOS TM HD SINUS SCOPE: 2.9MM Ø, 45° VIEWING
37290-70	ELMED EOS TM HD SINUS SCOPE: 2.9MM Ø, 70° VIEWING
37400-00	ELMED EOS TM HD SINUS SCOPE: 4.0MM Ø, 0° VIEWING
37400-30	ELMED EOS TM HD SINUS SCOPE: 4.0MM Ø, 30° VIEWING
37400-45	ELMED EOS TM HD SINUS SCOPE: 4.0MM Ø, 45° VIEWING
37400-70	ELMED EOS TM HD SINUS SCOPE: 4.0MM Ø, 70° VIEWING



SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



Elmed Led Light Sources



ITEM NO. DESCRIPTION

98-2000ELMED Led 2000 Light source W/ (4) Port Light
Turret (ACMI, Wolf, Storz, & Olympus)

ITEM NO. DESCRIPTION

98-3000 ELMED LED 3000 LIGHTSOURCE W/ (4) PORT LIGHT TURRET (ACMI, WOLF, STORZ, & OLYMPUS)

FEATURES:

- BRIGHT WHITE LIGHT OUTPUT
- Comparable to most 250W Halogen & 180W Xenon Light Sources
- EXPECTED LED LIFE OF 30,000 HOURS
- THE LIGHT PORT ALSO INCLUDES A SENSOR TO DETERMINE IF THE FIBER-OPTIC CABLE IS INSERTED, IF NOT IT GOES INTO STANDBY MODE W/ LED POWERED DOWN.
- INCLUDES INTEGRAL SOFTWARE CONTROLS FOR THERMAL MANAGEMENT, DIMMING CONTROL (ANALOG OR PWM), & PROVIDING FEEDBACK ON LED & ELECTRONICS TEMPERATURE & FAN SPEED

ELMED HANDY IIITM PORTABLE LED LIGHT SOURCE W/ RECHARGEABLE

ITEM NO.	DESCRIPTION
9809-02	Elmed Handy III Portable LED Light-Source W/ Rechargeable Battery
9809-02-01	RECHARGEABLE LITHIUM BATTERY 3.7v

- POWERFUL FOCUSED 3W LED ELEMENT, PROVIDES MORE ILLUMINATION THAN COMPETITORS, DUE TO OUR INCORPORATED SUPER MAGNIFYING LENS &
- CUTTING EDGE TECHNOLOGY
- LONGER BATTERY LIFE & MORE LIGHT OUTPUT DUE TO THE SMALL 3W LED ELEMENT, WHICH CONSUMES A LOT LESS POWER THAN A HALOGEN LAMP
- STAINLESS STEEL
- AVERAGE ILLUMINATION-28,000-46,000 LUX
- WIDE APPLICATION AS A PORTABLE LIGHT SOURCE FOR ENDOSCOPES, OTOSCOPES, BORESCOPES, FLEXIBLE SCOPES & FIBER-OPTIC HEADLIGHTS







SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



ELMED LITE ONE[™] 300w XENON LIGHT SOURCE

ITEM NO. DESCRIPTION

ELEMD LITE ONE[™] 300w Light Source W/ (4) Port Light Turret (Acmi, Wolf, Storz, & **9810** Olympus)

ELMED Lite One

FEATURES:

- BRILLIANT DAYLIGHT QUALITY LIGHT
- INTEGRATED, DUAL-FAN POWERED DUCTED COOLING SYSTEM FOR COOL RUNNING EXTENDED LIFE CYCLE FOR ALL INTERNAL COMPONENTS
- ALL-STEEL CONSTRUCTED FRAME AND CABINET FOR GREATER DURABILITY AND LESS HEAT TRANSFER
- FRONT PANEL CONTROLS: ON/OFF SWITCH, POSITIVE CONTROL VARIABLE INTENSITY SELECTOR, RESET BULB METER, EASY-TO-IDENTIFY & MANIPULATE 4-PORT LIGHT TURRET DETACHABLE AC LINE CORD FOR EASIER TRANSPORTATION
- EXTERNAL MAIN FUSE ACCESSIBLE ON REAR PANEL

ELMED HALOGEN LIGHT SOURCES

ELMED LS150 II HALOGEN LIGHT SOURCES

ITEM NO.	DESCRIPTION
9806	Elmed LS150 II Halogen Light Source W/ Dual 150W Quartz Halogen Lamp & 3-Port Slide Bar For Each Bulb (Acmi, Storz, Wolf)

FEATURES:



- LOW VOLTAGE, DUAL 24V 150W QUARTZ HALOGEN BULBS & POWER SOURCE, PROVIDING COOL LIGHT FOR LONG PERIODS OF APPLICATION, EXTENDING BULB LIFE TO MAXIMUM LIFE CYCLE
- DUAL LAMPS SECOND BULB SERVES AS ENERGY BACKUP WHEN SWITCHING BULBS IN A HURRY IS REQUIRED; ACTIVATED BY FRONT PANEL MOUNTED SWITCH
- ALL CONTROLS ARE FRONT PANEL MOUNTED, FOR SIMPLE OPERATION
- SIMPLE BULB REPLACEMENT BY SLIDING BULB COMPARTMENT RACK ON FRONT PANEL
- EXTERNAL MAIN FUSE ACCESSIBLE ON REAR PANEL

ELMED OL160 II HALOGEN LIGHT SOURCES

ITEM NO. DESCRIPTION



SINGLE 150W QUARTZ HALOGEN LAMP & SINGLE ACMI LIGHT PORT
Single 150W Quartz Halogen Lamp & 4-Post Turret (Acmi, Storz, Wolf & Olympus)

FEATURES:

- BRIGHT, LONG LASTING 150 WATTAGE POWER
- STANDARD ACMI CABLE CONNECTION OUTLET
- COOLING RUNNING FAN
- Compact size: 71/2" x 7" x 4"
- CARRYING HANDLE AVAILABLE (SPECIFY WHEN ORDERING)

ELMED 5MM DIA. FIBER LIGHT BUNDLE LIGHT CABLES



ITEM NO.	DESCRIPTION
9819	ELMED FIBER-LIGHT CABLE W/ ACMI INSTRUMENT & LIGHT SOURCE CONNECTORS*
9820	ELMED FIBER-LIGHT CABLE W/ UNIVERSAL INSTRUMENT & LIGHT SOURCE CONNECTORS*

16



SCOPES, LIGHT SOURCES & HEADLIGHTS FOR ENT



Elmed Led Headlight System

ITEM NO. DESCRIPTION

9850

ELMED LED 3 HEADLIGHT SYSTEM W/ ADJUSTABLE HEADBAND, PORTABLE BATTERY PACK, CHARGER AND CARRYING CASE

FEATURES:

- BRILLIANT WHITE LIGHT REMAINS CONSTANT AT 2,000 FOOT CANDLES FOR 7+HRS.
 - VARIABLE INTENSITY TO 4,500 FOOT CANDLES.
- LITHIUM ION RECHARGEABLE BELT CLIP BATTERY PACK STORES CHARGE FOR 7+HRS.
- UNIVERSAL CHARGER OPERATES IN 100V-240V
- LIGHT WEIGHT OPTIC WITH VERTICAL POSITIONING AND EXCEPTIONAL COAXIAL ALIGNMENT.
- OUR LIGHTEST SYSTEM OPTIC AND HEADBAND WEIGH ONLY .40UNCES PROVIDING COMFORTABLE WEAR FOR EXTENDED PERIODS.
- COMFORTABLE, HEAVY DUTY MULTIPLE HEADBAND FEATURES SPECIAL PADDED CUSHIONS, WHICH ELIMINATE PRESSURE POINTS AND A RATCHET MECHANISM FOR ADJUSTMENTS.

Elmed Fiber Optic Headlight System

ITEM NO.	. DESCRIPTION	
	ELMED FIBEROPTIC HEADLIGHT WITH ADJUSTABLE HEADBAND 7' FIBER LIGHT CONNECTION CABLE W/ ACMI CONNECTOR (ILLUSTRATED)	
9800-1	ELMED FIBEROPTIC HEADLIGHT WITH ADJUSTABLE HEADBAND 10' FIBER LIGHT CONNECTION CABLE W/ ACMI CONNECTOR (ILLUSTRATED)	
	 FEATURES: BRILLIANT WHITE LIGHT REMAINS CONSTANT AT 2,000 FOOT CANDLES FOR 7+HRS. VARIABLE INTENSITY TO 4,500 FOOT CANDLES. LITHIUM ION RECHARGEABLE BELT CLIP BATTERY PACK STORES CHARGE FOR 7+HRS. UNIVERSAL CHARGER OPERATES IN 100V-240V LIGHT WEIGHT OPTIC WITH VERTICAL POSITIONING AND EXCEPTIONAL COAXIAL ALIGNMENT. OUR LIGHTEST SYSTEM – OPTIC AND HEADBAND WEIGH ONLY .40UNCES PROVIDING COMFORTABLE WEAR FOR EXTENDED PERIODS. COMFORTABLE, HEAVY DUTY MULTIPLE HEADBAND FEATURES SPECIAL PADDED CUSHIONS, WHICH ELIMINATE PRESSURE POINTS AND A RATCHET MECHANISM FOR ADJUSTMENTS. CLIPS AVAILABLE FOR ALL MAJOR TTL AND FLIP UP LOUPES 	
T)T		
ITEM NO.	DESCRIPTION	
9840	System Includes: Headlight, Rechargeable Ecopac Battery Pack, Battery Charger, Transformer, Spare Halogen Bulb And Carrying Case	

9825 ELMED HALOGEN HEADLAMP: ADJUSTABLE HEADBAND, HALOGEN LAMP/MIRROR SYSTEM & SUPPLY CABLE




- BRILLIANT ILLUMINATION THAT REMAINS CONSTANT AT 2,000 FOOT CANDLES FOR THE LIFE OF THE LAMP (APP. 100 HOURS)
- RECHARGEABLE BATTERY PACK TO BE WORN ON THE PHYSICIAN'S BELT; NO. 9897 WILL PROVIDE POWER FOR TWO HOURS OF CONTINUOUS USE
- THE OPTIONAL MONOCULAR OPTIC PROVIDES COAXIAL ILLUMINATION FOR COMPLETELY SHADOW LESS VIEWING.
- ADJUSTABLE SPOT SIZE, CONTINUOUSLY VARIABLE FROM A 750MM TO A 120MM FIELD, MEASURED AT A DISTANCE OF 13". THE UNIFORM ROUND SPOT MINIMIZES REFLECTIVE GLARE INSIDE SMALLER CAVITIES
- EASILY ACCESSIBLE LARGE ON/OFF PUSH-BUTTON SWITCH ALLOWS THE PHYSICIAN TO SWITCH OFF THE SYSTEM, THUS REDUCING HEAT BUILD-UP AND INCREASING BATTERY LIFE
- THE HEADBAND FEATURES SPECIAL PADDED CUSHIONS, WHICH ELIMINATE PRESSURE POINTS, AND A RATCHET MECHANISM FOR ADJUSTING IT TO THE INDIVIDUAL HEAD SIZE

















FORCE	PS
ITEM NO.	Description
37001-25	WEIL-BLAKESLEY, STRAIGHT, 2.5MM BITE
37001-30	WEIL-BLAKESLEY, STRAIGHT, 3.0MM BITE
37001-36	WEIL-BLAKESLEY, STRAIGHT, 3.6MM BITE
37001-40	WEIL-BLAKESLEY, STRAIGHT, 4.0MM BITE
37001-50	WEIL-BLAKESLEY, STRAIGHT, 5.0MM BITE
37002-25	Weil-Blakesley, 45° Up-Curved, 2.5mm Bite
37002-30	Weil-Blakesley, 45° Up-Curved, 3.0mm Bite
37002-36	WEIL-BLAKESLEY, 45° UP-CURVED, 3.6MM BITE
37002-40	WEIL-BLAKESLEY, 45° UP-CURVED, 4.0MM BITE
37002-50	Weil-Blakesley, 45° Up-Curved, 5.0mm Bite
37003-25	Weil-Blakesley, 90° Up-Curved, 2.5mm Bite
37003-30	Weil-Blakesley, 90° Up-Curved, 3.0mm Bite
37003-36	WEIL-BLAKESLEY, 90° UP-CURVED, 3.6 MM BITE
37004-25	Weil-Blakesley, Thru Cut, Straight, 2.5mm Bite
37004-36	WEIL-BLAKESLEY, THRU CUT, STRAIGHT, 3.6MM BITE
37004-40	WEIL-BLAKESLEY, THRU CUT, STRAIGHT, 4.0MM BITE
37004-48	WEIL-BLAKESLEY , THRU CUT, STRAIGHT, 4.8MM BITE
37005-25	Weil-Blakesley, Thru Cut, 45 ⁰ Up-Curved, 2.5mm Bite
37005-36	Weil-Blakesley, Thru Cut, 45 ⁰ Up-Curved, 3.6mm Bite
37005-40	Weil-Blakesley, Thru Cut, 45 ⁰ Up-Curved, 4.0mm Bite
37005-48	WEIL-BLAKESLEY, THRU CUT, 45 ⁰ UP-CURVED, 4.8MM BITE
37021-25	Weil-Blakesley, Straight, 2.5mm Bite
37021-30	Weil-Blakesley, Straight, 3.0mm Bite
37021-36	Weil-Blakesley, Straight, 3.6mm Bite
37021-40	Weil-Blakesley, Straight, 4.0mm Bite
37021-50	Weil-Blakesley, Straight, 5.0mm Bite
37022-25	Weil-Blakesley, 45 ⁰ Up-Curved 2.5mm Bite
37022-30	WEIL-BLAKESLEY, 45 ⁰ UP-CURVED, 3.0MM BITE
37022-36	WEIL-BLAKESLEY, 45 ⁰ UP-CURVED, 3.6MM BITE
37022-40	WEIL-BLAKESLEY, 45 ⁰ UP-CURVED, 4.0MM BITE
37022-50	WEIL-BLAKESLEY, 45 ⁰ UP-CURVED, 5.0MM BITE
	, , ,
37006-45	TILLEY HENCKEL ETHMOID FORCEPS, STRAIGHT 4.5MM BITE
37006-55	J.JMM DITE
37006-65	TILLEY HENCKEL ETHMOID FORCEPS, STRAIGHT 6.5MM BITE
37006-80	0.0MM DITE
	18





PUNCHES


100мм		
	Iтем No. 37007-15 37007-20	DESCRIPTION RETRO ANTRUM PUNCH, 360 ⁰ ROTATABLE, 1.5MM BITE RETRO ANTRUM PUNCH, 360 ⁰ ROTATABLE, 2.0MM BITE
	37008-15	Ostrum-Stannberger Pediatric "Backbiter" Antrum Punch, 1.5mm Bite
100мм	37009-15	Ostrum-Stannberger Pediatric "Backbiter" Antrum Punch, Left-Side Cutting, 1.5mm Bite
	37010-15	Ostrum-Stannberger Pediatric "Backbiter" Antrum Punch, Right-Side Cutting, 1.5mm Bite
	37011-20	Ostrum-Stannberger Standard "Backbiter" ANtrum Punch, 2.0mm Bite
	37012-20	Ostrum-Stannberger Standard "Backbiter" Antrum Punch, Left-SIde Cutting, 2.0mm Bite
	37013-20	Ostrum-Stannberger Standard "Backbitter" Antrum Punch, Right-Side Cutting, 2.0mm Bite

100мм	→	37015-25	Side Biting, Left, Antrum Punch, Through Cutting, Standard Pattern, 2.5mm X 4mm Bite
	e	37015-35	Side Biting, Right, Antrum Punch, Through Cutting, Standard Pattern, 2.5mm X 4mm Bite
		37017-25	Side Biting, Left, Antrum Punch, Through Cutting, Standard Pattern, 3.5mm X 4mm Bite
	\bigcirc	37017-35	Side Biting, Right, Antrum Punch, Through Cutting, Standard Pattern, 3.5mm X 4mm Bite





SINUS FORCEPS & SCISSORS







SINUS FORCEPS & SCISSORS



SINUSCOPY SUCTION TUBES



ITEM NO.	DESCRIPTION	ITEM NO.	DESCRIPTION
36042-06	FRAZIER SUCTION TUBE W/ FINGER VALVE & STILETTE (6FR)	36044-06	Ferguson (Frazier) Suction Tube, 75 [°] Angled W/ Finger Valve & Stilette (6FR)
36042-07	FRAZIER SUCTION TUBE W/ FINGER VALVE & STILETTE (7FR)	36044-07	FERGUSON (FRAZIER) SUCTION TUBE, 75 [°] ANGLED W/ FINGER VALVE & STILETTE
36042-08	FRAZIER SUCTION TUBE W/ FINGER VALVE		(7FR)
50042-00	& STILETTE (8FR)		FERGUSON (FRAZIER) SUCTION TUBE, 75 ⁰
36042-10	FRAZIER SUCTION TUBE W/ FINGER VALVE & STILETTE (10FR)	36044-08	ANGLED W/ FINGER VALVE & STILETTE (8FR)
	FRAZIER SUCTION TUBE W/ FINGER VALVE		Ferguson (Frazier) Suction Tube, 75 [°]
36042-12	& STILETTE (12FR)	36044-09	Angled W/ Finger Valve & Stilette (10FR)
	Ι	TEM NO.	Description



ITEM NO.	DESCRIPTION
37190-30	MAGILL SUCTION TUBE, 3.0MM DIA.
37190-35	MAGILL SUCTION TUBE, 3.5MM DIA.
37190-40	MAGILL SUCTION TUBE, 4.5MM DIA.





SINUSCOPY TROCARS & CANNULAS



EICKEN ANTRUM CANNULAS

REGULAR	CURVE			SHORT CU	JRVE	
ITEM NO.	DESCRIPTION				Description	
37185-25	Eicken Antrium 14cm, 2.5mm Dia. Curve)	,			Eicken Antrum Cann 14cm, 2.5mm Dia.(Sho	
37185-30	CURVE)	REGULAR	「読得	37186-30	Curve) Eicken Antrum Cann 14cm, 3.0mm Dia.(Sho Curve)	
37185-40	Eicken Antrium 14cm, 4mm Dia. (I Curve)	,	L	37186-40	Eicken Antrum Cann 14cm, 4.0mm Dia.(Sho Curve)	
	1 1		Y		,	
	ТILLE <u>Item No.</u>	Y-LICHTWI Description	F TZ TF	ROCARS	,	
		Description			,	
	ITEM NO.	Description Tilley-Lichty Length	WITZ A	trum Troc		
	<u>Ітем No.</u> 37128-05	Description Tilley-Lichty Length Tilley-Lichty Length	WITZ A WITZ A	trum Troc trum Troc	CAR, 1.7MM, 19.5CM	
Ĵ,	Ітем No. 37128-05 37128-06	DESCRIPTION TILLEY-LICHTY LENGTH TILLEY-LICHTY LENGTH TILLEY-LICHTY LENGTH	WITZ A' WITZ A' WITZ A'	trum Troc trum Troc trum Troc	CAR, 1.7MM, 19.5CM CAR, 2.0MM, 19.5CM	





SINUSCOPY ELEVATORS & KNIVES







SINUSCOPY CURETTES



ITEM NO.	DESCRIPTION
37378-01	ANTRUM CURETTE, OVAL, 19CM, SIZE 1
37378-02	ANTRUM CURETTE, OVAL, 19CM, SIZE 2
37378-03	ANTRUM CURETTE, OVAL, 19CM, SIZE 3






	1	J
ITEM NO.	Desc	CRIPTION
37382-11		rum Curette, Round , 7½" (19cm) Length
37382-12	LEN	RUM CURETTE, BLED CUP, OBLONG LL, 7½" (19CM) GTH
37382-13	ANT ANG LAR LEN	RUM CURETTE, GLED CUP, OBLONG GE, 7½" (19CM) GTH
P		
SMAL	_	LARGE
ITEM	No.	DESCRIPTION
37387	-00	ANTRUM CURETTE, FORWARD CUTTING, SMALL, 19CM
37287	-01	ANTRUM CURETTE, FORWARD CUTTING, LARGE, 19CM





SINUSCOPY DISSECTORS & PROBES







KILLIAN SEPTUM SPECULA W/ FIBER-OPTIC LIGHT CARRIER

	ITEM NO.	Description
	37122-40	KILLIAN SEPTUM SPECULA W/ FIBER-OPTIC, SIZE 1 (40MM)
-Powerful light	37122-55	KILLIAN SEPTUM SPECULA W/ FIBER-OPTIC, SIZE 2 (55MM)
	37122-75	KILLIAN SEPTUM SPECULA W/ FIBER-OPTIC, SIZE 3 (75MM)
EMISSION -EASY TO DISMANTLE & CLEAN -REMOVABLE FIBER-OPTIC ROD	37122-90	Killian Septum Specula W/ Fiber-Optic, Size 4 (95mm)
	ITEM NO.	DESCRIPTION
	37122-98	SPARE FIBER-OPTIC LIGHT CARRIER ONLY

KILLIAM SEPTUM SPECULA


ITEM NO.	DESCRIPTION
37120-35	KILLIAN SEPTUM SPECULA, SIZE 1 (35MM)
37120-50	KILLIAN SEPTUM SPECULA, SIZE 2 (50MM)
37120-64	KILLIAN SEPTUM SPECULA, SIZE 3 (64MM)
37120-75	KILLIAN SEPTUM SPECULA, SIZE 4 (75MM)
37120-90	KILLIAN SEPTUM SPECULA, SIZE 4 (95MM)

ITEM NO.	DESCRIPTION
37122-01	Killian-Struycken Nasal Specula (15cm), Left Blade (75mm), Right Blade (45mm) *Pictured
37121-02	Killian-Struycken Nasal Specula (15cm), Left Blade (45mm), Right Blade (75mm)





SEPTUM SPECULA & NASAL SPECULA



TIECK-HALL NASAL SPECULA FOR 37116-16 INFANTS (13.5CM) (LARGE)

	(ISCM) (SMALL)	
37102-02	Hartmann-Hall Nasal Specula (15cm) (Medium)	
37102-03	Hartmann-Hall Nasal Specula (15cm) (Large)	27





SEPTUM SPECULA & NASAL SPECULA



ITEM NO.	DESCRIPTION
37050-01	Thudicum Nasal Specula(7cm), Size
37050-02	Thudicum Nasal Specula(7cm), Size 2
37050-03	Thudicum Nasal Specula(7cm), Size 3
37050-04	Thudicum Nasal Specula(7cm), Size
37050-05	Thudicum Nasal Specula(7cm), Size 5
37050-06	Thudicum Nasal Specula(7cm), Size 6
37050-07	Thudicum Nasal Specula(7cm), Size 7


ITEM NO.	DESCRIPTION
37050-01-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 1
37050-02-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 2
37050-03-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 3
37050-04-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 4
37050-05-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 5
37050-06-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 6
37050-07-I	THUDICUM NASAL SPECULA, INSULATED, (7CM), SIZE 7

		ITEM NO.	DESCRIPTIC	N	
		37154-01	ST. CLAIR (7.5CM), SIZ	Γhompson N ze 1 (38mm)	IASAL SPECULA
		37154-02		Гномрson N ze 2 (51мм)	IASAL SPECULA
		37154-03	ST. CLAIR (7.5CM), SIZ	Гномрson N ze 3 (54мм)	IASAL SPECULA
	. V	37154-04		Гномрson N ze 4 (76мм)	IASAL SPECULA
			A	Ітем No. 39120-13	Description Beckmann Endaural Speculum For Infants, Curved To The Side (13cm) Beckmann Endaural
ITEM NO.	Description			39120-15	SPECULUM, CURVED TO THE SIDE (15CM)
37112-01	VIENNA NASAL SPECULA (SIZE 1, SMALL)	(14см)			
37112-02	VIENNA NASAL SPECULA (SIZE 2, MEDIUM)			Ŧ	
37112-03	VIENNA NASAL SPECULA (SIZE 3, LARGE)	(14См)			





ANTRUM & SPHENOIDAL PUNCHES





ITEM NO.	DESCRIPTION
37303-00	Kerrison Antrum Punch, 9cm Shaft Length, Size 0 (3mm)
37303-01	Kerrison Antrum Punch, 9cm Shaft Length, Size 1 (4mm)
37303-02	Kerrison Antrum Punch, 9cm Shaft Length, Size 2 (5mm)
37389-03	Kerrison Antrum Punch, 9cm Shaft Length, Size 3 (6mm)





ANTRUM & SPHENOIDAL PUNCHES










ANTRUM & SPHENOIDAL PUNCHES





40-1552

40-1554


FIBEROPTIC LARYNGOSCOPES



LARYNGOSCOPES

TUCKER MID-LIGHTED SIDE SLIDE LARYNGOSCOPE

ALIN	ITEM NO.	Size	OVER L LENC		N	Nominai Proxima I.D.		AX D.	Light Carrier #
	40-1450	Child	90мм	6.91	MM	9.0 MM	14.0	MM	40-6510
	40-1455	ADOLESCEN	т 114м	м 9.11	MM	10.0 MM	17.0	MM	40-6512
	40-1460	Adult	120м	м 10.1	7мм	12.0 мм	19.0	MM	40-6515
40-1465	40-1465	LONG ADUL	т 160м	м 11.8	Змм	12.0 мм	19.0	Ммм	40-6516
H		9мм		9.1MM MM ARE FOR ***NO	12m MEAS T TO S	10.7MM M 12h UREMENT P CALE***		Only	
		Hollingei	r Infant	' (N ewb	ORN)	SLIDE LA	RYNGO	SCOPE	
40-1500	Ітем No.		Overall Length	Min I.E	$\mathbf{D} = \begin{bmatrix} \mathbf{N} \\ \mathbf{P} \\ \mathbf{R} \\ \mathbf{I} \\ \mathbf{I} \end{bmatrix}$	OMINAL OXIMAL D.	Max O.D.		Light Carrier #
1 n	40-1500	INFANT 8	81мм	8мм	9.01	MM 1	4.0мм	40	-6204
		JACKSON ST	`ANDARD 	Fiber (i Optic	SLIDE LA	1) SCOPI	LIGHT






FIBER OPTIC LARYNGOSCOPES



LARYNGOSCOPES

HOLINGER "HOUR GLASS" ANTERIOR COMMISSURE LARYNGOSCOPE




HOLINGER "SLOTTED" ANTERIOR COMMISURE LARYNGOSCOPE

1 Carlos	ITEM NO.	Size Adult	Over Leng	гн I.D.	NOMINA PROXIMA I.D.	AL O.D	· #			
40-2045	40-2045 "SLOTTED" 170MM 8.2MM 11 x 19MM 20.2MM 40-6212									
1.	TRACHEA SCOPES									
La la			Tu	CKER T	RACHESCOI	PE				
15	ITEM NO.	SIZE	OVERALL LENGTH	Min I.D.	Nominal Proximal I.D.	MAX O.D.	LIGHT CARRIER #			
	40-2403	5 Х 18мм	180мм	5.0мм	11.0мм	13.0мм	40-7521			
	5MM Illustrations Are For Measurement Purposes Only ***Not To Scale***									
	¹ ⁴⁰⁻²⁴⁰³ ^{11MM} FEARON TRACHESCOPE									
	ITEM NO.	Size	Overall Length	Min I.D.	Nominal Proximal I.D.	Max O.D.	Light Carrier #			
	40-2404	3 Х 20мм	203мм	2.5мм	11.9мм	11.0мм	40-7521			
	(2.5MM	IL	LUSTRATIO	ONS ARE FOR M ONI ***NOT TO	Y	ENT PURPOSES			
	11.9	ими 40-24 мм	04				33			





LARYNGOSCOPES








MICRO-LARYNGOSCOPES

		Jako Type I					
	ITEM NO.	Size	Overall Length	Min I.D.	Nominal Proximal I.D.	MAX O.D.	LIGHT CARRIER #
40-2200P	40-2200P	ADULT	178мм	13мм	21 х 19мм	34.0мм	40-6365R 40-6366L
			40-2200]	P			

CHERRY-JAKO TYPE I



JAKO MICRO-LARYNGOSCOPE TYPE II

		ITEM NO.	Size	Overall Length	Min I.D.	Nominal Proximal I.D.	MAX O.D.	LIGHT CARRIER #
		40-2205	Adult	178мм	11.1мм	29 Х 19мм	38.0мм	40-7805R 40-7800L
	40-2205	29M 40-22		Illustra		For Measure *Not To Scali		oses Only





MICRO-LARYNGOSCOPES


		CHERRY-	Јако Мі	CRO-LA	RYNGOSCO	ре Түре	II
40-2208	ITEM NO.	SIZE	Overall Length	Min I.D.	Nominal Proximal I.D.	Max O.D.	LIGHT CARRIER #
	40-2208	Adolesc.	149мм	8.8мм	24 х 14мм	34.0мм	40-78215 40-7810L
	40-2215	CHILD	120мм	9.3мм	20 Х 12мм	28.0мм	40-7825R 40-7820L
	40-2220	Newborn	114мм	7.8мм	18 X 10мм	25.0мм	40-7825R 40-7820L
AC.	14MM		9.3MM	10MM	SMM		
40-2220	24мм		20мм		MM		
	40-2208		40-2215 ATIONS ARE I ***	40-2 For Meas Not To So	UREMENT PURP	POSES ONLY	





JAKO MICRO-LARYNGOSCOPE TYPE III

ITEM NO.	SIZE	Overall Length	MIN I.D.	Nominal Proximal I.D.	MAX O.D.	LIGHT CARRIER #
40-2206	ADOLESC.	178мм	13.4мм	29 х 20мм	34.0мм	40-6526
40-2209	CHILD	149мм	11.7мм	25 х 13мм	30.0мм	40-6527
40-2216	Newborn	120мм	9.1мм	20 Х 13мм	25.0мм	40-6528



Illustrations Are For Measurement Purposes Only ***Not To Scale***





MICRO-LARYNGOSCOPES



ITEM NO	. Size	Overall Length	Min I.D.	Nominal Proximal I.D.	MAX O.D.	Light Carrier #	
40-2190	Adult	168.2мм	7.0мм	19 х 15мм	22.0мм	40-7864	
40-2191	ADULT	168.2мм	8.0мм	24 Х 14мм	27.0мм	40-7865	
40-2190 ¹⁵ / _{7MM} ¹⁴ / _{8MM} 40-2191							

OSSOFF-PILLING MICRO-LARYNGOSCOPE

19мм 24мм Illustrations Are For Measurement Purposes Only ***Not To Scale***

DEDO-PILLING MICRO-LARYNGOSCOPE

10-2225P

t	ITEM NO.	SIZE	Overall Length	MIN I.D. NOMINAL PROXIMAL I.D.		Max O.D.	LIGHT CARRIER #
	40-2222	CHILD	119мм	7.1мм	15 х 16мм	22.0мм	40-6524
	40-2224	Adolesc.	145мм	9.1мм	18 х 17мм	25.0мм	40-6529
	40-2225P	Adult	173мм	10.7мм	19 Х 19мм	27.0мм	40-6525
			1MM 5MM -22222	9.1MM 9.1MM 18MM 40-2224	10.7M 19MN 40-22		

Illustrations Are For Measurement Purposes Only ***Not To Scale***

DEDO TABLE-MOUNTED MAYO TRAY

ITEM NO. DESCRIPTION

42-2265

The Dedo Table-Mounted Mayo Tray System is used to support the standard Pilling® Laryngoscope Holder. The tray can be POSITIONED AT ANY HEIGHT, WILL SWIVEL AND CAN BE EXTENDED. ALL PARTS ARE STAINLESS STEEL AND CAN BE DISASSEMBLED FOR CLEANING. This system can be easily covered by a Mayo cover.

 $\underset{* Tray}{\text{Complete system:}}$

- * DETACHABLE SLIDING BARS AND CLAMPS * UPRIGHT ROD
- * WISHBONE PILLING® TABLE CLAMP



LARYNGOSCOPE HOLDERS





ITEM NO.	DESCRIPTION
42-5300	SCOPE HOLDER W/ POSITIVE SCOPE ARTICULATION & ROUND CHEST PLATE DIRECT MOUNTING FOR SCOPES W/ KLEINSASSER SCOPE HANDLE
42-5301	UNIVERSAL SCOPE HOLDER W/ POSITIVE SCOPE ARTICULATION & CHEST BAR. DIRECT MOUNTING FOR SCOPES W/ PILLING TYPE HANDLE



ITEM NO.	DESCRIPTION
40-088-00	ELMED ARTICULATING LARYNGOSCOPE SUSPENSION SYSTEM (INCLUDES ARM & TABLE CLAMP)


FEATURING:

- SUPPORTS THE LARYNGOSCOPE FOR TWO HANDED SURGERY
- NOT AFFECTED BY CHEST MOVEMENT
- Allows Use Of The Boyce-Jackson Position
- Allows repositioning At The Table As Necessary W/Out Readjustment of the Suspension System





MICRO SCISSORS & FORCEPS



ANTERIOR COMMISSURE FORCEPS & SCISSORS

- CONICAL SHEATH FOR HIGH STABILITY & OPTIMAL VIEW
- OPTIMUM ACCESS IN THE ANTERIOR COMMISSURE VIA 100 UP CURVED DISTAL END



		ITEM NO.	SIZE	WORKING LENGTH	DESCRIPTION
CUTTING FORCEPS		42-2101	2MM	22CM	CUTTING FORCEPS, W/ ROUND, CUPPED JAWS, STRAIGHT
		42-2102	2MM	22CM	CUTTING FORCEPS, W/ ROUND, CUPPED JAWS, CURVED UPWARD
		42-2103	2MM	22CM	CUTTING FORCEPS, W/ ROUND, CUPPED JAWS, CURVED RIGHT
		42-2104	2MM	22CM	CUTTING FORCEPS, W/ ROUND, CUPPED JAWS, CURVED LEFT
_	2	42-2108	2MM	22CM	Scissors, Straight
SCISSORS	-	42-2109	2MM	22CM	Scissors, Up Curved 45°
SCIS		42-2110	2MM	22CM	SCISSORS, CURVED RIGHT
		42-2111	2MM	22CM	SCISSORS, CURVED LEFT





CUTTING FORCEPS

23см	
CONICAL SHEATH FOR HIGH STARIETY &	2

Conical Sheath For High Stability & Optimal View Working Length: 23CM

5



	ITEM NO.	SIZE	WORKING LENGTH	DESCRIPTION
2	42-2001	2мм	23СМ	CUTTING FORCEPS W/ ROUND CUPPED JAWS, STRAIGHT
4	42-2002	2мм	23см	CUTTING FORCEPS W/ ROUND CUPPED JAWS, CURVED UPWARDS
2	42-2003	2мм	23СМ	CUTTING FORCEPS W/ ROUND CUPPED JAWS, CURVED LEFT
2	42-2004	2мм	23см	CUTTING FORCEPS W/ ROUND CUPPED JAWS CURVED RIGHT
	42-2050	2мм	23см	CUTTING FORCEPS W/ ROUND CUPPED JAWS, CURVED UPWARDS LEFT
	42-2051	2мм	23см	CUTTING FORCEPS W/ ROUND CUPPED JAWS, CURVED UPWARDS RIGHT
al-	42-2052	2мм	23см	CUTTING FORCEPS W/ ROUND CUPPED JAWS, HORIZONTAL OPENING, CURVED LEFT
Ch.	42-2040	3Х5мм	23СМ	FORCEPS W/ OVAL CUPPED JAWS, STRAIGHT
-	42-204 1	4мм	23СМ	Forceps W/ Round Cupped Jaws, Straight
~	42-2042	4мм	23СМ	FORCEPS W/ ROUND CUPPED JAWS, CURVED UPWARDS
	42-2043	4мм	23СМ	FORCEPS W/ ROUND CUPPED JAWS, CURVED RIGHT
	42-2044	4мм	23см	FORCEPS W/ ROUND CUPPED JAWS, CURVED LEFT
es-	42-2046	5мм	23СМ	CUTTING FORCEPS W/ ROUND CUPPED, DOUBLE ACTION JAWS, STRAIGHT
<u></u>	42-2001	2мм	23СМ	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, STRAIGHT
8	42-2002	2мм	23СМ	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, CURVED UPWARD
5	42-2003	2мм	23см	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, CURVED RIGHT
2	42-2004	2мм	23СМ	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, CURVED LEFT
	42-2050	2мм	23см	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, CURVED UPWARDS RIGHT
	42-2051	2мм	23см	MINIATURE CUTTING FORCEPS W/ CUPPED JAWS, CURVED UPWARDS LEFT





GRASPING FORCEPS

- Conical Sheath For High Stability & Optimal View Working Length: 23cm ٠

		ITEM NO.	SIZE	WORKING LENGTH	DESCRIPTION
		42-2105	2мм	23см	Alligator Forceps, Serrated, Straight W/ Ratchet
	AR FEED AND AND AND AND AND AND AND AND AND AN	42-2005	2мм	23СМ	Alligator Forceps, Serrated, Straight
	Con	42-2006	2мм	23см	Alligator Forceps, Serrated, Curved Right
AKU	-	42-2007	2мм	23СМ	Alligator Forceps, Serrated, Curved Left
	2	42-2215	2мм	23см	Alligator Forceps, Horizontal Opening, Serrated, Straight
		42-2054	2мм	23СМ	Alligator Forceps, Serrated, Curved Up
UNAIND	0	42-2154	2мм	23см	Alligator Forceps, Horizontal Opening, Serrated, Curved Up
	-	42-2055	2мм	23см	FORCEPS W/ TRIANGULAR JAWS, OPENING RIGHT, CURVED UP
	Le_	42-2056	2мм	23см	FORCEPS W/ TRIANGULAR JAWS, OPENING UP, CURVED LEFT
	al-	42-2058	2мм	23СМ	Forceps W/ Triangular Jaws, Straight
	Co-	42-2059	2мм	23см	Forceps W/ Triangular Jaws, Curved Up
		42-2068	2мм	23см	VOCAL CORD HOLDING FORCEPS W/ TRIANGULAR JAWS, FOR RIGHT SIDE
		42-2069	2мм	23см	VOCAL CORD HOLDING FORCEPS W/ TRIANGULAR JAWS, FOR LEFT SIDE



	ITEM NO.	Size	Working Length	DESCRIPTION
	42-2070	2мм	23см	MINIATURE GRASPING FORCEPS, SERRATED, STRAIGHT
L	42-2071	2мм	23см	MINIATURE GRASPING FORCEPS, SERRATED, CURVED UPWARDS
1	42-2072	2мм	23см	MINIATURE GRASPING FORCEPS, SERRATED, CURVED RIGHT
y	42-2073	2мм	23см	MINIATURE GRASPING FORCEPS, SERRATED, LEFT
	42-2076	2мм	23см	MINIATURE GRASPING FORCEPS W/ TRIANGULAR JAWS, SERRATED, CURVED RIGHT
	42-2077	2мм	23см	MINIATURE GRASPING FORCEPS W/ TRIANGULAR JAWS, SERRATED, CURVED LEFT
				41





SCISSORS

- Conical Sheath For High Stability & Optimal View Working Length: 23cm •





Item No.	Size	WORKING LENGTH	DESCRIPTION
42-2008	2мм	23СМ	Scissors, Straight
42-2009	2мм	23СМ	SCISSORS, CURVED UP 45 ⁰
42-2115	2мм	23СМ	SCISSORS, CURVED UP 15 ⁰
42-2010	2мм	23СМ	Scissors, Curved Right
42-2011	2мм	23СМ	Scissors, Curved Left
42-2057	2мм	23СМ	Scissors, Horizontal Cutting, Straight

ITEM NO.	Size	Working Length	Description
42-2080	2мм	23см	MINIATURE SCISSORS, STRAIGHT
42-2081	2мм	23см	MINIATURE SCISSORS, CURVED UP 45 ⁰
42-2082	2мм	23см	MINIATURE SCISSORS, CURVED RIGHT
42-2083	2мм	23см	MINIATURE SCISSORS, CURVED LEFT





PEDIATRIC FORCEPS & SCISSORS

- Conical Sheath For High Stability & Optimal View Working Length: 23cm •



-	-
	L
-	>
	L
-	-
2	-
	8

ITEM NO.	Size	WORKING LENGTH	DESCRIPTION
42-1902	2мм	18см	CUTTING FORCEPS W/ CUPPED JAWS, STRAIGHT
 42-1903	2мм	18см	CUTTING FORCEPS W/ CUPPED JAWS, CURVED UP
42-1904	3мм	18см	CUTTING FORCEPS W/ CUPPED JAWS, STRAIGHT
42-1905	Змм	18см	CUTTING FORCEPS W/ CUPPED JAWS, CURVED UP
42-1906	1мм	18см	CUTTING FORCEPS W/ CUPPED JAWS, STRAIGHT
42-1907	1мм	18см	CUTTING FORCEPS W/ CUPPED JAWS, CURVED UP
42-1930	4мм	18см	CUTTING FORCEPS W/ CUPPED JAWS W/ HORIZONTAL OPENING & MALLEABLE DISTAL END



CUTTING FORCEPS

	-		
	-		-
-	-	-81	1000

ITEM NO.	SIZE	WORKING LENGTH	DESCRIPTION
42-1910	2мм	23СМ	Alligator Forceps W/ Serrated, Straight

ITEM NO.	SIZE	WORKING LENGTH	DESCRIPTION
 42-1920	2мм	18см	Scissors, Straight
 42-1921	2мм	18см	SCISSORS, UP CURVED 45 ⁰
42-1922	3мм	18см	Scissors, Curved Right
42-1923	Змм	18см	Scissors, Curved Left



EUROTEC ENT TREATMENT CHAIRS



THE EUROTEC ENT I



	•	VERY ELEGANT & PROFESSIONAL STYLING
--	---	-------------------------------------

- QUALITY CONSTRUCTION & DURABILITY—EASY MAINTENANCE
 - MAXIMUM PATIENT COMFORT
 - 360° ROTATION W/ LARGE BASE
- FULL HORIZONTAL BED POSITION

THE EUROTEC ENT II



8020

ITEM NO.	DESCRIPTION
8030	 SAME FEATURES AS ENT I, BUT FULLY MECHANICAL POWER ASSISTED NO AC POWER REQUIRED, COMPLETE HYDRAULIC ECONOMICALLY PRICED





SERVICE AND REPAIR



IN NEED OF INSTRUMENT REPAIRS? SEND THEM TO THE *ER*! ELMED REPAIR

60 YEARS OF EXPERIENCE AND KNOWLEDGE IN DESIGNING, ENGINEERING, MANUFACTURING AND REPAIRING FOR THE MEDICAL COMMUNITY HAS GIVEN ELMED, INC. ONE OF THE BEST REPUTATIONS IN THE INDUSTRY. WE REPAIR WHAT OTHERS ARE UNABLE OR UNWILLING TO DO AND WE REPAIR ALL COMPETITIVE BRANDS. OUR WORK IS PERFORMED BY SKILLED TECHNICIANS, ALL OF WHICH HAVE BEEN WITH ELMED FOR THE PAST 10-30 YEARS.

COMPLETE IN-HOUSE MACHINE SHOP, POWDER COATING, LASER WELDING, & MARKING FINISHING, ELECTRONICS AND OPTICAL DEPARTMENTS

AREAS OF SPECIALTY

- LAPAROSCOPIC AND ENDOSCOPIC INSTRUMENTS
- ELECTROSURGICAL UNITS AND ACCESSORIES
- FIBER OPTIC LIGHT CABLES AND RETRACTORS
- RIGID ENDOSCOPES & FLEXIBLE SINUSCOPES

- STAINLESS STEEL HAND INSTRUMENTS
- LIGHT SOURCES AND HEADLIGHTS
- DEBRIDER UNITS, HAND PIECES AND BLADES
- Self Retaining Retractor Systems

HOW TO PACKAGE AND SHIP INSTRUMENTS

- **IMPORTANT**: ELMED CANNOT ACCEPT INSTRUMENTS THAT HAVE NOT BEEN PROPERLY CLEANED, DISINFECTED OR STERILIZED.
- INCLUDE CUSTOMER NAME AND ALL CONTACT INFORMATION (NAME, ADDRESS, PHONE NO., FAX NO., EMAIL ADDRESS, ETC.)
- INCLUDE CUSTOMER P.O. (PURCHASE ORDER), IF USED
- INCLUDE REASON FOR RETURN BRIEF DESCRIPTION OF REPAIR PROBLEM IF AVAILABLE
- WRAP INSTRUMENT FOR PROTECTION DURING TRANSPORT
- Use a common carrier such as UPS or FedEx
- INSURE THE PACKAGE AND RECORD THE TRACKING NUMBER

PLEASE FILL OUT, DETACH, AND INCLUDE THE FORM BELOW WITH YOUR REPAIR:

FROM:					
FACILITY:	CONTACT PERSON:				
Address:					
City, State, Zip					
EMAIL:	PHONE NO.				
PO. No. QTY.					
INSTRUMENT DESCRIPTION:					
(NOTE: PLEASE INCLUDE MODEL NO. AND SERIAL NO. IN INSTRUMENT DESCRIPTION FOR SCOPES)					

FAST SERVICE: INCOMING REPAIRS COMING IN BY <u>NEXT DAY AIR</u> WILL BE COMPLETED WITHIN 24 HRS (WHEN PARTS ARE AVAILABLE)

SHIP TO: ELMED 35 N BRANDON DR., GLENDALE HEIGHTS, IL 60139