ELMED

SERVING THE MEDICAL PROFESSION SINCE 1955

Med3
ELMED - MEDTEC

WE DESIGN, MANUFACTURE, & SELL THE TOOLS THE SURGEONS USE

ELMED INC.
35 N. BRANDON DR.
GLENDALE HEIGHTS,
IL 60139
USA

WE SUBSCRIBE TO COST CONTAINMENT AND PROTECTION OF THE ENVIRONMENT

MADE IN THE USA

THEREFORE, WE MANUFACTURE REUSABLE PRODUCTS FOR A CLEANER WORLD

PH (224) 353-6446
FAX (224) 653-8178
EMAIL:
MEDICAL@ELMED.COM
WWW.ELMED.COM

TABLE OF CONTENTS

UROLOGY	PAGE
Endo Uroscopes	1
CYSTOSCOPY	**PAGE**
Telescope Bridges	2
Flexible and Semi-Rigid Instruments	3-5
Flexible Electrodes	6
Visual Obturators	7
LITHOTRIPSY	**PAGE**
Stone Punch	8
Sheath	8
Telescope Bridge	8
Adapters	8
RESECTOSCOPY	**PAGE**
Working Elements - Passive and Active Cutting	9
Monopolar Electrodes	10
Continuous Flow Sheaths (for use with Ø 4.0 mm scope)	11
Irrigation/Suction Sheaths (for use with Ø 4.0 mm scope)	12
Obturator (for use with Ø 4.0 mm scope)	13
Continuous Flow Sheaths (for use with Ø 2.7 mm scope)	14
Electrode Sterilization Protection Tube	14
URETHROTOMY	**PAGE**
Endo Uro-Scopes and Passive Cutting	15
Sheaths and Obiturators	16
URETERO RENOSCOPY	**PAGE**
Semi-Rigid Instruments	17
Flexible and Semi-rigid Instruments	18
Accessories	18
URETHROTOME DILATORS	**PAGE**
Otis Urethrotome Dilator	19
Kollmann Urethrotome Dilator	19
PEDIATRIC CYSTOSCOPY	**PAGE**
Pediatric Urethroscopes	20
Pediatric Cystoscope & Urethroscope Sheaths	20
Albarran Deflector	21
Pediatric Cystoscopy Flexible & Semi-Rigid Instruments	21
Flexible Monopolar Electrodes	21

PEDIATRIC URETHROTOMY	PAGE
Urethrotome Working Element	22
Urethrotome Sheath	22
Cold Knives	22
PEDIATRIC RESECTOSCOPY	**PAGE**
Working Elements - Passive	23
Resectoscope Sheaths	23
Monopolar Electrodes	23
PERCUTANEOUS NEPHROSTOMY	**PAGE**
Nephroscope 45° and 90°	24
Outer Sheath	25
Sheath Obturator	25
Forceps — Spring Handle	26
Forceps — Scissor Style Handle	27
Telescope Dilator	27
Nephroscope	28
Outer Sheaths — Rotatable/Rigid	28
Obturator	28
Stone Dislodger	29
LASER CYSTOSCOPY	**PAGE**
Laser Working Element	30
Adapter for Working Element	30
Laser Cystoscopy Sheath	30
Telescope Bridge	31
Visual/Standard Obturator	31
Punch Forceps	31
ENDO UROLOGY ACCESSORIES	**PAGE**
Ellik Evacuator /Parts	32
Luer Lock tube connector	33
Stopcock with Luer Lock	33
UROLOGICAL INSTRUMENTS	**PAGE**
Dilating Bougies	34-35
Catheter Guide	36
Goodwin Style Dilation Sounds	37

Magill Catheter Introducing Forceps	38
Foreign Body Forceps	39
Capsule Holding Forceps	40
Bladder Spatulas	41
Bladder Retractors	42
Urethro Dilators and Forceps	43
Stone Forceps and Probes	44
Vasectomy Scissors	45
Circumcision Clamps	46
Turner Warwick Pediatric/Perineal Retractor	47
Turner Warwick Adult Retractor	48
Dennis Brown Adult & Pediatric Retractor System	49
Meatus and Incontinence Clamps	50
Campbell Suprapubic Trocar and Cannula	51
UROLIGCAL INSTRUMENTS - PROSTATECTOMY	**PAGE**
Roth Urethral Suture Guides	52
Lowsley Prostatic Tractor	53
Durani and Stamey	54
Retractors For retropubic Prostatectomy	55
UROLIGICAL ELECTROSURGERY	**PAGE**
Flexible Electrodes and Rigid Cystoscopes	56
Control Tip Electrodes for Rigid Cystoscopes	58
Electrodes For Flexible Ureteroscopes and Flexible Cystoscopes	58
Reusable Monopolar Electrodes	59
Reusable Kynar-Coated SS Monopolar Electrodes	60
Bipolar Surgical Cut-Coag Scissors	61
Cystoscopy Video System	62
Electrosurgery for Urological Procedures	63
Elmed Hivocuater Electrosurgical Unit	64
Elmed ESU 170 U Electrosurgical Unit	64
Elmed ESU 400 Digital	65
SCALPEL BLADES AND HANDLES	**PAGE**
Surgical Blades	66
Scalpel Handles Reusable	66
ADVANCED URO-MINIMAL INVASIVE	**PAGE**
Bull Clamp For Laparoscopic Application	67
SERVICE & REPAIR	**PAGE**
Service And Repair Form	68

ENDO UROSCOPES

HIGH DEFINITION OPTICS

MADE IN THE USA



DIAMETER	WORKING LENGTHS				
Ø 2.7 MM	302 MM	31270-00HD	31270-12HD	31270-30HD	31270-70HD
Ø 4.0 MM	302 MM	31400-00HD	31400-12HD	31400-30HD	31400-70HD

FEATURING

- FULLY AUTOCLAVABLE - 134°C / 273°F - 18 MINUTES
- GERMAN HD OPTIC SYSTEM
- STORZ SCOPE LOCK (ACMI - WOLF - STRYKER - OLYMPUS AVAILABLE)
- ACMI - WOLF - STORZ - OLYMPUS LIGHT CABLE CONNECTORS

CYSTOSCOPY SHEATHS

DUAL FIXED STOPCOCKS WITH LL ADAPTERS (FOR USE WITH Ø 4MM SCOPES)

SHEATH



OBTURATOR

	Ø FOR SCOPES	COMPLETE SYSTEM	SHEATH ONLY	OBTURATOR ONLY
15 FR.	Ø 2.7 MM	31400-15	31400-15A	31400-15B
17 FR.	Ø 4.0 MM	31400-17	31400-17A	31400-17B
19 FR.	Ø 4.0 MM	31400-19	31400-19A	31400-19B
21 FR.	Ø 4.0 MM	31400-21	31400-21A	31400-21B
23 FR.	Ø 4.0 MM	31400-23	31400-23A	31400-23B
25 FR.	Ø 4.0 MM	31400-25	31400-25A	31400-25B

CYSTOSCOPY-TELESCOPE BRIDGES

MADE IN THE USA



TELESCOPE BRIDGE
FOR DIAGNOSTIC

Ø 4.0 MM SCOPE	Ø 2.7 MM SCOPE
31400-55	**31270-55**

TELESCOPE BRIDGE
WITH 1 INSTRUMENT CHANNEL

Ø 4.0 MM SCOPE	Ø 2.7 MM SCOPE
31400-56	**31270-56**

TELESCOPE BRIDGE
WITH 2 INSTRUMENT CHANNELS

Ø 4.0 MM SCOPE	Ø 2.7 MM SCOPE
31400-57	**31270-57**

SEALING CAPS
52003-13

CYSTOSCOPY-WORKING ELEMENT WITH ALBARRAN DEFLECTOR

WORKING INSERT WITH ALBARRAN DEFLECTING MECHANISM, SAFETY PROBE & 1 INSTRUMENT CHANNEL.



FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31400-50 - W/O RATCHET	**31270-50** - W/O RATCHET
31400-51 - W/ RATCHET	—

WORKING INSERT WITH ALBARRAN DEFLECTING MECHANISM, SAFETY PROBE & 2 INSTRUMENT CHANNELS.



FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31400-31 - W/O RATCHET	**31270-31** - W/O RATCHET
31400-32 - W/ RATCHET	—

CYSTOSCOPY FLEXIBLE AND SEMI-RIGID INSTRUMENTS

MADE IN THE USA



TIP SHAFT DIAMETER	FLEXIBLE		SEMI-RIGID		FLEXIBLE-INSULATED	
	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM
3 FR.(1.0 MM)	**31340-20**	**31334-20**	**31340-30**	**31334-30**	**31340-40**	**31334-40**
5 FR. 1.6 MM)	**31540-20**	**31534-20**	**31540-30**	**31534-30**	**31540-40**	**31534-40**
7 FR.(2.3 MM)	**31740-20**	**31734-20**	**31740-30**	**31734-30**	**31740-40**	**31734-40**
9 FR.(3.0 MM)	**31940-20**	**31934-20**	**31940-30**	**31934-30**	**31940-40**	**31934-40**
3 FR(1.0MM)	**31340-21**	**31334-21**	**31340-31**	**31334-31**	**31340-41**	**31334-41**
5 FR.(1.6 MM)	**31540-21**	**31534-21**	**31540-31**	**31534-31**	**31540-41**	**31534-41**
7 FR.(2.3 MM)	**31740-21**	**31734-21**	**31740-31**	**31734-31**	**31740-41**	**31734-41**
9 FR.(3.0 MM)	**31940-21 (60) FLEXI**	**31934-21 (010)**	**31940-31 (110)**	**31934-31 (60) RIGHT**	**31940-41 (010)**	**31934-41 (110)**
3 FR.(1.0 MM)	**31340-22**	**31334-22**	**31340-32**	**31334-32**	**31340-42**	**31334-42**
5 FR.(1.6 MM)	**31540-22**	**31534-22**	**31540-32**	**31534-32**	**31540-42**	**31534-42**
7 FR.(2.3 MM)	**31740-22**	**31734-22**	**31740-32**	**31734-32**	**31740-42**	**31734-42**
9 FR.(3.0 MM)	**31940-22**	**31934-22**	**31940-32**	**31934-32**	**31940-42**	**31934-42**
5 FR. (1.6 MM)	**31540-23**	**31534-23**	**31540-33**	**31534-33**	**31540-43**	**31534-43**
7 FR.(2.3 MM)	**31740-23**	**31734-23**	**31740-33**	**31734-33**	**31740-43**	**31734-43**
9 FR.(3.0 MM)	**31940-23**	**31934-23**	**31940-33**	**31934-33**	**31940-43**	**31934-43**

BIOPSY CUP FORCEPS
SINGLE ACTION

BIOPSY CUP FORCEPS
DOUBLE ACTION

BIOPSY CUP FORCEPS
SERRATED

ALLIGATOR GRASPING FORCEPS

CYSTOSCOPY FLEXIBLE AND SEMI-RIGID INSTRUMENTS

MADE IN THE USA

TIP SHAFT DIAMETER	FLEXIBLE		SEMI-RIGID		FLEXIBLE-INSULATED	
	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM
3 FR.(1.0 MM)	**31340-24**	**31334-24**	**31340-34**	**31334-34**	**31340-44**	**31334-44**
5 FR.(1.6 MM)	**31540-24**	**31534-24**	**31540-34**	**31534-34**	**31540-44**	**31534-44**
7 FR.(2.3 MM)	**31740-24**	**31734-24**	**31740-34**	**31734-34**	**31740-44**	**31734-44**
9 FR.(3.0 MM)	**31940-24**	**31934-24**	**31940-34**	**31934-34**	**31940-44**	**31934-44**
5 FR.(1.6MM)	**31540-25**	**31534-25**	**31540-35**	**31534-35**	**31540-45**	**31534-45**
7 FR. 2.3MM)	**31740-25**	**31734-25**	**31740-35**	**31734-35**	**31740-45**	**31734-45**
9 FR.(3.0MM)	**31940-25**	**31934-25**	**31940-35**	**31934-35**	**31940-45**	**31934-45**
5 FR.(1.6MM)	**31540-26**	**31534-26**	**31540-36**	**31534-36**	**31540-46**	**31534-46**
7 FR. 2.3MM)	**31740-26**	**31734-26**	**31740-36**	**31734-36**	**31740-46**	**31734-46**
9 FR.(3.0MM)	**31940-26**	**31934-26**	**31940-36**	**31934-36**	**31940-46**	**31934-46**
3 FR.(1.0 MM)	**31340-50**	**31334-50**	**31340-50**	**31334-51**	**31340-52**	**31334-52**
5 FR.(1.6 MM)	**31540-50**	**31534-50**	**31540-51**	**31534-51**	**31540-52**	**31534-52**
7 FR.(2.3 MM)	**31740-50**	**31734-50**	**31740-51**	**31734-51**	**31740-52**	**31734-52**
9 FR.(3.0 MM)	**31940-50**	**31934-50**	**31940-51**	**31934-51**	**31940-52**	**31934-52**

METZ. SCISSORSS
SINGLE ACTION

METZ. SCISSORSS
DOUBLE ACTION

HOOK SCISSORS

FOREIGN BODY GRASPERS
DOUBLE ACTION

CYSTOSCOPY FLEXIBLE AND SEMI-RIGID INSTRUMENTS

MADE IN THE USA

TIP SHAFT DIAMETER	FLEXIBLE		SEMI-RIGID		FLEXIBLE-INSULATED	
	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM	X = 40 CM	X = 34 CM
3 FR. (1.0 MM)	**31340-60**	**31334-60**	**31340-61**	**31334-61**	**31340-62**	**31334-62**
5 FR. (1.6 MM)	**31540-60**	**31534-60**	**31540-61**	**31534-61**	**31540-62**	**31534-62**
7 FR. (2.3 MM)	**31740-60**	**31734-60**	**31740-61**	**31734-61**	**31740-62**	**31734-62**
9 FR. (3.0 MM)	**31940-60**	**31934-60Q**	**31940-61**	**31934-61**	**31940-62**	**31934-62**
3 FR. (1.0 MM)	**31340-70**	**31334-70**	**31340-71**	**31334-71**	**31340-72**	**31334-72**
5 FR. (1.6 MM)	**31540-70**	**31534-70**	**31540-71**	**31534-71**	**31540-72**	**31534-72**
7 FR. (2.3 MM)	**31740-70**	**31734-70**	**31740-71**	**31734-71**	**31740-72**	**31734-72**
9 FR. (3.0 MM)	**31940-70**	**31934-70**	**31940-71**	**31934-71**	**31940-72**	**31934-72**
3 FR. (1.0 MM)	**31340-80**	**31334-80**	**31340-81**	**31334-81**	**31340-82**	**31334-82**
5 FR. (1.6 MM)	**31540-80**	**31534-80**	**31540-81**	**31534-81**	**31540-82**	**31534-82**
7 FR. (2.3 MM)	**31740-80**	**31734-80**	**31740-81**	**31734-81**	**31740-82**	**31734-82**
9 FR. (3.0 MM)	**31940-80**	**31934-80**	**31940-81**	**31934-81**	**31940-82**	**31934-82**
3 FR. (1.0 MM)	**31340-90**	**31334-90**	**31340-91**	**31334-91**	**31340-92**	**31334-92**
5 FR. (1.6 MM)	**31540-90**	**31534-90**	**31540-91**	**31534-91**	**31540-92**	**31534-92**
7 FR. (2.3 MM)	**31740-90**	**31734-90**	**31740-91**	**31734-91**	**31740-92**	**31734-92**
9 FR. (3.0 MM)	**31940-90**	**31934-90**	**31940-91**	**31934-91**	**31940-92**	**31934-92**

GRASPING FORCEPS
1X1 TEETH
DOUBLE ACTION

BIOPSY CUP FORCEPS
SERRATED
SINGLE ACTION

POINTED SCISSORS
SINGLE ACTION

BIOPSY PUNCH
SINGLE OPTION

CYSTOSCOPY FLEXIBLE ELECTRODES

MADE IN THE USA

FLEXIBLE MONOPOLAR COAGULATION ELECTRODE

SHAFT Ø FR. / MM	BALL ELECTRODE		NEEDLE ELECTRODE		LOOP ELECTRODE	
	X = 45 CM	X = 65 CM	X = 45 CM	X = 65 CM	X = 45 CM	X = 65 CM
3 FR. (1.0 MM)	**31345-01**	**31365-01**	**31345-02**	**31365-02**	---	---
4 FR. (1.3 MM)	**31445-01**	**31465-01**	**31445-02**	**31465-02**	---	---
5 FR. (1.6 MM)	**31545-01**	**31565-01**	**31545-02**	**31565-02**	**31545-03**	**31565-03**
6 FR. (2.0 MM)	**31645-01**	**31665-01**	---	---	---	---
7 FR. (2.3 MM)	**31745-01**	**31765-01**	**31745-02**	**31765-02**	**31745-03**	**31765-03**
8 FR. (2.6 MM)	**31845-01**	**31865-01**	---	---	---	---
9 FR. (3.0 MM)	**31945-01**	**31965-01**	---	---	**31945-03**	**31965-03**
10 FR. (3.3 MM)	**31045-01**	**31065-01**	---	---	**31045-03**	**31065-03**

FLEXIBLE "DORMIA" STONE DISLODGER



SHAFT Ø - FR. / MM	X = 70 CM	BASKET LENGTH	BASKET TYPE / WIRES
3 FR. (1.0 MM)	**31370-05**	20 MM	4
5 FR. (1.6 MM)	**31570-05**	30 MM	4
5 FR. (1.6 MM)	**31571-05**	40 MM	6
7 FR. (2.3 MM)	**31770-05**	40 MM	4

ITEM NO. **31000-05** HANDLE FOR DORMIA STONE DISLODGER

FLEXIBLE MONOPOLAR POLYP SNARE

SHAFT Ø - FR. / MM	X = 50 CM
5 FR. (1.6 MM)	**31550-04**
7 FR. (2.3 MM)	**31750-04**



ITEM NO. **31000-04** HANDLE FOR POLYP SNARE WITH MONOPOLAR RF CONNECTOR

FLEXIBLE INJECTION NEEDLE *

SHAFT Ø - FR./MM	X = 50 CM
6 FR. (2.0 MM)	**31650-06**

* FOR USE WITH STANDARD SYRINGE

CYSTOSCOPY VISUAL OBTURATORS

FOR USE WITH Ø 4.0 MM SCOPE

MADE IN THE USA

CYSTOSCOPY VISUAL OBTURATORS

FOR USE W/ CYST-SHEATH

17 FR.	31417-73
19 FR.	31419-73
21 FR.	31421-73
23 FR.	31423-73
25 FR.	31425-73



CYSTOSCOPY OPTICAL INSTRUMENT

FOR USE W/ 21, 23, 25 FR SHEATHS

OPTICAL BIOPSY FORCEPS - DOWN	31400-80	
OPTICAL BIOPSY PUNCH	31400-81	
OPTICAL BIOPSY PUNCH STRAIGHT	31400-82	
OPTICAL BIOPSY GRASPING FORCEPS	31400-83	
OPTICAL BIOPSY SCISSORS	31400-84	
STONE GRASPING FORCEPS FOR USE WITH 25 FR. SHEATH	31400-85	

CYSTOSCOPY OPTICAL INSTRUMENTS - LITHOTRIPSY

MADE IN THE USA

LITHOTRIPSY WORKING ELEMENT STONE PUNCH — 24 FR.

FOR USE W/ Ø 4.MM SCOPE

31400-90

LITHOTRIPSY SHEATH & OBTURATOR

FOR **31400-90** WORKING ELEMENT

COMPLETE SYSTEM	**31400-91**
SHEATH ONLY	**31400-91A**
OBTURATOR ONLY	**314-91B**

LITHOTRIPSY INNER VISUAL TELESCOPE BRIDGE W/ 7 FR. INSTRUMENT CHANNEL

FOR USE W/ **31400-91** SHEATH SYSTEM

31400-92

CYSTOSCOPY OPTICAL INSTRUMENT — ADAPTERS

ADAPTER FOR OPTICAL INSTRUMENTS FOR USE W/ RESECTOSCOPE SHEATHS (FIGURE 1)	**31400-88**
ADAPTER FOR USE W/ RESECTOSCOPE SHEATHS (FIGURE 2)	**31400-89**

FIGURE 1

FIGURE 2

RESECTOSCOPY WORKING ELEMENTS

MADE IN THE USA

WORKING ELEMENT — PASSIVE CUTTING

FOR USE WITH Ø 2.7 MM & Ø 4.0 MM SCOPES.

FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31300-61	**31270-61**

FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31300-60	**31270-60**

WORKING ELEMENT — ACTIVE CUTTING

FOR USE WITH Ø 2.7 MM & Ø 4.0 MM SCOPES.

FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31300-63	**31270-63**

FOR Ø 4.0 MM SCOPE	FOR Ø 2.7 MM SCOPE
31300-62	**31270-62**

WORKING ELEMENT REUSABLE MONOPOLAR RF CABLES

FOR USE WITH Ø 2.7 MM & Ø 4.0 MM SCOPES.

RESECTOSCOPE RF CABLE 4 MM MALE BANANA UNIT PLUG

52005-47

RESECTOSCOPE RF CABLE 8 MM "BOVIE" BANANA UNIT PLUG

52005-48

RESECTOSCOPY WORKING ELEMENTS - MONOPOLAR ELECTRODES

MADE IN THE USA

(A) SINGLE-STEM MONOPOLAR ELECTRODE

Ø 4.0 MM SCOPE - 24 FR. + 27 FR

(B) DOUBLE-STEM MONOPOLAR ELECTRODE

Ø 2.7 MM SCOPE - 19 FR.

Ø 4.0 MM SCOPE - 24 FR. + 27 FR

			A - SINGLE STEM		B - DOUBLE STEM	
			REUSABLE QTY. (1)	STERILE DISPOSABLE (ST) BOX OF 6	REUSABLE QTY. (1)	STERILE DISPOSABLE (ST) BOX OF 6
	KNIFE ELECTRODE ANGLED 90°	19 FR.	31270-19A	31270-19A-ST	---	---
		24 FR.	31300-20A	31300-20A-ST	31300-20B	31300-20B-ST
		27 FR.	31300-21A	31300-21A-ST	31300-21B	31300-21B-ST
	LOOP ELECTRODE STRAIGHT	19 FR.	31270-20A	31270-20A-ST	---	---
		24 FR.	31300-22A	31300-22A-ST	31300-22B	31300-22B-ST
		27 FR.	31300-23A	31300-23A-ST	31300-23B	31300-23B-ST
	LOOP ELECTRODE ANGLED 30°	19 FR.	31270-21A	31270-21A-ST	---	---
		24 FR.	31300-24A	31300-24A-ST	31300-24B	31300-24B
		27 FR.	31300-25A	31300-25A-ST	31300-25B	31300-25B
	LOOP ELECTRODE ANGLED 90° FOR 0° SCOPES	24 FR.	31300-26A	31300-26A-ST	31300-26B	31300-26B-ST
		27 FR.	31300-27A	31300-27A-ST	31300-27B	31300-27B-ST
	VAPORIZATION ELECTRODE SERRATED, Ø 3MM	24 FR.	31300-28A	31300-28A-ST	31300-28B	31300-28B-ST
		27 FR.	31300-29A	31300-29A-ST	31300-29B	31300-29B-ST
	VAPORIZATION ELECTRODE SERRATED, Ø 5MM	24 FR.	31300-30A	31300-30A-ST	31300-30B	31300-30B-ST
		27 FR.	31300-31A	31300-31A-ST	31300-31B	31300-31B-ST
	BALL ELECTRODE Ø 3MM	19 FR.	31270-22A	31270-22A-ST	---	---
		24 FR.	31300-32A	31300-32A-ST	31300-32B	31300-32B-ST
		27 FR.	31300-33A	31300-33A-ST	31300-33B	31300-33B-ST
	BALL ELECTRODE Ø 5MM	19 FR.	31270-23A	31270-23A-ST	---	---
		24 FR.	31300-34A	31300-34A-ST	31300-34B	31300-34B-ST
		27 FR.	31300-35A	31300-35A-ST	31300-35B	31300-35B-ST
	CONE ELECTRODE	24 FR.	31300-36A	31300-36A-ST	31300-36B	31300-36B-ST
		27 FR.	31300-37A	31300-37A-ST	31300-37B	31300-37B-ST
	VAPORIZATION ELECTRODE	24 FR.	31300-38A	31300-38A-ST	31300-38B	31300-38B-ST
		27 FR.	31300-39A	31300-39A-ST	31300-39B	31300-39B-ST

ELECTRODE STERILIZATION PROTECTION TUBE

31300-40

RESECTOSCOPY SHEATHS— CONTINUOUS FLOW

For Use w/ Ø 4.0 mm Scope

Made In The USA

	24/26 Fr. Set
Complete Set - 24/26 Fr. - Rotatable Continuous Flow Sheath, Outer and Inner Sheaths, and Standard Obturator	31300-65
Outer Sheath with Dual Stopcocks - 26 Fr.	31300-65A
Inner Sheath with Insulated Beaks - 24 Fr.	31300-65B
Standard Obturator - 24 Fr.	31300-65C

360° Rotatable — Continuous Flow

	27/28.5 Fr. Set
Complete Set - 27/28.5 Fr. - Rotatable Continuous Flow Sheath, Outer and Inner Sheaths, and Standard Obturator	31300-66
Outer Sheath with Dual Stopcocks - 28.5 Fr.	31300-66A
Inner Sheath with Insulated Beaks - 27 Fr.	31300-66B
Standard Obturator - 27 Fr.	31300-66C



	24/26 Fr. Set
Complete Set - 24/26 Fr. - Non-rotatable Continuous Flow Sheath, Outer and Inner Sheaths, and Standard Obturator	31300-67
Outer Sheath with Dual Stopcocks - 26 Fr.	31300-67A
Inner Sheath with Insulated Beaks - 24 Fr.	31300-67B
Standard Obturator - 24 Fr.	31300-65C

Non-Rotatable — Continuous Flow

	27/28.5 Fr. Set
Complete Set - 27/28.5 Fr. - Non-rotatable Continuous Flow Sheath, Outer and Inner Sheaths, and Standard Obturator	31300-68
Outer Sheath with Dual Stopcocks - 28.5 Fr.	31300-68A
Inner Sheath with Insulated Beaks - 27 Fr.	31300-68B
Standard Obturator - 27 Fr.	31300-66C



RESECTOSCOPY SHEATHS - IRRIGATION/SUCTION

MADE IN THE USA

IRRIGATION/SUCTION SHEATH WITH OBLIQUE TIP

FOR USE WITH Ø 4.0 MM SCOPE.

	24 Fr. Set
COMPLETE SET - 24 FR. - IRRIGATION/SUCTION SHEATH WITH OBLIQUE TIP, OUTER SHEATH, AND STANDARD OBTURATOR	**31300-70**
SHEATH WITH (1) STOPCOCK AND OBLIQUE TIP - 24 FR.	**31300-70A**
STANDARD OBTURATOR - 24 FR.	**31300-65C**
	27 FR. SET
COMPLETE SET - 27 FR. - IRRIGATION/SUCTION SHEATH WITH OBLIQUE TIP, OUTER SHEATH, AND STANDARD OBTURATOR	**31300-71**
SHEATH WITH (1) STOPCOCK AND OBLIQUE TIP - 27 FR.	**31300-71A**
STANDARD OBTURATOR - 27 FR.	**31300-66C**

IRRIGATION/SUCTION SHEATH WITH SHORT BEAK

FOR USE WITH Ø 4.0MM SCOPE



	24 FR. SET
COMPLETE SET - 24 FR. - IRRIGATION/SUCTION SHEATH WITH SHORT BEAK, OUTER SHEATH, AND STANDARD OBTURATOR	**31300-72**
SHEATH WITH (1) STOPCOCK AND OBLIQUE TIP - 24 FR.	**31300-72A**
STANDARD OBTURATOR - 24 FR.	**31300-65C**
	2 FR. SET
COMPLETE SET - 27 FR. - IRRIGATION/SUCTION SHEATH WITH SHORT BEAK, OUTER SHEATH, AND STANDARD OBTURATOR	**31300-73**
SHEATH WITH (1) STOPCOCK AND OBLIQUE TIP - 27 FR.	**31300-73A**
STANDARD OBTURATOR - 27 FR.	**31300-66C**

RESECTOSCOPY SHEATH OBTURATORS

For Use w/ Ø 4.0mm SScope

Made In The USA

Standard obturator

	24 Fr.	27 Fr.
Standard Resectoscopy Sheath Obturator	**31300-65C**	**31300-66C**

Deflecting obturator

	24 Fr.	27 Fr.
Deflecting Resectoscopy Sheath Obturator	**31300-80**	**31300-81**

Visual obturator

	24 Fr.	27 Fr.
Visual Resectoscopy Sheath Obturator	**31300-82**	**31300-83**

Visual Obturator w/ (1) Inst. Channel

Visual Resectoscopy Sheath Obturator w/ 5 Fr. Inst. Channel - 24 Fr.	**31300-84**
Visual Resectoscopy Sheath Obturator w/ 7 Fr. Inst. Channel - 27 Fr.	**31300-85**

RESECTOSCOPY SHEATHS
(FOR USE WITH Ø 2.7 MM SCOPE

MADE IN THE USA

360º ROTATABLE - CONTINUOUS FLOW SHEATH



	19/22 FR. SET
COMPLETE SET - 19/22 FR. - ROTATABLE CONTINUOUS FLOW SHEATH, OUTER AND INNER SHEATHS, AND STANDARD OBTURATOR	**31270-65**
OUTER SHEATH WITH DUAL STOPCOCKS - 22 FR.	**31270-65A**
INNER SHEATH WITH INSULATED BEAKS - 19 FR.	**31270-65B**
STANDARD OBTURATOR - 19 FR.	**31270-65C**

IRRIGATION/SUCTION SHEATH WITH OBLIQUE TIP

	19 FR. SET
COMPLETE SET - 19 FR. - IRRIGATION/SUCTION SHEATH WITH OBLIQUE TIP AND STANDARD OBTURATOR	**31270-70**
SHEATH WITH (1) STOPCOCK AND OBLIQUE TIP - 19 FR.	**31270-70A**
STANDARD OBTURATOR - 19 FR.	**31270-65C**

VISUAL OBTURATOR

	19 FR.
VISUAL RESECTOSCOPY SHEATH OBTURATOR	**31270-82**

URETHROTOMY

Made In The USA

Endo Uro-Scopes - High Definition Optics

Dia.	Working Length		
Ø 4.0mm	302mm	**31400-00HD**	**31400-12HD**

Featuring:

- Fully Autoclavable - 134ºC/273º - 18 min.
- German HD Optic System
- Storz Scope Lock
- ACMI/Wolf/Storz-Olympus Light Cable Connector
- Made by Elmed in the USA

Working Element - Passive Cutting

Working Element Passive Cutting - Open Handle **31300-60**

Single Stem Cold Knives For Use w/ 31300-60

Round	Straight	Wave Cut Straight	Ring Shaped	Hook Shaped
31300-41	**31300-42**	**31300-43**	**31300-44**	**31300-45**

URETHROTOMY

MADE IN THE USA

URETHROTOME SHEATHS



URETHROTOME SHEATH - 21 FR. WITH DUAL STOPCOCKS AND 5 FR. INST. CHANNEL **31300-46**

URETHROTOME OBTURATORS

URETHROTOME STANDARD OBTURATOR - 21 FR. **31300-47**

URETHROTOME OBTURATOR W/ 5 FR. INST. CHANNEL **31300-48**

URETHROTOME VISUAL OBTURATOR **31300-49**

GUIDE TUBE FOR INSERTION OF BALLOON CATHETER **31300-50**



SHEATH FOR CONTINUOUS FLOW **31300-51**

TELESCOPE BRIDGE

TELESCOPE BRIDGE W/ 5 FR. INST. CHANNEL **31300-56**

SEMI-RIGID UTERO-RENOSCOPE

8° VIEWING FIBER OPTIC TECHNOLOGY W/ EXCELLENT RESOLUTION INSTRUMENT BRIDGE

- FULLY AUTOCLAVABLE - 134° C/273° F - 18 MIN.
- 45° EYEPIECE
- ACMI - WOLF - STORZ - OLYMPUS LIGHT CABLE
- CONNECTOR
- 2 INSTRUMENT CHANNELS
- MADE IN GERMANY



DIAMETER	WORKING LENGTH	2 INSTRUMENT CHANNEL	ITEM NO.
Ø 6 MM (7.5 FR.)	425 MM	1 X 4 FR. OR 2 X 2.4 FR.	**31790-390**
Ø 6 MM (7.5 FR.)	310 MM	1 X 4 FR. OR 2 X 2.4 FR.	**31790-391**
Ø 7.5 MM (9.8 FR.)	425 MM	1 X 5 FR. OR 2 X 3 FR.	**31790-380**
Ø 7.5 MM (9.8 FR.)	310 MM	1 X 5 FR. OR 2 X 3 FR.	**31790-381**

SEMI-RIGID UTERO-RENOSCOPE

8° VIEWING FIBER OPTIC TECHNOLOGY W/ EXCELLENT RESOLUTION

DIAMETER	WORKING LENGTH	INSTRUMENT CHANNEL	ITEM NO.
Ø 6 MM (7.5 FR.)	425 MM	1 X 4 FR.	**31790-392**
Ø 6 MM (7.5 FR.)	310 MM	1 X 4 FR.	**31790-393**
Ø 7.5 MM (9.8 FR.)	425 MM	1 X 5 FR.	**31790-394**
Ø 7.5 MM (9.8 FR.)	310 MM	1 X 5 FR.	**31790-395**

- FULLY AUTOCLAVABLE - 134° C/273° F - 18 MIN.
- STRAIGHT EYEPIECE
- ACMI - WOLF - STORZ - OLYMPUS LIGHT CABLE CONNECTOR
- SINGLE INSTRUMENT CHANNEL
- MADE IN GERMANY

SEALING CAP FOR
INSTRUMENT CHANNEL (PKG. 10)

52003-13

URETERO-RENOSCOPY

Made In The USA

Uretero-Renoscopy Flexible & Semi-Rigid Instruments



	Tip & Shaft Diameter	Flexible x = 60 cm	Semi-Rigid x = 60 cm
Biopsy Cup Forceps - Serrated	3 Fr. (1.0 mm)	31360-22	31360-32
	5 Fr. (1.6 mm)	31560-22	31560-32
Foreign Body Grasping Forceps	3 Fr. (1.0 mm)	31360-50	31360-51
	5 Fr. (1.6 mm)	31560-50	31560-51
Alligator Grasping Forceps	3 Fr. (1.0 mm)	31360-23	31360-33
	5 Fr. (1.6 mm)	31560-23	31560-33
Metz Scissors Single Action	3 Fr. (1.0 mm)	31360-24	31360-24
	5 Fr. (1.6 mm)	31560-24	31560-24
Grasping Forceps w/ 1 x 1 Teeth	3 Fr. (1.0 mm)	31360-60	31360-61
	5 Fr. (1.6 mm)	31560-60	31560-61

Instrument Bridge for Item No. 31790-80 & 31790-81

31790-90

Sealing Cap for Instrument Channel (pkg. 10)

52003-13

Adapter for use of EMS-lithotripter LC1

31790-98

Adapter for use of EMS-lithotripter LC2

31790-99

Reusable Cleaning Brush

Ø 1.6 mm	x = 60 cm	31790-01

URETHROTOME DILATORS

MADE IN THE USA

OTIS URETHROTOME DILATOR

ITEM NO. **31423-00** OTIS URETHROTOM

COMPLETE SYSTEM IN WOODEN CASE CONSISTING OF:

- (1) DILATOR
- (2) BLADES
- (1) CONICAL TIP
- (1) FLAT TIP
- (1) BALL TIP

KOLLMANN URETHROTOM DILATOR



31-46-23 STRAIGHT, LONG

31-44-23 STRAIGHT, SHORT

31-49-23 CURVED , LONG

31-47-23 CURVED , SHORT

31-50-00 HANDLE

PEDIATRIC CYSTOSCOPY

MADE IN THE USA

PEDIATRIC UROSCOPES - HIGH DEFINITION OPTICS



FEATURING:

- FULLY AUTOCLAVABLE - 134° C/273° F - 18 MIN.
- GERMAN HD OPTICS SYSTEM
- STORZ SCOPE LOCK
- ACMI - WOLF - STORZ - OLYMPUS LIGHT CABLE CONNECTORS
- MADE IN THE USA BY ELMED





DIAMETER	WORKING LENGTHS		
Ø 1.9 MM	187.5 MM	**P31190-00HD**	**P31190-30HD**
Ø 2.7 MM	187.5 MM	**P31270-00HD**	**P31270-30HD**

PEDIATRIC CYSTOSCOPE & URETHROSCOPE SHEATHS W/ DUAL FIXED STOPCOCKS & ONE INSTRUMENT CHANNEL

SHEATHS & OBTURATORS ONE INSTRUMENT CHANNEL FOR 3 FR. (Ø 1.0 MM) INSTRUMENTS

SHEATH DIAMETER	INSTRUMENT CHANNEL	SCOPE DIAMETER	SHEATH & OBTURATOR
9.5 FR.	1 X 3 FR. (Ø 1.0 MM)	Ø 1.9 MM	**P31793-10**
11 FR.	1 X 3 FR. (Ø 1.0 MM)	Ø 2.7 MM	**P31793-11**
13 FR.	1 X 3 FR. (Ø 1.0 MM)	Ø 2.7 MM	**P31793-13**

PEDIATRIC CYSTOSCOPY

MADE IN THE USA

WORKING INSERT W/ ALBARRAN DEFLECTOR

SHEATH DIAMETER	SCOPE DIAMETER	WORKING INSERT & OBTURATOR
13 FR.	Ø 2.7 MM	**P31793-52**

ALBARRAN WORKING INSERT SCOPE ADAPTER

SHEATH DIAMETER	SCOPE DIAMETER	ADAPTER
13 FR.	Ø 2.7 MM	**P31793-40**



PEDIATRIC CYSTOSCOPY FLEXIBLE & SEMI-RIGID INSTRUMENTS



	TIP/SHAFT DIAMETER	FLEXIBLE X = 25 CM	SEMI-RIGID X = 25 CM
BIOPSY CUP FORCEPS	3 FR. (Ø 1.0 MM)	**31325-21**	**31325-31**
BIOPSY CUP FORCEPS - SERRAT-	3 FR. (Ø 1.0 MM)	**31325-22**	**31325-32**
ALLIGATOR GRASPING FORCEPS	3 FR. (Ø 1.0 MM)	**31325-23**	**31325-33**
METZ SCISSORS SINGLE ACTION	3 FR. (Ø 1.0 MM)	**31325-24**	**31325-34**

PEDIATRIC FLEXIBLE MONOPOLAR ELECTRODES

SHAFT DIAMETER	BALL ELECTRODE X = 25 CM	NEEDLE ELECTRODE X = 25 CM
3 FR. (Ø 1.0 MM)	**31325-01**	**31325-02**

PEDIATRIC OPTICAL FORCEPS

RIGID OPTICAL BIOPSY FORCEPS	RIGID OPTICAL GRASPING FORCEPS
31190-45	**31190-46**

PEDIATRIC URETHROTOMY

MADE IN THE USA

URETHROTOME WORKING ELEMENT - PASSIVE CUTTING
FOR USE WITH PEDIATRIC UROSCOPES Ø 1.9 MM & Ø 2.7 MM



SHEATH DIAMETER	SCOPE DIAMETER	SINGLE STEM PASSIVE - OPEN HANDLE
11 FR.	Ø 1.9 MM	**P31793-00**
13 FR.	Ø 2.7 MM	**P31793-01**

NOTE: DO **NOT** USE COLD KNIVES WITH HF POWER.

URETHROTOME SHEATHS - SINGLE STOPCOCK

	SHEATH DIAMETER	SCOPE DIAMETER	COMPLETE SET	SHEATH	OBTURATOR
ROTATABLE STOPCOCK	11 FR.	Ø 1.9 MM	**P31793-80**	**P31793-80A**	**P31793-80B**
	13 FR.	Ø 2.7 MM	**P31793-81**	**P31793-81A**	**P31793-81B**
FIXED STOPCOCK	11 FR.	Ø 1.9 MM	**P31793-82**	**P31793-82A**	**P31793-82B**
	13 FR.	Ø 2.7 MM	**P31793-83**	**P31793-83A**	**P31793-83B**

TELESCOPE BRIDGE W/
3 FR. INSTRUMENT CHANNEL

P31793-50

PEDIATRIC URETHROTOME WORKING ELEMENT SINGLE STEM COLD KNIFES

SHEATH DIAMETER	STRAIGHT	ROUND	HOOK	SICKLE
11 FR.	**P31793-64**	**P31793-65**	**P31793-66**	**P31793-67**
13 FR.	**P31793-68**	**P31793-69**	**P31793-76**	**P31793-77**

PEDIATRIC RESECTOSCOPY

MADE IN THE USA

RESECTOSCOPE WORKING ELEMENT - PASSIVE CUTTING

FOR USE WITH PEDIATRIC UROSCOPES Ø 1.9 MM & Ø 2.7 MM

SHEATH DIAMETER	SCOPE DIAMETER	SINGLE STEM PASSIVE - OPEN HANDLE
11 FR.	Ø 1.9 MM	**P31793-00**
13 FR.	Ø 2.7 MM	**P31793-01**



WORKING ELEMENT REUSABLE MONO RF CABLES

RESECTOSCOPE CABLE 4 MM BANANA UNIT PLUG	**52005-47**
RESECTOSCOPE CABLE 8 MM "BOVIE" BANANA UNIT PLUG	**52005-48**

RESECTOSCOPE SHEATHS - SINGLE STOPCOCK

	SHEATH DIAMETER	SCOPE DIAMETER	COMPLETE SET	SHEATH	OBTURATOR
ROTATABLE STOPCOCK	11 FR.	Ø 1.9 MM	**P31793-65**	**P31793-65A**	**P31793-65B**
	13 FR.	Ø 2.7 MM	**P31793-66**	**P31793-66A**	**P31793-66B**
FIXED STOPCOCK	11 FR.	Ø 1.9 MM	**P31793-67**	**P31793-67A**	**P31793-67B**
	13 FR.	Ø 2.7 MM	**P31793-68**	**P31793-68A**	**P31793-68B**

PEDIATRIC RESECTOSCOPE WORKING ELEMENT - MONOPOLAR ELECTRODES

SHEATH DIAMETER	KNIFE	LOOP	LOOP	BALL	BALL
11 FR. (Ø 1.9 MM)	**P31793-19**	**P31793-22**	**P31793-25**	**P31793-28**	**P31793-31**
13 FR. (Ø 2.7 MM)	**P31793-20**	**P31793-23**	**P31793-26**	**P31793-29**	**P31793-32**

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

- NEPHROSCOPE 0º
- RIGID WITH 45º ANGLED OCULAR
- INTEGRATED IRRIGATION/SUCTION CHANNEL
- INTEGRATED INSTRUMENT CHANNEL
- BRIGHT HIGH DEFINITION OPTICS
- FULLY AUTOCLAVABLE 134º C/ 273º F — 18 MINUTES



DIAMETER	WORKING LENGTH	INSTRUMENT CHANNEL	INCLUDED ADAPTOR	ITEM NO.
Ø 7.45 MM	200 MM	Ø 3.5 MM	**31700-243**	**31700-241**

- NEPHROSCOPE 0º
- RIGID WITH 90º DOUBLE PRISM OCULAR
- INTEGRATED IRRIGATION/SUCTION CHANNEL
- INTEGRATED INSTRUMENT CHANNEL
- BRIGHT HIGH DEFINITION OPTICS
- FULLY AUTOCLAVABLE 134º C/ 273º F — 18 MINUTES



DIAMETER	WORKING LENGTH	INSTRUMENT	INCLUDED	ITEM NO.
Ø 7.45 MM	200 MM	Ø 3.5 MM	**31700-243**	**31700-242**

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

NEPHROSCOPE OUTER SHEATH — RIGID

1 STOPCOCK — CONTINUOUS FLOW
CM DEPTH INDICATOR MARKINGS



DIAMETER	WORKING LENGTH	FOR SCOPE	ITEM NO.
24 FR.	200 MM	**31700-241 / 31700-242**	**31791-280**

NEPHROSCOPE OUTER SHEATH — ROTATABLE

1 STOPCOCK — CONTINUOUS FLOW
CM DEPTH INDICATOR MAKINGS



DIAMETER	WORKING LENGTH	FOR SCOPE	ITEM NO.
24 FR.	200 MM	**31700-241 / 31700-242**	**31791-260**

NEPHROSCOPE SHEATH OBTURATOR

DIAMETER	FOR SHEATH	ITEM NO.
24 FR.	**31700-280**	**31791-281**
26 FR.	**31791-260**	**31791-261**

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

NEPHROSCOPY FORCEPS



- RIGID - SPRING ACTION HANDLE
- MODULAR - FOR ENHANCED CLEANING
- REUSABLE - FULLY AUTOCLAVABLE

ITEM NO.	Ø DIAMETER	WORKING LENGTH	DESCRIPTION
31791-001	5 MM	330 MM	TRIPLE JAW GRASPING FORCEPS
31791-002	5 MM	330 MM	GRASPING FORCEPS - ATRAUMATIC LARGE
31791-003	5 MM	330 MM	GRASPING FORCEPS - ATRAUMATIC SMALL
31791-004	5 MM	330 MM	TISSUE GRASPING FORCEPS
31791-005	5 MM	330 MM	ATRAUMATIC FENESTRATED TIP FORCEPS
31791-006	5 MM	330 MM	BOWEL FORCEPS
31791-007	5 MM	330 MM	1 X 2 TOOTH GRASPING FORCEPS
31791-008	5 MM	330 MM	MOUSE TOOTH GRASPING FORCEPS
31791-009	5 MM	330 MM	FIMBRIA HOLDING FORCEPS
31791-010	5 MM	330 MM	RING PATTERN FORCEPS
31791-011	5 MM	330 MM	T-PATTERN FORCEPS
31791-012	5 MM	330 MM	SQUARE TIP FORCEPS
31791-013	5 MM	330 MM	ATRAUMATIC - CLOSED TIP FORCEPS

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

PERCUTANEOUS NEPHROSTOMY FORCEPS



- RIGID WITH SCISSOR STYLE HANDLE
- FLUSH POINT FOR ENHANCED CLEANING
- REUSABLE - FULLY AUTOCLAVABLE

	ITEM NO.	Ø DIAMETER	WORKING LENGTH	DESCRIPTION
	31791-141	3 MM	420 MM	BIOPSY FORCEPS - SPOON SINGLE ACTION
	31791-142	3 MM	420 MM	STONE FRAGMENTS GRASPING FORCEPS DOUBLE ACTION - FENESTRATED
	31791-143	3 MM	420 MM	STONE FRAGMENTS GRASPING FORCEPS DOUBLE ACTION - AGGRESSIVE
	31791-144	3 MM	420 MM	MICRO SCISSORS - STRAIGHT POINTED - SINGLE ACTION

NEPHROSTOMY TELESCOPE DILATOR

ITEM NO.	DESCRIPTION
31791-200	TELESCOPE DILATOR SET — (12) CONSISTING OF 1 X RIGID — 1 X FLEXIBLE 9, 12, 15, 18, 21, 24 FR.
31791-224	TELESCOPE DILATOR — RIGID — 27 FR.
31791-230	TELESCOPE DILATOR — RIGID — 30 FR.

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

- NEPHROSCOPE 0°
- RIGID WITH 45° ANGLED OCULAR
- INTEGRATED INSTRUMENT CHANNEL
- BRIGHT HIGH DEFINITION OPTICS
- FULLY AUTOCLAVABLE 134° C/ 273° F — 18 MINUTES
- MADE IN GERMANY



DIAMETER	WORKING LENGTHS	INSTRUMENT CHANNEL	INCLUDED ADAPTOR	ITEM NO.
13.5 CH	220 MM	4.7 MM	**31419-000**	**31413-220**
13.5 CH	220 MM	4.7 MM	**31419-000**	**31413-320**
19 CH	220 MM	4.7 MM	**31419-000**	**31419-200**

NEPHROSCOPE OUTER SHEATH-ROTATABLE

1 STOPCOCK — CONTINUOUS FLOW
CM DEPTH INDICATOR MARKINGS

DIAMETER	WORKING LENGTH	FOR SCOPE	ITEM NO.
24 FR.	200 MM	**31413-220/ 31413-320**	**31500-102**
26 FR.	200 MM	**31419-200**	**31500-126**

NEPHROSCOPE OUTER SHEATH-RIGID

1 STOPCOCK — DISTAL DRAIN
CM DEPTH INDICATOR MARKINGS

DIAMETER	WORKING LENGTH	FOR SCOPE	ITEM NO.
24 FR.	200 MM	**31413-220/ 31413-320**	**31500-100**
26 FR.	200 MM	**31419-200**	**31500-123**

NEPHROSCOPE OBTURATOR

DIAMETER	FOR SHEATH	ITEM NO.
24 FR.	31500-102/ 31500-100	**31500-101**
26 FR.	31500-126/ 31500-123	**31500-121**

PERCUTANEOUS NEPHROSTOMY

MADE IN THE USA

NEPHROSCOPIC STONE DISLODGER

- AVAILABLE IN 4-WIRE AND 6-WIRE BASKETS
- AVAILABLE WITH 2 HANDLE STYLES A + B
- STAINLESS STEAL SEMI-RIGID SHAFT
- MODULAR 2-PIECE FOR ENHANCED CLEANING
- REUSABLE — FULLY AUTOCLAVABLE

STYLE A HANDLE	STYLE B HANDLE
SCISSOR STYLE — STAINLESS STEEL	SYRINGE STYLE — AUTOCLAVABLE THERMO-PLASTIC

TIP STYLE	HANDLE STYLE	Ø DIAMETER	WORKING LENGTH	ITEM NO.
4 WIRE	A - SCISSOR	Ø 3 FR.	600 MM	**31604-03 A**
4 WIRE	B - SYRINGE	Ø 3 FR.	600 MM	**31604-03 B**
4 WIRE	A - SCISSOR	Ø 5 FR.	600 MM	**31604-05 A**
4 WIRE	B - SYRINGE	Ø 5 FR.	600 MM	**31604-05 B**
6 WIRE	A - SCISSOR	Ø 5 FR.	600 MM	**31606-05 A**
6 WIRE	B - SYRINGE	Ø 5 FR.	600 MM	**31606-05 B**

LASER CYSTOSCOPY

MADE IN THE USA

LASER WORKING ELEMENT— 2 Ø FIBER CHANNELS

- PASSIVE ACTION
- CLOSED HANDLE
- FOR USE WITH 4 MM Ø SCOPES
- MADE IN GERMANY

ITEM NO.	USE WITH FIBERS Ø
31400-108	Ø 0.8 MM
31400-112	Ø 1.2 MM

ADAPTER FOR WORKING ELEMENT — INCLUDED WITH WORKING ELEMENT

ITEM NO.
31400-111

LASER CYSTOSCOPY SHEATH — 23 FR. Ø

- 2 STOPCOCKS — CONTINUOUS FLOW
- FOR USE WITH LASER WORKING MACHINE ELEMENT (BOTH Ø FIBERS)
- MADE IN GERMANY

ITEM NO.
31400-150

LASER CYSTOSCOPY

MADE IN THE USA

LASER CYSTOSCOPY TELESCOPE BRIDGE— 23 FR. Ø

- 1— 8 MM Ø INSTRUMENT CHANNEL
- FOR USE WITH 4 MM Ø SCOPES
- MADE IN GERMANY

ITEM NO. **31400-151**

LASER CYSTOSCOPY VISUAL OBTURATOR — 23 FR. Ø

- FOR USE WITH 4 MM Ø SCOPES
- FOR USE WITH 31400-150/31400-151

ITEM NO. **31400-152**

LASER CYSTOSCOPY STANDARD OBTURATOR — 23 FR. Ø

FOR USE WITH 31400-150/31400-151

ITEM NO. **31400-153**

LASER CYSTOSCOPY PUNCH FORCEPS — 24 FR. Ø

- FOR TISSUE REMOVED AFTER LASER TREATMENT
- FOR USE WITH 4 MM Ø SCOPES
- MADE IN GERMANY

* FOR USE WITH SHEATH SYSTEM LIST NO. 31400-91 (PAGE 10)

ITEM NO. **31400-154**

ENDO UROLOGY ACCESSORIES

MADE IN THE USA

ELLIK EVACUATOR

ITEM NO.	DESCRIPTION
31430-00A	ELLIK EVACUATOR COMPLETE - STANDARD CONE CONNECTOR
31430-00B	ELLIK EVACUATOR COMPLETE - QUICK LOCK CONE CONNECTOR

PICTURED COMPLETE SYSTEM

ELLIK EVACUATOR PARTS

ITEM NO.	DESCRIPTION
31430-01	GLASS BOWL ONLY—PICTURED ABOVE
31430-02	STANDARD TUBE WITH CONE (FIGURE 1)
31430-03	RUBBER BALL ONLY—PICTURED ABOVE
31430-04	QUICKLOCK TUBE WITH CONE (FIGURE 2)

FIGURE 1

FIGURE 2

BLADDER SYRINGE— COMPLETE WITH LOCKING ADAPTER



ORDERING INFORMATION — GLASS BARREL SIZE — COMPLETE WITH LOCKING ADAPTERS

ADAPTER STYLE	50 ML ITEM NO.	75 ML ITEM NO.	100 ML ITEM NO.	150 ML ITEM NO.	200 ML ITEM NO.
STANDARD CONNECTOR	**31760-01**	**31760-02**	**31760-03**	**31760-04**	**31760-05**
QUICK LOCK CONNECTOR	**31760-11**	**31760-12**	**31760-13**	**31760-14**	**31760-15**

BLADDER SYRINGE GLASS REPLACEMENT BARREL— NOT PICTURED

50 ML ITEM NO.	75 ML ITEM NO.	100 ML ITEM NO.	150 ML ITEM NO.	200 ML ITEM NO.
31760-01	**31760-02**	**31760-03**	**31760-04**	**31760-05**
31760-11	**31760-12**	**31760-13**	**31760-14**	**31760-15**

ENDO UROLOGY ACCESSORIES

Made In The USA

Adaptor — Connectors — Stopcocks
Catheter Adaptors

Item No. **52000-02**	Item No. **52000-03**	Item No. **52000-06**	Item No. **52000-10**
Smooth Infusion Catheter Adapter w/ Straight Female Luer Lock	Serrated Infusion Catheter Adapter w/ Straight Female Luer Lock	Infusion Catheter Adapter w/ Bulbous Tip + Female Luer Lock Connector	Smooth Infusion Catheter Adapter w/ Angled Female Luer Lock

Luer Lock Tube Connector

Item No. **52000-16** (Pictured)	Item No. **52000-18** (Pictured)
Male Luer Lock with 6 mm Ø Hose Fitting	Female Luer Lock with 6 mm Ø Hose Fitting
Item No. **52000-17**	Item No. **52000-19**
Male Luer Lock with 8 mm Ø Hose Fitting	Female Luer Lock with 8 mm Ø Hose Fitting

Stopcock with Luer Lock and Tube Connector



Item No. **52000-32**	Item No. **52000-29**
Stopcock with Male Luer Lock and 6 mm Ø Hose Fitting	Stopcock with Female Luer Lock and 6 mm Ø Hose Fitting
Item No. **52000-33** (Pictured)	Item No. **52000-30** (Pictured)
Stopcock with Male Luer Lock and 8 mm Ø Hose Fitting	Stopcock with Female Luer Lock and 8 mm Ø Hose Fitting

MADE IN THE USA

DILATING BOUGIES

DITTEL DILATING BOUGIES — STRAIGHT

220 MM — 8 ¾"

2⅔ MM Ø	8 CHARR./FR.	31380-08
3 MM Ø	9 CHARR./FR.	31380-09
3⅓ MM Ø	10 CHARR./FR.	31380-10
3⅔ MM Ø	11 CHARR./FR.	31380-11
4 MM Ø	12 CHARR./FR.	31380-12
4⅓ MM Ø	13 CHARR./FR.	31380-13
4⅔ MM Ø	14 CHARR./FR.	31380-14
5 MM Ø	15 CHARR./FR.	31380-15
5⅓ MM Ø	16 CHARR./FR.	31380-16
5⅔ MM Ø	17 CHARR./FR.	31380-17
6 MM Ø	18 CHARR./FR.	31380-18
6⅓ MM Ø	19 CHARR./FR.	31380-19
6⅔ MM Ø	20 CHARR./FR.	31380-20
7 MM Ø	21 CHARR./FR.	31380-21
7⅓ MM Ø	22 CHARR./FR.	31380-22
7⅔ MM Ø	23 CHARR./FR.	31380-23
8 MM Ø	24 CHARR./FR.	31380-24
8⅓ MM Ø	25 CHARR./FR.	31380-25
8⅔ MM Ø	26 CHARR./FR.	31380-26
9 MM Ø	27 CHARR./FR.	31380-27
9⅓ MM Ø	28 CHARR./FR.	31380-28
9⅔ MM Ø	29 CHARR./FR.	31380-29
10 MM Ø	30 CHARR./FR.	31380-30
10⅔ MM Ø	32 CHARR./FR.	31380-32
11 MM Ø	33 CHARR./FR.	31380-33
11⅓ MM Ø	34 CHARR./FR.	31380-34
12 MM Ø	36 CHARR./FR.	31380-36

DITTEL DILATING BOUGIES — CURVED



350 MM — 13¾"

2⅔ MM Ø	8 FR.	31390-08
3 MM Ø	9 FR.	31390-09
3⅓ MM Ø	10 FR.	31390-10
3⅔ MM Ø	11 FR.	31390-11
4 MM Ø	12 FR.	31390-12
4⅓ MM Ø	13 FR.	31390-13
4⅔ MM Ø	14 FR.	31390-14
5 MM Ø	15 FR.	31390-15
5⅓ MM Ø	16 FR.	31390-16
5⅔ MM Ø	17 FR.	31390-17
6 MM Ø	18 FR.	31390-18
6⅓ MM Ø	19 FR.	31390-19
6⅔ MM Ø	20 FR.	31390-20
7 MM Ø	21 FR.	31390-21
7⅓ MM Ø	22 FR.	31390-22
7⅔ MM Ø	23 FR.	31390-23
8 MM Ø	24 FR.	31390-24
8⅓ MM Ø	25 FR.	31390-25
8⅔ MM Ø	26 FR.	31390-26
9 MM Ø	27 FR.	31390-27
9⅓ MM Ø	28 FR.	31390-28
9⅔ MM Ø	29 FR.	31390-29
10 MM Ø	30 FR.	31390-30
10⅔ MM Ø	32 FR.	31390-32
11 MM Ø	33 FR.	31390-33
11⅓ MM Ø	34 FR.	31390-34
12 MM Ø	36 FR.	31390-36

UROLOGICAL INSTRUMENTS

Made In The USA

Dilating Bougies

Van Buren

2⅔ mm Ø	8 Fr.	31391-08
3⅓ mm Ø	10 Fr.	31391-10
4 mm Ø	12 Fr.	31391-12
4⅔ mm Ø	14 Fr.	31391-14
5⅓ mm Ø	16 Fr.	31391-16
6 mm Ø	18 Fr.	31391-18
6⅔ mm Ø	20 Fr.	31391-20
7⅓ mm Ø	22 Fr.	31391-22
8 mm Ø	24 Fr.	31391-24
8⅔ mm Ø	26 Fr.	31391-26
9⅓ mm Ø	28 Fr.	31391-28
10 mm Ø	30 Fr.	31391-30
10⅔ mm Ø	32 Fr.	31391-32
11⅓ mm Ø	34 Fr.	31391-34
12 mm Ø	36 Fr.	31391-36

Van Buren Dilating Bougies

31391-00

Guyon

3⅓ mm Ø	10 Fr.	31393-10
3⅔ mm Ø	11 Fr.	31393-11
4 mm Ø	12 Fr.	31393-12
4⅓ mm Ø	13 Fr.	31393-13
4⅔ mm Ø	14 Fr.	31393-14
5 mm Ø	15 Fr.	31393-15
5⅓ mm Ø	16 Fr.	31393-16
5⅔ mm Ø	17 Fr.	31393-17
6 mm Ø	18 Fr.	31393-18
6⅓ mm Ø	19 Fr.	31393-19
6⅔ mm Ø	20 Fr.	31393-20
7 mm Ø	21 Fr.	31393-21
7⅓ mm Ø	22 Fr.	31393-22
7⅔ mm Ø	23 Fr.	31393-23
8 mm Ø	24 Fr.	31393-24
8⅓ mm Ø	25 Fr.	31393-25
8⅔ mm Ø	26 Fr.	31393-26
9 mm Ø	27 Fr.	31393-27
9⅓ mm Ø	28 Fr.	31393-28
9⅔ mm Ø	29 Fr.	31393-29
10 mm Ø	30 Fr.	31393-30

Filiform Dilating Bougies

31101-03	3 Fr.
31101-04	4 Fr.
31101-05	5 Fr.
31101-06	6 Fr.

Sold Pkg (5)

Guyon Dilating Bougies

31393-00

CATHETER GUIDE — INTRODUCING INSTRUMENTS



GUYON CATHETER GUIDE

31070-39 39, 0 CM, 15 ½"



GUYON CATHETER GUIDE

31070-35 35,0 CM, 13 ¾"



GUYON CATHETER GUIDE

31070-35 35,0 CM, 13 ¾"

MADE IN THE USA

GOODWIN STYLE DILATION SOUNDS

- STAINLESS STEEL FOR DILATING TIGHT URETRAS
- FLAT DISTAL END FOR CURVE DIRECTIONAL IDENTIFICATION
- AUTOCLAVABLE-MEDICAL GRADE STAINLESS STEEL

ITEM NO.	DESCRIPTION
31-4000	GOODWIND STYLE DILATION SOUNDS
SHAFT WITH CURVED TIP WITH FLAT DISTAL END FOR CURVE DIRECTIONAL IDENTIFICATION AND ERGONOMIC SURE GRIP ROUND HANDLE	
COMPLETE SET OF (10): 12 FR., 14 FR., 16 FR., 18 FR., 20 FR., 22 FR., 24 FR., 26 FR., 28 FR., 30 FR.	
AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL	

INDIVIDUAL ITEM ORDERING

ITEM NO.	DESCRIPTION
31-4012	12 FR. GOODWIN URETHRAL SOUND
31-4014	14 FR. GOODWIN URETHRAL SOUND
31-4016	16 FR. GOODWIN URETHRAL SOUND
31-4018	18 FR. GOODWIN URETHRAL SOUND
31-4020	20 FR. GOODWIN URETHRAL SOUND
31-4022	22 FR. GOODWIN URETHRAL SOUND
31-4024	24 FR. GOODWIN URETHRAL SOUND
31-4026	26 FR. GOODWIN URETHRAL SOUND
31-4028	28 FR. GOODWIN URETHRAL SOUND
31-4030	30 FR. GOODWIN URETHRAL SOUND

UROLOGICAL INSTRUMENTS

MADE IN THE USA

MAGILL CATHETER INTRODUCING FORCEPS





31001-15	31001-17	31001-20	31001-25
15CM, 6"	17CM, 6¾"	20CM, 8"	25CM, 9¾"

METAL CATHETERS FOR MEN

31112-08	8 FR.
31112-10	10 FR.
31112-12	12 FR.
31112-14	14 FR.
31112-16	16 FR.
31112-18	18 FR.
31112-20	20 FR.

METAL CATHETERS FOR WOMEN

31110-06	6 FR.
31110-07	7 FR.
31110-08	8 FR.
31110-09	9 FR.
31110-10	10 FR.
31110-11	11 FR.
31110-12	12 FR.
31110-13	13 FR.
31110-14	14 FR.
31110-16	16 FR.
31110-18	18 FR.
31110-20	20 FR.
31110-22	22 FR.
31110-24	24 FR.

GUYON METAL CATHETERS FOR WOMEN

WALTHER 5¼" 31220-00 (SET)

31220-12	12 FR.
31220-14	14 FR.
31220-16	16 FR.
31220-18	18 FR.
31220-20	20 FR.
31220-22	22 FR.
31220-24	24 FR.
31220-26	26 FR.
31220-28	28 FR.
31220-30	30 FR.
31220-32	32 FR.
31220-34	34 FR.
31220-36	36 FR.
31220-38	38 FR.

GUYON METAL CATHETERS FOR MEN

FOREIGN BODY FORCEPS



MATHIEU URETHRAL GRASPING FORCEPS — SERRATED JAWS

31080-19	19.0 CM, 7 ½"	L — WORKING LENGTH
31080-28	28.0 CM, 11"	L — WORKING LENGTH

MEATOTOME FORCEPS



SACHSE MEATOTOME FORCEPS

31082-12	12.5 CM, 4 ¾"	L — WORKING LENGTH

CAPSULE HOLDING FORCEPS



MILLIN AUTOMATIC TIP	
31651-24	9½" (24 CM)



MILLIN TUBE TIP	
31653-22	8¾" (22 CM)



MILLIN FLAT TIP	
31655-23	9½" (24 CM)



MILLIN 9X9 TEETH TIP	
31657-23	9" (23 CM)



MILLIN FORK TIP	
31659-24	9½" (24 CM)

UROLOGICAL INSTRUMENTS

MADE IN THE USA

BLADDER SPATULAS

LEGUEU BLADDER SPATULA

31621-27	10¾" (27 CM)

LEGUEU BLADDER NECK SPREADER

31622-00	11" (28 CM)

MILLIN BLADDER SPATULA

31625-26	10¼" (26 CM) 67 MM WIDE

PROSTATIC RETRACTORS

YOUNG—LATERAL

31623-01	8¾" (22 CM)

36 X 13 MM BLADE

YOUNG—ANTERIOR

31623-02	8¾" (22 CM)

68 X 38 MM BLADE

YOUNG—BULBOUS HANDLE

31623-03	8¾" (22 CM)

23 X 25 MM BLADE

YOUNG — FORKED

31623-04	8¾" (22 CM)

36 X 38 MM BLADE

BLADDER RETRACTORS

LEGUEU BLADDER RETRACTOR

31617-00 SET

LEGUEU

31617-01
BLADDER RETRACTOR FRAME

LEGUEU

31617-10
CENTRAL BLADE

LEGUEU

31617-11
LATERAL BLADE — SET



THOMSON-WALKER BLADDER RETRACTOR

31618-00 SET

MILLIN BLADDER RETRACTOR

31620-00 SET

MILLIN

31620-01
BLADDER RETRACTOR FRAME

MILLIN

31620-02	110 x 45 MM

CENTRAL BLADE

MILLIN

31620-03	57 x 25 MM
31620-04	80 x 25 MM

LATERAL BLADE PAIR



JUDD-MASSON BLADDER RETRACTOR

31619-00 SET

LATERAL BLADE	25 MM X 70 MM
CENTRAL BLADE	24 MM X 84 MM

UROLOGICAL INSTRUMENTS

MADE IN THE USA

URETHRO DILATORS AND FORCEPS



BLAKES DILATORS

31-26-00	SET OF 9, 12" (30 CM)

LEGUEU KIDNEY SPATULA

31-18-22	100 MM X 44 MM

URETHRO FORCEPS

AUTOMATIC URETHRO FORCEPS

31-012-24	9⅔" (24.0 CM) OVERALL LENGTH

MOORE SCOOP

31-30-28	11" (28 CM)

MAYO SCOOP

31-32-27	11" (28 CM)

STONE FORCEPS AND PROBES



OCHSNER SPINAL PROBE	
31-20-38	15" (38 CM)

MOYNIHAN PROBE	
31-22-34	13½" (34 CM)



LEWKOWITZ STONE FORCEPS	9⅔" (24 CM) OVERALL LENGTH
31010-24	STRAIGHT
31011-24	CURVED



RANDALL STONE FORCEPS

FIG. 1 **31-10-01** 9" (23 CM)	**FIG. 3** **31-10-03** 8¾" (22 CM)
FIG. 2 **31-10-02** 8¾" (22 CM)	**FIG. 4** **31-10-04** 8¾" (22 CM)

VASECTOMY

QUALITY REUSABLE INSTRUMENT WITH GOLD HANDLES

ITEM NO. **31-50-01**

NO SCALPEL VASECTOMY FORCEPS 5" (12.5 CM) WITH SHARP POINTED SMOOTH CURVED JAW

31-50-00

NO SCALPEL VASECTOMY FIXATOR CLAMP FORCEPS — 1MM DIAMETER BLUNT RING TIPS, 5½" (14 CM)

31-50-05

NO SCALPEL VASECTOMY FIXATOR CLAMP FORCEPS — 5MM DIAMETER BLUNT RING TIPS, 5½" (14 CM)

31-50-06

OPTIONAL STAINLESS STEEL STERILIZATION/ STORAGE CASE

FEATURING:

NO SCALPEL VASECTOMY IS A VASECTOMY PROCEDURE USING A SHOW HEMOSTAT TO PUNCTURE THE SCROTUM TO ACCESS THE VAS DEFERENCE.
THE KEY BENEFIT IS THAT THERE IS NO SUTURE REQUIRED TO CLOSE THE SKIN. DUE TO THE SIMPLICITY OF THE PROCEDURE AFFORDS ITSELF TO BE USED IN PUBLIC PROGRAMS WORLDWIDE.

CIRCUMCISION CLAMPS

"GOMCO" STYLE CIRCUMCISION CLAMPS



FEATURING A WIDE VARIETY OF SIZES FOR USE ON INFANTS, BOYS AND MEN OF ALL AGES/SIZES. BY CAREFUL ADJUSTMENT IT CAN BE USED TO ACHIEVE A VARIETY OF STYLES OF CIRCUMCISION.

*STOCKING ITEM

ITEM NO	DESCRIPTION		
31-55-00	"GOMCO" STYLE CIRCUMCISION CLAMPS, INFANT EXTRA SMALL	0.8 CM	(5/16")
***31-55-01**	"GOMCO" STYLE CIRCUMCISION CLAMPS, EXTRA SMALL	1.1 CM	(7/16")
***31-55-02**	"GOMCO" STYLE CIRCUMCISION CLAMPS, NEWBORN	1.3 CM	(1/2")
31-55-03	"GOMCO" STYLE CIRCUMCISION CLAMPS, CHILD	1.45 CM	(9/16")
***31-55-04**	"GOMCO" STYLE CIRCUMCISION CLAMPS, CHILD	1.6 CM	(5/8")
31-55-05	"GOMCO" STYLE CIRCUMCISION CLAMPS, YOUTH	2.1 CM	(13/16")
31-05-06	"GOMCO" STYLE CIRCUMCISION CLAMPS, ADULT	2.6 CM	(1")
31-55-07	"GOMCO" STYLE CIRCUMCISION CLAMPS, ADULT	3.2 CM	(1¼")

TURNER WARWICK PEDIATRIC/PERINEAL RETRACTOR

FOR MINIMALLY INVASIVE URETHROPLASTY PROCEDURES AND FEMALE PELVIC RECONSTRUCTION

19261-01E



19261-02E **19261-04E** **19263-01E**

TURNER WARWICK PEDIATRIC/ PERINEAL RETRACTOR — COMPLETE SET

19261-00	INCLUDING THE FOLLOWING (ITEMS CAN BE PURCHASED SEPARATELY)

TURNER WARWICK RING

19261-01E	OVAL 7" X 5" (18 X 12.7 CM) EBONIZED BLACK	QTY. 1

TURNER WARWICK BLADE

19261-03E	6" L X 1⅛" W X 1⅛" H (15 X 3 X 3 CM) EBONIZED BLACK	QTY. 2

TURNER WARWICK RAKE BLADE — 4 PRONGS

19261-02E	5" L X 4□ 16" W X ½" H (12.5 X 1.7 X 1.2 CM) EBONIZED BLACK	QTY. 6

TURNER WARWICK BLADE MALLEABLE

19261-04E	7½" L X 2⅜" W X 1⅛" H (15 X 6 X 3 CM) EBONIZED BLACK	QTY. 1

AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

TURNER WARWICK ADULT RETRACTOR

IDEAL FOR USE IN URETHROPLASTY PROCEDURES AND FEMALE RECONSTRUCTION



TURNER WARWICK ADULT RETRACTOR — COMPLETE SET

19262-00	INCLUDING THE FOLLOWING (ITEMS CAN BE PURCHASED SEPARATELY)

TURNER WARWICK SMALL RING

19262-01E	ROUND 9" (23 CM) EBONIZED BLACK	QTY. 1

TURNER WARWICK LARGE RING

19262-02E	ROUND 11⅞ " (30 CM) EBONIZED	QTY.

TURNER WARWICK BLADE

19262-03E	6" L X 1⅛" W X 1⅛" H (15 X 3 X 3 CM) EBONIZED BLACK	QTY. 2

TURNER WARWICK BLADE

19262-04E	6½" L X 1⅞" W X 1½" H (16.5 X 4.7 X 4 CM) EBONIZED BLACK	QTY. 4

TURNER WARWICK BLADE

19262-05E	7¾" L X 2¾" W X 2⅜" H (18.5 X 7 X 6 CM) EBONIZED BLACK	QTY. 2

TURNER WARWICK BLADE WITH SLIDING LOCK

19262-06E	7½" L X 3½" W X 2½" H (19 X 9 X 6.5 CM) EBONIZED BLACK	QTY. 2

TURNER WARWICK BLADE WITH SLIDING LOCK

19262-07E	7½" L X 4¾" W X 2½" H (19 X 12 X 6.5 CM) EBONIZED BLACK	QTY. 2

OPTIONAL—NOT INCLUDED IN SET

TURNER WARWICK BLADE — MALLEABLE

19262-08E	7½" L X 3½" W X 2½" H (19 X 9 X 6.5 CM) WITH SLIDING LOCK

TURNER WARWICK BLADE—MALLEABLE

19262-09E	7½" L X 4¾" W X 2½" H (19 X 12 X 6.5 CM) WITH SLIDING LOCK

AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

MADE IN THE USA

DENNIS BROWN ADULT & PEDIATRIC RETRACTOR SYSTEM

RETRACTOR SYSTEM FOR URETHROPLASTY AND FEMALE PELVIC RECONSTRUCTION PROCEDURE



DENNIS BROWN OPTIONAL BLADE

19771-04



DENNIS BROWN RETRACTOR SYSTEM

19771-00	PEDIATRIC FRAME CONSISTING OF: (1)A (2)C (2)D
19772-00	ADULT FRAME CONSISTING OF: (1)B (2)C (2)D

DENNIS BROWN PEDIATRIC FRAME

(A) 19771-01	OVAL (A) 6¼" X (B) 7½" (16 X 19 CM)	QTY. 1

DENNIS BROWN ADULT FRAME

(B) 19772-01	OVAL (A) 7□ 16" X (B)	QTY.

DENNIS BROWN BLADE

(C) 19771-02	1⅝" W X 1¼" H (4 X	QTY.

DENNIS BROWN BLADE

(D) 19771-03	1⅝" W X 1⅝" H (4 X 4 CM)	QTY. 2

DENNIS BROWN OPTIONAL BLADE

(E) 19771-02	(E) 1" W X 1" H (2.5 X 2.5 CM) FLAT MALLEABLE BLADE TIP	QTY. 2

NON-REFLECTIVE MEDICAL GRADE STAINLESS STEEL

UROLOGICAL INSTRUMENTS

MADE IN THE USA

MEATUS AND INCONTINENCE CLAMPS

31-51-00

31-51-02

31-51-01



31-51-03

31-52-02

31-52-03

31-52-04

31-52-05

31-51-04

ITEM NO.	DESCRIPTION
31-51-00	DAVIS MEATUS CLAMP
31-51-01	WHITVER MEATUS CLAMP
31-51-02	BLACK MEATUS CLAMP
31-51-03	HYAMS MEATUS CLAMP
31-51-04	ZIPSTER MEATUS CLAMP

ITEM NO.	DESCRIPTION
31-52-02	CUNNINGHAM INCONTINENCE CLAMP, JUVENILE
31-52-03	CUNNINGHAM INCONTINENCE CLAMP, REGULAR
31-52-04	CUNNINGHAM INCONTINENCE CLAMP, LARGE
31-52-05	BAUMRUCKER INCONTINENCE CLAMP

CAMPBELL SUPRAPUBIC TROCAR AND CANNULA

APPLICATION FOR TROCAR CYSTOSCOPY THAT IS INDICATED IN PATIENTS WITH CHRONIC URINARY RETENTION IN WHICH PROLONGED PERIOD OF URINARY DRAINAGE IS NECESSARY AND DESIRABLE.

CAMPBELL SUPRAPUBIC TROCAR AND CANNULA	
31-04-40	CANNULA GRADUATED IN CENTIMETER, GROOVED TO ACCOMMODATE 20 FR. FOLEY CATHETER. STAINLESS STEEL 26 FR. DIAMETER, 5⅞ " (15 CM) WORKING LENGTH

FOLEY CATHETER TIP PUNCH

REUSABLE-LITE ALUMINUM CONSTRUCTION PUNCH FOR CUTTING 3MM Ø ROUND HOLE ON DISTAL END OF FOLEY UTERINE CATHETER.

FOLEY CATHETER TIP PUNCH	
SM31-0919GL	REUSABLE FOLEY STYLE CATHETER TIP PUNCH, AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL AND ALUMINUM

UROLOGICAL INSTRUMENTS — PROSTATECTOMY

MADE IN THE USA

ROTH URETHRAL SUTURE GUIDES



ROTH URETHRAL SUTURE GUIDES

31-0124	24 FR.
31-0128	28 FR.

AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

FEATURES: THREE RETRACTABLE GRIPPING RODS ENDS. THREE SETS OF PAIRED SUTURE GUIDE GLOVES ARRANGED AT 120 DEGREE INTERVALS. PRECISION MACHINED, MIRROR-FINISH STAINLESS STEEL COMPONENTS.



ROTH NONE SLIP TIP URETHRAL SUTURE GUIDES

31-1524	24 FR.
31-1528	28 FR.

Made In The USA

Lowsley Prostatic Tractor

For applying gentile traction to the prostate without trauma to the gland. For applying gentile traction to the prostate without trauma to the gland.

Item No.	Description		
31-2225	**Lowsley** Prostatic Tractor — Straight	20 Fr.	11” Overall Length
31-2235	**Lowsley** Prostatic Tractor — Straight	20 Fr.	13” Overall Length
31-2240	**Lowsley** Prostatic Tractor — Curved	20 Fr.	13” Overall Length

Item No.	Description	
31-2225	**YOUNG** Prostatic Tractor — Straight	13½” Overall Length

UROLOGICAL INSTRUMENTS — PROSTATECTOMY

MADE IN THE USA

DURRANI AND STAMEY

COMPLIMENTARY INSTRUCTIONS TO HELP MANAGE THE DORSAL VEIN COMPLEX DURING RADICAL PROSTATECTOMY:

1 STAMEY DORSAL VEIN APICAL RETRACTOR



HANDLE FLANGE DESIGN PROVIDES FOR SECURE CONTROL AND CEPHALAD RETRACTION. THE RETRACTOR BLADES PROVIDE A WIDE SPACE ON BOTH SIDES OF THE DORSAL VEIN COMPLEX FOR PLACING A CONTROLLING SUTURE. (DETAILED IN THE

2 DURRANI D.V COMPLEX LIGATION NEEDLE

TIP DESIGN AND LENGTH PROVIDE FOR RELATIVELY SIMPLE AND PREDICTABLE PASSAGE OF LIGATURE BETWEEN DORSAL VEIN COMPLEX AND URETHRA.
FLAT HANDLE DESIGN AIDS IN NEEDLE ORIENTATION CONTROL AND THE APPLICATION OF EVEN HAND PRESSURE.



AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

	ITEM NO.	DESCRIPTION
1	31-2225	**STAMEY** DORSAL VEIN APICAL RETRACTOR
2	31-2235	**DURRANI** DORSAL VEIN COMPLEX LIGATION NEEDLE

Made In The USA

Retractors For Retropubic prostatectomy

These retractors shown below provide optimal exposure of the dorsal vein complex and posterior retraction of the bladder.

YU-HOLTGREWE Prostatic Retractor

31-0040	Malleable Prostatic Retractor 2½" x 7" w/ Simpson Handle

YU-HOLTGREWE Prostatic Retractor

31-0040	Malleable Prostatic Retractor 2½" x 7" w/ Simpson Handle

YU-HOLTGREWE Prostatic Retractor

31-0040	Malleable Prostatic Retractor 2½" x 7" w/ Simpson Handle

YU-HOLTGREWE Prostatic Retractor

31-0040	Malleable Prostatic Retractor 2½" x 7" w/ Simpson Handle

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

FLEXIBLE ELECTRODES FOR RIGID CYSTOSCOPES

FEATURING: PRECISION MACHINED NICKEL/ SILVER ELECTRODE TIPS. COLOR CODED TEFLON SHAFT INSULATION.

REUSABLE — FULLY AUTOCLAVABLE

SHAFT SIZE/COLOR		POINTED TIP	CONICAL TIP	BUGBEE TIP	DOMED TIP	STRAIGHT TIP	BALL TIP
3 FR.	BLACK			31-5721-3	31-5722-3		
4 FR.	RED	31-5720-4	31-5726-4	31-5721-4	31-5722-4	31-5727-4	31-5723-4
5 FR.	GRAY	31-5720-5	31-5726-5	31-5721-5	31-5722-5	31-5727-5	31-5723-5
6 FR.	GREEN	31-5720-6	31-5726-6	31-5721-6	31-5722-6	31-5727-6	31-5723-6
7 FR.	ORANGE	31-5720-7	31-5726-7	31-5721-7	31-5722-7	31-5727-7	31-5723-7
8 FR.	BLUE	31-5720-8	31-5726-8	31-5721-8	31-5722-8	31-5727-8	31-5723-8
5 FR.	GRAY			31-57120-5			
6FR.	GREEN			31-57120-6			
8 FR.	BLUE			31-57120-8			
5 FR.	GRAY			31-57240-5			
6FR.	GREEN			31-57240-6			
8 FR.	BLUE			31-57240-8			

SPECIAL TIPS

A B C

	SHAFT SIZE/ COLOR		ITEM NO.
(A) LOOP TIP	6 FR.	GREEN	31-5724-6
(B) FLAT TIP	5 FR.	GRAY	31-5728-5
(C) BUNGE MEATOME	6 FR.	GREEN	31-5729-6

ADAPTER	
31-5700	ADAPTER FOR CYSTOSCOPIC ELECTRODES

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

CONTROL TIP ® ELECTRODES FOR RIGID CYSTOSCOPES

FEATURING: ADJUSTABLE CURVE AT ELECTRODE TIP AND 360° ROTATION PROVIDE PRECISE TIP CONTROL PRECISION MACHINED NICKEL/ SILVER ELECTRODE TIPS AND COLOR CODED SHAFT INSULATION.

REUSABLE — FULLY AUTOCLAVABLE



SHAFT SIZE/COLOR		POINTED TIP	CONICAL TIP	BUGBEE TIP	ANGULAR	STRAIGHT	BALL TIP
5 FR.	GRAY	31-5790-5	31-5796-5	31-5791-5	31-5798-5	31-5787-5	31-5793-5
6 FR.	GREEN	31-5790-6	31-5796-6	31-5791-6	31-5798-6	31-5797-6	31-5793-6
7 FR.	ORANGE	31-5790-7	31-5796-7	31-5791-7	31-5798-7	31-5797-7	31-5793-7

SUGGESTED MONOPOLAR RF CABLES

ITEM NO.	DESCRIPTION
5260	REUSABLE MONOPOLAR RF CABLE — PIN INSTRUMENT & MALE BANANA PLUG
5261	REUSABLE MONOPOLAR RF CABLE — PIN INSTRUMENT BOVIE PLUG

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

ELECTRODES FOR FLEXIBLE URETEROSCOPES AND FLEXIBLE CYSTOSCOPES

FEATURING: PRECISION MACHINED NICKEL/ SILVER ELECTRODE TIPS. COLOR CODED TEFLON SHAFT INSULATION.

REUSABLE — FULLY AUTOCLAVABLE



SHAFT SIZE/COLOR		STD. LENGTH	BALL TIP	BUGBEE TIP	DOMED TIP	ANGULAR TIP
2 FR.	BLUE	120 CM		**31-5783-2**	**31-5784-2**	
3 FR.	BLACK	120 CM		**31-5783-3**	**31-5784-3**	**31-5787-3**
4 FR.	RED	90 CM	**31-5781-4**	**31-5783-4**	**31-5784-4**	**31-5787-4**
5 FR.	GRAY	60 CM	**31-5781-5**	**31-5783-5**	**31-5784-5**	**31-5787-5**

*SPECIAL MODE LENGTHS AVAILABLE — INQUIRY

CONTROL TIP ® ELECTRODES FOR RIGID URETEROSCOPES

FEATURING: ADJUSTABLE CURVE AT ELECTRODE TIP AND 360° ROTATION PROVIDE PRECISE TIP CONTROL PRECISION MACHINED NICKEL/ SILVER ELECTRODE TIPS AND COLOR CODED SHAFT INSULATION.

REUSABLE — FULLY AUTOCLAVABLE



SHAFT SIZE/ COLOR		STD, LENGTH	BALL TIP	BUGBEE TIP
2 FR.	BLUE	120 CM	**31-5771-4**	**31-5773-4**

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

RECOMMENDED REUSABLE MONOPOLAR ELECTRODES

FOR FULL LISTING OF ELECTRODES SEE OUR DATA SHEET "ELMED REUSABLE MONOPOLAR SURGICAL ELECTRODES"

ELMED REUSABLE PIN-POINT™ MICRO TIP ELECRODES

SPECIAL MICRO-GROUND & POLISHED TIP FOR PIN-POINT CUTTING AND MINIMUM ESCHAR BUILDUP
THE ELECTRODE SHAFTS ARE KYNAR-COATED, MAKING THEM REUSABLE & AUTOCLAVABLE — 3MM (3/32") Ø SHAFT

5901-01 STRAIGHT TIP; 1 CM NEEDLE SHAFT, 2.5 CM (1") OVERALL WORKING LENGTH

5901-02 STRAIGHT TIP; 2 CM NEEDLE SHAFT, 3.5 CM (1.5") OVERALL WORKING LENGTH

5901-03 STRAIGHT TIP; 4 CM NEEDLE SHAFT, 4.5 CM (2") OVERALL WORKING LENGTH

5901-04 STRAIGHT TIP; 1 CM NEEDLE SHAFT, 5.5 CM (2.5") OVERALL WORKING LENGTH

5901-05 STRAIGHT TIP; CURVED 1 CM NEEDLE SHAFT, 3 CM (1.25") OVERALL WORKING LENGTH

5902-01 45° TIP; 2 CM NEEDLE SHAFT, 3.5 CM (1.5") OVERALL WORKING LENGTH

5902-02 45° TIP; 3 CM NEEDLE SHAFT, 4.5 CM (2") OVERALL WORKING LENGTH

5903-01 STRAIGHT TIP; 45° 2 CM NEEDLE SHAFT, 3.5 CM (1.5") OVERALL WORKING LENGTH

5903-02 STRAIGHT TIP; 90° 2 CM NEEDLE SHAFT, 3.5 CM (1.5") OVERALL WORKING LENGTH

5903-03 STRAIGHT TIP; CURVED 3 CM NEEDLE SHAFT, 5 CM (2.5") OVERALL WORKING LENGTH

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

REUSABLE KYNAR-COATED STAINLESS STEEL MONOPOLAR ELECTRODES

FOR CUTTING AND COAGULATION, 3MM (3/32") DIAMETER SHAFT—55 MM LENGTH.

5706-05 CUTTING NEEDLE ELECTRODE

5702-05 MICRO NEEDLE ELECTRODE, 45° ANGULATED

5721-05 4MM Ø COAGULATING BALL ELECTRODE

5707-05 CUTTING/ COAGULATION LANCET ELECTRODE

5708-05 3MM Ø WIRE LOOP ELECTRODE

5701-05 MICRO NEEDLE ELECTRODE

5720-05 2MM Ø COAGULATING BALL ELECTRODE

5709-05 5MM Ø WIRE LOOP ELECTRODE

REUSABLE MONOPOLAR HANDLES FOR FOOT & HAND SWITCHING

ITEM NO.	DESCRIPTION
5750	HAND-SWITCHING DUAL BUTTON CUTTING/ COAGULATION WITH ATTACHED CABLE
5014	FOOT-SWITCHING HANDLE FOR 3 MM (3/32") Ø SHAFT ELECTRODES

RECOMMENDED REUSABLE RF CABLES FOR FOOT& HAND SWITCHING

ITEM NO.	DESCRIPTION
5021	REUSABLE MONOPOLAR RF CABLE — FOR UNIT WITH 4 MM MALE BANANA PLUG
5009	REUSABLE MONOPOLAR RF CABLE — FOR UNIT WITH BOVIE PLUG

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

ELMED BIPOLAR SURGICAL CUT-COAG SCISSORS



TIP STYLE A
STANDARD

½ OUTSIDE BLADE, HEAVY DUTY SYNTHETIC BLUE INSULATION

ITEM NO.	DESCRIPTION
5950-18	CURVED METZENBAUM: 18CM (7”)
5950-21	CURVED METZENBAUM: 21CM (8.25”)
5950-23	CURVED METZENBAUM: 23CM (9”)
5950-28	CURVED METZENBAUM: 28CM (11”)

NEW MICRO ROUND TIP BLADES

BLADE AND BODY WITH HEAVY DUTY SYNTHETIC BLUE INSULATION

ITEM NO.	DESCRIPTION
5950-03	CURVED MICRO: 13CM (5.25”)
5950-04	CURVED MICRO: 14CM (5.5”)

TIP STYLE B
SLIM BLADE

¾ OUTSIDE BLADE, HEAVY DUTY SYNTHETIC BLUE INSULATION

ITEM NO.	DESCRIPTION
5960-18	CURVED METZENBAUM: 18CM (7”)
5960-21	CURVED METZENBAUM: 21CM (8.25”)
5960-23	CURVED METZENBAUM: 23CM (9”)
5960-28	CURVED METZENBAUM: 28CM (11”)

MADE IN THE USA

CYSTOSCOPY VIDEO SYSTEM

IDEAL FOR OFFICE AND SURGICAL SUITES WHERE SPACE AND BUDGET ARE LIMITED.

51800-01 ELMED MINI ENDOSCOPIC VIDEO CART SYSTEM

FEATURES OF THE SYSTEM

- ELMED COMBO DIGITAL CAMERA AND LED LIGHT SOURCE
- VIDEO-COUPLING + C-MOUNT CAMERA HEAD
- HD DIGITAL FLAT PANEL COLOR MONITOR
- MEDICAP USB 1000 DIGITAL IMAGE CAPTURE DEVICE
- ELMED MINI ENDOSCOPIC VIDEO CART
- FIBER OPTIC LIGHT CABLE
- STERILE SCOPE HOLDING RACK

SPECIAL PRICE!

WE OFFER SPECIAL PRICING ON OUR ENDOSCOPIC SCOPE SYSTEMS AND SHEATHS WHEN COMBINED WITH OUR VIDEO CART

UROLOGICAL ELECTROSURGERY

MADE IN THE USA

ELECTROSURGERY FOR UROLOGICAL PROCEDURES

FEATURING OUR MOST ECONOMICAL SYSTEM FOR UROLOGICAL OUTPATIENT PROCEDURES.

5781URO ELMED ESU 70 UROLOGICAL SYSTEM

OUTPATIENT UROLOGICAL SURGERY

- REMOVAL OF SMALL TUMORS AND LESIONS WITHIN THE BLADDER, THROUGH THE CYSTOSCOPE AND FLEXIBLE URETHROSCOPE, WITH SPECIAL ELECTRODES
- VASECTOMY AND MICROSURGICAL VASECTOMY REVERSAL
- REMOVAL OF SKIN LESIONS AND COAGULATION OF SMALL BLOOD VESSELS
- GENERAL AND MINOR PROCEDURES IN OUTPATIENT UROLOGY

CONSISTING OF:

5195	ESU ELECTROSURGICAL UNIT & FOOTSWITCH
5046-1*	REUSABLE PATIENT PLATE & RETAINING STRAP
5071	REUSABLE PATIENT PLATE & CONNECTING CABLE
5783	REUSABLE FLEXIBLE CYSTO-ELECTRODE
5260	REUSABLE ELECTRODE CONNECTING CABLE
5014-1*	REUSABLE FOOTSWITCH HANDLE & BLADE ELECTRODE
5021	REUSABLE HANDLE CONNECTING CABLE
4755	EQUIPMENT TROLLEY WITH ONE DRAWER
52200-03	STERILIZATION & STORAGE CONTAINER

MADE IN THE USA

ELMED HIVOCAUTER ELECTROGURGICAL UNIT

OUR MOST ECONOMICAL AND COMPACT RF ELECTROSURGICAL UNIT TO PERFORM SPRAY COAGULATION DESICCATION, FULGURATION AND CUTTING SURGICAL PROCEDURES, SUCH AS UROLOGICAL VASECTOMY AND VENEREAL WARTS.

5240 ELMED HIVOCAUTER SYSTEM W/ HAND SWITCHING HANDLE

5711 OPTIONAL FOOTSWITCH

FEATURES OF THE UNIT

MODES OF OPERATION:	HAND SWITCH OR FOOTSWITCH
DIMENSION:	9"L X 8"W X 4"H (23CM X 20CM X 10CM)
WEIGHT:	6 LBS. (2.7 KG)

ELMED ESU 170 U ELECTROSURGICAL UNIT

OUR MOST VERSATILE MONOPOLAR/ BIPOLAR GENERATOR FOR TRUE RF-ELECTROSURGERY FOR ALL UROLOGICAL SURGICAL PROCEDURES WITH BOTH FOOT SWITCHING AND HAND SWITCHING ACTIVATION.

ITEM NO.	DESCRIPTION
5795M	ELMED ESU 170 U ELECTROSURGICAL UNIT W/ MONOPOLAR/ BIPOLAR OUTPUT FOOT AND HANDSWITCHING (UNIT INCLUDES FOOTSWITCH)

ELMED ESU 400 DIGITAL — THE NEXT STEP IN INNOVATION

SPECIFICALLY DESIGNED FOR ALL YOUR UROLOGICAL PROCEDURES. MONOPOLAR & BIPOLAR — TURP & BIPOLAR RESECTOSCOPE

ITEM NO.	DESCRIPTION
	ELMED ESU 400 DIGITAL GEN II
	GENERATION II
	MONOPOLAR CUT + COAGULATION
5795M	BIPOLAR CUT + COAGULATION
	DIGITAL TOUCH SCREEN DISPLAY
	MULTI SCREEN DISPLAY
	INCLUDES MONOPOLAR AND BIPOLAR FOOTSWITCH

SCALPELS AND HANDLES

MADE IN THE USA

SURGICAL BLADES

STERILE - STAINLESS STEEL

- RAZOR-SHARP CUTTING EDGES FOR SUPERIOR CUTTING AND CLEAN INCISIONS
- INDIVIDUALLY PACKAGED IN FOIL PEEL PACKS
- CONVENIENT SINGLE-USE
- SIZES CLEARLY MARKED ON EACH BLADE
- AVAILABLE IN STAINLESS STEEL
- DISPENSER BOX CONTAINS 100 BLADES
- 11 SIZES

10 11 12 12B 15 15C 20 21 22 23 25

BLADE SIZE	10	11	12	12B	15	15C
ITEM NO.	**10-15-10**	**10-155-11**	**10-15-12**	**10-15-14**	**10-15-15**	**10-15-16**
BLADE SIZE	20	21	22	23	25	3K MINIATURE BLADE (NOT PICTURED)
ITEM NO.	**10-15-20**	**10-15-21**	**10-15-22**	**10-15-23**	**10-15-25**	**10-15-30**

SCALPEL HANDLES REUSABLE - STAINLESS STEEL



	ITEM NO.	DESCRIPTION	LENGTH	FITS BLADES	
				10-15C	20-25
A	**10-10-03**	NO. 3 KNIFE HANDLE	5”	X	-
A-1	**10-10-03M**	NO. 3 KNIFE HANDLE, GRADUATED	5”	X	-
B	**10-10-04**	NO. 4 KNIFE HANDLE	5-3/8”	-	X
B-1	**10-10-04M**	NO. 4 KNIFE HANDLE, GRADUATED	5-3/8”	-	X
C	**10-10-07**	NO. 7 KNIFE HANDLE	6-1/2”	X	-
D	**10-10-17**	NO. 7 KNIFE HANDLE	4-1/2”	X	-
E	**10-10-13**	NO. 3L KNIFE HANDLE	8-1/2”	X	-
F	**10-10-13A**	NO. 3L KNIFE HANDLE, ANGLED	8-1/2”	X	-
G	**10-10-14**	NO. 4L KNIFE HANDLE	8-1/2”	-	X
H	**10-10-14A**	NO. 4L KNIFE HANDLE, ANGLED	8-1/2”	-	X
I	**10-10-15**	NO. 5 PLASTIC HANDLE, GREEN	5”	X	-
J	**10-10-16**	NO. 6 PLASTIC HANDLE, RED	5-1/4”	-	X
K	**10-10-18**	SELF-LOCKING CHUCK HANDLE	3-3/4”	3K BLADES	
K-1	**10-10-19**	SELF-LOCKING CHUCK HANDLE	5-1/2”	3K BLADES	
K-2	**10-10-20**	SELF-LOCKING CHUCK HANDLE	9”	3K BLADES	

ELMED BULLDOG CLAMP FOR LAPAROSCOPIC APPLICATION

- FEATURING BULLDOG DIPS THAT ARE APPLIED LAPAROSCOPICALLY FOR INTRAOPERATIVE OCCLUSION AND ARE THEREFORE CALLED TEMPORARY CLIPS.
- PROCEDURES PROVIDE ARTERIAL AND VENOUS CLAMPING OF THE RENAL HILUM FOR A CLEAN OPERATIVE FIELD.
- THESE PRECISION MADE INSTRUMENTS ARE AVAILABLE IN A VARIETY OF SIZES AND HAVE BEEN MOST COMMONLY USED FOR PARTIAL NEPHRECTOMY AND BOWEL RESECTION.

ITEM NO.	DESCRIPTION
52132-01	10MM 32CM ELMED BULLDOG CLIP APPLIER / REMOVER. STAINLESS STEEL, LOCKING HANDLE, ROTATABLE W/ FLUSH PORT. AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

ELMED BULLDOG CLAMP — NON STERILE

AUTOCLAVABLE MEDICAL GRADE STAINLESS STEEL

FOR COMPLETE ENDO-MINIMAL INSTRUMENT LISTING SEE OUR: LAPAROSCOPIC CATALOG

ITEM NO.	DESCRIPTION	
52100-45	STRAIGHT BOWEL	— 45 MM JAW
52100-60	STRAIGHT BOWEL	— 60 MM JAW
52200-17	STRAIGHT VASCULAR	— 17 MM JAW
52200-25	CURVED VASCULAR	— 25 MM JAW
52300-17*	CURVED VASCULAR	— 17 MM JAW
52300-25*	CURVED BOWEL	— 25 MM JAW
52400-45*	CURVED BOWEL	— 45 MM JAW
52400-60*	CURVED BOWEL	— 60 MM JAW
52500-60	SATINSKY TROCAR CLAMP	— 60 MM JAW
52600-60	SATINSKY TROCAR CLAMP	— 60 MM JAW

* REQUIRES 12MM TROCAR CANNULA

SERVICE AND REPAIR

MADE IN THE USA

IN NEED OF INSTRUMENT REPAIRS? SEND THEM TO THE *ER*!

ELMED REPAIR

60 YEARS OF EXPERIENCE AND KNOWLEDGE IN DESIGNING, ENGINEERING, MANUFACTURING AND REPAIRING FOR THE MEDICAL COMMUNITY HAS GIVEN ELMED, INC. ONE OF THE BEST REPUTATIONS IN THE INDUSTRY. WE REPAIR WHAT OTHERS ARE UNABLE OR UNWILLING TO DO AND WE REPAIR ALL COMPETITIVE BRANDS. OUR WORK IS PERFORMED BY SKILLED TECHNICIANS, ALL OF WHICH HAVE BEEN WITH ELMED FOR THE PAST 10-30 YEARS.

COMPLETE IN-HOUSE MACHINE SHOP, POWDER COATING, LASER WELDING, & MARKING FINISHING, ELECTRONICS AND OPTICAL DEPARTMENTS

AREAS OF SPECIALTY

- LAPAROSCOPIC AND ENDOSCOPIC INSTRUMENTS
- ELECTROSURGICAL UNITS AND ACCESSORIES
- FIBER OPTIC LIGHT CABLES AND RETRACTORS
- RIGID ENDOSCOPES & FLEXIBLE SINUSCOPES
- STAINLESS STEEL HAND INSTRUMENTS
- LIGHT SOURCES AND HEADLIGHTS
- DEBRIDER UNITS, HAND PIECES AND BLADES
- SELF RETAINING RETRACTOR SYSTEMS

HOW TO PACKAGE AND SHIP INSTRUMENTS

- **IMPORTANT**: ELMED CANNOT ACCEPT INSTRUMENTS THAT HAVE NOT BEEN PROPERLY CLEANED, DISINFECTED OR STERILIZED.
- INCLUDE CUSTOMER NAME AND ALL CONTACT INFORMATION (NAME, ADDRESS, PHONE NO., FAX NO., EMAIL ADDRESS, ETC.)
- INCLUDE CUSTOMER P.O. (PURCHASE ORDER), IF USED
- INCLUDE REASON FOR RETURN - BRIEF DESCRIPTION OF REPAIR PROBLEM IF AVAILABLE
- WRAP INSTRUMENT FOR PROTECTION DURING TRANSPORT

PLEASE FILL OUT, DETACH, AND INCLUDE THE FORM BELOW WITH YOUR REPAIR:

FROM:	
FACILITY:	CONTACT PERSON:
ADDRESS:	
CITY, STATE, ZIP	
EMAIL:	PHONE NO.
PO. NO.	QTY.
INSTRUMENT DESCRIPTION:	
(NOTE: PLEASE INCLUDE MODEL NO. AND SERIAL NO. IN INSTRUMENT DESCRIPTION FOR SCOPES)	
FAST SERVICE: INCOMING REPAIRS COMING IN BY NEXT DAY AIR WILL BE COMPLETED WITHIN 24 HRS (WHEN PARTS ARE AVAILABLE)	
SHIP TO: **ELMED** 35 N BRANDON DR., GLENDALE HEIGHTS, IL 60139	